

SAFETY DATA SHEET

Version 6.13 Revision Date 03/02/2024 Print Date 07/13/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2,3,7,8-Tetrachlorodibenzo-p-dioxin solution

Product Number : 48599
Brand : Supelco

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - repeated exposure (Category 2), Central nervous system, H373

Supelco - 48599

Page 1 of 14



Aspiration hazard (Category 1), H304 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram !!

Signal Word	Danger
Hazard Statements H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs (Central nervous system) through
1.1373	prolonged or repeated exposure.
H401	Toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statements	to, tome to aquate me man long taoming en color
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.

Supelco - 48599

Page 2 of 14



P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : 2,3,7,8-TCDD

Component		Classification	Concentration				
Toluene							
CAS-No. EC-No. Index-No. Registration number	108-88-3 203-625-9 601-021-00-3 01-2119471310-51- XXXX	1 ,	>= 90 - <= 100 %				
2,3,7,8-Tetrachlorod	2,3,7,8-Tetrachlorodibenzo-p-dioxin						
CAS-No. EC-No.	1746-01-6 217-122-7	Acute Tox. 1; Skin Irrit. 2; Carc. 1A; Repr. 1B; STOT SE 1; Aquatic Chronic 1; H300, H310, H315, H350, H360, H370, H410 M-Factor - Aquatic Chronic: 100,000 M-Factor - Aquatic Chronic: 100,000	< 0.1 %				

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

Supelco - 48599

Page 3 of 14



In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Mixture with combustible ingredients.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

Supelco - 48599

Page 4 of 14



6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage class

Storage class (TRGS 510): 3: Flammable liquids


7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters



Component	CAS-No.	Value	Control parameters	Basis		
Toluene	108-88-3	TWA	100 ppm 375 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)		
		STEL	150 ppm 560 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)		
		TWA	200 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2		
	Remarks	Z37.12-1967				
		CEIL	300 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2		
		Z37.12-1967				
		Peak	500 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2		
		Z37.12-19	67			
		TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Visual impairment				
		Female rep				
		Pregnancy loss				
		2023 Adop				
		Substances for which there is a Biological Exposure Index				
		or Indices (see BEI® section)				
		Not classifiable as a human carcinogen				
		TWA	100 ppm 375 mg/m3	USA. NIOSH Recommended Exposure Limits		
		ST	150 ppm 560 mg/m3	USA. NIOSH Recommended Exposure Limits		

Biological occupational exposure limits

Biological occupational exposure limits							
Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
Toluene	108-88-3	Toluene	0.02 mg/l	In blood	ACGIH - Biological Exposure Indices (BEI)		
	Remarks	Prior to last shift of workweek					
		Toluene	0.03 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)		
		End of shift (As soon as possible after exposure ceases)					
		o-Cresol	0.3mg/g creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)		
		End of shift (As soon as possible after exposure ceases)					

Supelco - 48599 Page 6 of 14



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

0.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting No data available

point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point 4 °C (39 °F) - closed cup

h) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available



flammability or explosive limits

k) Vapor pressure No data available Vapor density No data available m) Density No data available Relative density No data available n) Water solubility No data available o) Partition coefficient: No data available

n-octanol/water

No data available p) Autoignition

temperature

q) Decomposition No data available temperature

No data available r) Viscosity

Not classified as explosive. s) Explosive properties

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Inhalation: No data available
Dermal: No data available
Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

- Central nervous system

Aspiration hazard

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Supelco - 48599

Page 9 of 14



Components

Toluene

Acute toxicity

LD50 Oral - Rat - male - 5,580 mg/kg (Directive 67/548/EEC, Annex V, B.1.) LC50 Inhalation - Rat - male - 4 h - 25.7 mg/l - vapor (OECD Test Guideline 403) LD50 Dermal - Rabbit - male - > 5,000 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: irritating - 4 h

(Regulation (EC) No. 440/2008, Annex, B.4)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(Regulation (EC) No. 440/2008, Annex, B.6)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Result: negative Test Type: Ames test

Test system: S. typhimurium

Result: negative

Species: Rat - Bone marrow

Result: negative Remarks: (ECHA) Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Supelco - 48599

Page 10 of 14



Aspiration hazard

Aspiration may cause pulmonary edema and pneumonitis.

2,3,7,8-Tetrachlorodibenzo-p-dioxin

Acute toxicity

LD50 Oral - Rat - 0.02 mg/kg

Remarks: (Lit.)

Inhalation: No data available

LD50 Dermal - Rabbit - 0.275 mg/kg

Remarks: (Lit.)

Skin corrosion/irritation

Skin - In vitro study

Result: Severe skin irritation

Remarks: (Lit.)

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

May cause cancer. Positive evidence from human epidemiological studies.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Causes damage to organs. - Liver, Skin

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

Components

Toluene

flow-through test LC50 - Oncorhynchus kisutch (coho salmon) -Toxicity to fish

> 5.5 mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia

and other aquatic invertebrates

EC50 - Ceriodaphnia dubia (water flea) - 3.78 mg/l - 48 h

(US-EPA)

static test EC50 - Bacteria - 84 mg/l - 24 h Toxicity to bacteria

Remarks: (ECHA)

Toxicity to flow-through test NOEC - Oncorhynchus kisutch (coho salmon)

fish(Chronic toxicity) - 1.39 mg/l - 40 d Remarks: (ECHA)

Toxicity to daphnia

and other aquatic invertebrates(Chronic toxicity)

NOEC - Ceriodaphnia dubia (water flea) - 0.74 mg/l - 7 d

(US-EPA)

2,3,7,8-Tetrachlorodibenzo-p-dioxin


Toxicity to mortality NOEC - Oncorhynchus mykiss (rainbow trout) - 0.001

 μ g/l - 56 d fish(Chronic toxicity)

Remarks: (ECOTOX Database)

LC50 - Oryzias latipes - 0.013 μg/l - 14 d

Remarks: (ECOTOX Database)



SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1294 Class: 3 Packing group: II

Proper shipping name: Toluene Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 1294 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: TOLUENE

IATA

UN number: 1294 Class: 3 Packing group: II

Proper shipping name: Toluene

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Toluene CAS-No. Revision Date 108-88-3 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Toluene CAS-No. Revision Date 108-88-3 2007-07-01 1746-01-6 2023-07-14

2,3,7,8-Tetrachlorodibenzo-p-dioxin

Pennsylvania Right To Know Components

Toluene CAS-No. Revision Date 108-88-3 2007-07-01

Supelco - 48599 Page 13 of 14

Millipore SigMa

California Prop. 65 Components

, which is/are known to the State of California to CAS-No. Revision Date cause cancer, and 2, 3, 7, 8-Tetrachlorodibenzo-p-dioxin 1746-01-6 2007-09-28

, which is/are known to the State of California to CAS-No. Revision Date cause birth defects or other reproductive harm. For 108-88-3 2009-02-01 more information go to www.P65Warnings.ca.gov.Toluene

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.13 Revision Date: 03/02/2024 Print Date: 07/13/2024

