



## SAFETY DATA SHEET

Version 6.14 Revision Date 12/18/2024 Print Date 12/19/2024

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Acetaldehyde

Product Number : 402788

Brand : Sigma-Aldrich Index-No. : 605-003-00-6 CAS-No. : 75-07-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 1

Sigma-Aldrich- 402788 Page 1 of 15

Eye irritation : Category 2A

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ tox- : Category 3 (Respiratory system)

icity - single exposure

: Category 3

Short-term (acute) aquatic hazard

#### **GHS label elements**

Hazard pictograms







Signal Word : Danger

Hazard Statements : H224 Extremely flammable liquid and vapor.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects.

H350 May cause cancer. H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ light-

ing/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static dis-

charge.

P261 Avoid breathing mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to



fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical ad-

vice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

## Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep

cool.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

May form explosive peroxides. Photosensitizer. Lachrymator.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

## **Components**

Chemical name	CAS-No.	Concentration (% w/w)
acetaldehyde	75-07-0	>= 90 - <= 100

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all con-

taminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

Sigma-Aldrich- 402788 Page 3 of 15

If swallowed : After swallowing: immediately make victim drink wa-

ter (two glasses at most).

Consult a physician.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of extin-

guishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along

floors.

Development of hazardous combustion gases or va-

pours possible in the event of fire.

Forms explosive mixtures with air at ambient temper-

atures.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Remove container from danger zone and cool with

water.



Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapors, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency proce-

dures, consult an expert.

Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area

## **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on protection against fire and explosion

: Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Advice on safe handling

: Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Further information on storage conditions

: Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition.

Keep locked up or in an area accessible only to quali-

fied or authorized persons.

Storage class : 3, Flammable liquids

Recommended storage : 36 - 46 °F / 2 - 8 °C

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetaldehyde	75-07-0	С	25 ppm	ACGIH
		TWA	200 ppm	OSHA Z-1
			360 mg/m3	

**Engineering measures** : No data available

#### Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter

type:

: Filter type AX

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Butoject® (KCL 898)

Material : butyl-rubber Break through time : 480 min Glove thickness : 0.7 mm

Protective index : Splash contact

Manufacturer : Butoject® (KCL 898)

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating

Sigma-Aldrich- 402788 Page 6 of 15



from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and ap-

proved under appropriate government standards such

as NIOSH (US) or EN 166(EU).

Safety glasses

Tightly fitting safety goggles

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face af-

ter working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid, clear

Color : colorless

Odor : pungent

Odor Threshold : No data available pH : 5 (68 °F / 20 °C)

Melting point : -190.3 °F / -123.5 °C

Boiling point : 70 °F / 21 °C

(1,013 hPa)

Flash point : -38.00 °F / -38.89 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : 347 °F / 175 °C

1,013 hPa

Sigma-Aldrich- 402788

Upper explosion limit / Upper flammability limit

: Upper explosion limit

57 %(V)

Lower explosion limit / Lower flammability limit : Lower explosion limit

4 %(V)

Vapor pressure

: 1,202 hPa (77 °F / 25 °C)

Relative vapor density : 1.52

(Air = 1.0)

Relative density

: No data available

Density

: 0.78 g/cm3 (61 °F / 16 °C)

Solubility(ies)

Water solubility

: completely miscible

Partition coefficient: n-

octanol/water

: log Pow: 0.63

Bioaccumulation is not expected.

Autoignition temperature

: 347 °F / 175 °C (1,013 hPa)

Decomposition tempera-

ture

: No data available

Viscosity

Viscosity, dynamic

: 0.24 mPa.s (68 °F / 20 °C)

Viscosity, kinematic

: No data available

Flow time

: No data available

Explosive properties

: Not classified as explosive.

Oxidizing properties

: none

Molecular weight

: 44.05 g/mol

Particle characteristics

Particle size

: No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Vapors may form explosive mixture with air.

Chemical stability : The product is chemically stable under standard ambi-

ent conditions (room temperature).

Possibility of hazardous

reactions

: Avoid exposure to air any longer than necessary so as

to prevent peroxide formation.

Stable under recommended storage conditions. Vapors may form explosive mixture with air.

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1

year.

Conditions to avoid : Warming.

Incompatible materials : No data available

Hazardous decomposition : In the event of fire: see section 5

products

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations Remarks: (RTECS)

Remarks: Lacrimal irritation due to vapours.

conjunctivitis

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

## Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2B - Group 2B: Possibly carcinogenic to humans (acetaldehyde)

1 - Group 1: Carcinogenic to humans (acetaldehyde)

IARC: 2B - Group 2B: Possibly carcinogenic to humans (acetaldehyde)

1 - Group 1: Carcinogenic to humans (acetaldehyde)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (acetaldehyde)

OSHA: No component of this product present at levels greater than or equal to

0.1% is on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

May cause respiratory irritation.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

RTECS: AB1925000

Blurred vision, Unconsciousness, Headache, Vomiting, Nausea, Pulmonary edema. Effects may be delayed., Convulsions, sneezing, Cough, Shortness of breath To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

## **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

#### acetaldehyde:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 31

mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Remarks: (ECHA)

Toxicity to daphnia and other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): ca. 48.3 mg/l

End point: Immobilization Exposure time: 48 h

Test Type: static test Remarks: (ECHA)

Sigma-Aldrich- 402788 Page 10 of 15

plants

Toxicity to algae/aquatic : EC10 (Pseudokirchneriella subcapitata): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

ErC50 (Pseudokirchneriella subcapitata): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

#### Persistence and degradability

#### **Components:**

## acetaldehyde:

Biodegradability : aerobic

> Inoculum: activated sludge Concentration: 100 mg/l Biochemical oxygen demand Result: Readily biodegradable.

Biodegradation: 80 % Exposure time: 14 d

Method: OECD Test Guideline 301C

## **Bioaccumulative potential**

## **Components:**

#### acetaldehyde:

Partition coefficient: n- : log Pow: 0.63

octanol/water Remarks: Bioaccumulation is not expected.

## Mobility in soil

No data available

### Other adverse effects

#### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602

Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**IATA-DGR** 

UN/ID No. UN 1089 Proper shipping name : Acetaldehyde

Class 3 Packing group Ι

Labels : Class 3 - Flammable liquids

Packing instruction (cargo: 361

aircraft)

Packing instruction (pas- : Not permitted for transport

senger aircraft)

IMDG-Code

UN number : UN 1089

Proper shipping name : ACETALDEHYDE

: 3 Class : I Packing group 3 Labels

EmS Code : F-E, S-D Marine pollutant : no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National regulation**

49 CFR Road

UN/ID/NA number : UN 1089 Proper shipping name : Acetaldehyde

Class : 3 : I Packing group

Labels : Class 3 - Flammable liquids

ERG Code : 129 Marine pollutant : no

Poison Inhalation Hazard : No

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

	Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ī	acetaldehyde	75-07-0	1000	1000

## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Haz-

: Fire Hazard

ards

Acute Health Hazard Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

acetaldehyde 75-07-0 >= 90 - <= 100 %

## **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

acetaldehyde

75-07-0

>= 90 - <= 100 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

acetaldehyde

75-07-0

>= 90 - <= 100 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

acetaldehyde

75-07-0

>= 90 - <= 100 %

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

acetaldehyde

75-07-0

>= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

acetaldehyde

75-07-0

>= 90 - <= 100 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307



This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

## **Massachusetts Right To Know**

acetaldehyde 75-07-0

Pennsylvania Right To Know

acetaldehyde 75-07-0

**Maine Chemicals of High Concern** 

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern** 

acetaldehyde 75-07-0

**Washington Chemicals of High Concern** 

acetaldehyde 75-07-0

## California Prop. 65

WARNING: This product can expose you to chemicals including acetaldehyde, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

## Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA, Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / C : Ceiling limit

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Har-

Sigma-Aldrich- 402788 Page 14 of 1



monized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/18/2024

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich- 402788 Page 15 of 15

