Sigma-Aldrich

www.sigmaaldrich.com

SAFETY DATA SHEET

Version 7.6 Revision Date 12/18/2024 Print Date 12/19/2024

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Copper(II) chloride

Product Number	: 222011
Brand	: Aldrich
CAS-No.	: 7447-39-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Identified uses : Laboratory chemicals, Synthesis of substances
- Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax		+1 314 771-5765 +1 800 325-5052
1.4	Emergency telephone		
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Aldrich- 222011



Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 2

GHS label elements

Hazard pictograms



Signal Word

Hazard Statements

: H302 + H312 Harmful if swallowed or in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

: Danger

P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Aldrich- 222011



Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)			
copper(II) chloride	7447-39-4	>= 90 - <= 100			
Actual concentration is withheld as a trade secret					

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	Show this material safety data sheet to the doctor in attendance.
If inhaled	:	After inhalation: fresh air.
In case of skin contact	:	In case of skin contact: Take off immediately all con- taminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	:	After swallowing: immediately make victim drink wa- ter (two glasses at most). Consult a physician.
Most important symp- toms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suit mea	table extinguishing dia	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment	nt.
Uns med	uitable extinguishing dia	:	For this substance/mixture no limitations of extin- guishing agents are given.	
Spe	cific hazards during	:	Not combustible.	
Aldrich- 2	22011			Page 3



fire fighting

Ambient fire may liberate hazardous vapours.

Hazardous combustion products	:	Hydrogen chloride gas
		Copper oxides
Specific extinguishing methods	:	No data available
Further information	:	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equip- ment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency proce- dures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precau- tions	:	Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Aldrich- 222011



Further information on storage conditions	:	Tightly closed. Dry.
Storage class	:	8A, Combustible, corrosive hazardous materials
Recommended storage temperature	:	Recommended storage temperature see product label.
Further information on storage stability	:	Hygroscopic. Store under inert gas.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permis- sible concentra- tion	Basis
copper(II) chloride	7447-39-4	TWA (Dust and mist)	1 mg/m3 (Copper)	ACGIH
		TWA	1 mg/m3 (Copper)	NIOSH REL

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter : Filter type P2 type:

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

: Nitrile rubber
: 480 min
: 0.11 mm
: Full contact
: KCL 741 Dermatril® L

Aldrich- 222011



Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Splash contact KCL 741 Dermatril® L
Remarks	:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
Skin and body protection	:	protective clothing
Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	brown
Odor	:	odorless
Odor Threshold	:	Not applicable
рН	:	No data available
Melting point/ range	:	1148 °F / 620 °C Method: lit.
Boiling point/boiling range	:	1819 °F / 993 °C (1013.250 hPa)
Flash point	:	Not applicable
Evaporation rate	:	No data available

Aldrich- 222011



Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Burning rate	:	No data available
Self-ignition	:	< 752 °F / < 400 °C Method: Relative self-ignition temperature for solids does not ignite
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	3.4 (77 °F / 25 °C)
Density	:	3.386 g/mL (77 °F / 25 °C) Method: lit.
Solubility(ies) Water solubility	:	620 g/l soluble (68 °F / 20 °C)
Partition coefficient: n- octanol/water	:	Not applicable for inorganic substances
Autoignition temperature	:	Not applicable
Decomposition tempera- ture	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Molecular weight	:	134.45 g/mol
Particle characteristics Particle size	:	No data available



SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No data available
Chemical stability	:	The product is chemically stable under standard ambi- ent conditions (room temperature) .
Possibility of hazardous reactions	:	Violent reactions possible with: Alkali metals Strong oxidizing agents Risk of explosion with: Acetylene Possible formation of: acetylidene
Conditions to avoid	:	no information available
Incompatible materials	:	various metals
Hazardous decomposition products	:	In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 584 mg/kg Remarks: (RTECS) Symptoms: After swallowing: irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Inhalation: No data available LD50 Dermal - Rat - female - 1,224 mg/kg (OECD Test Guideline 402) Remarks: The value is given in analogy to the following substances: Copper (I)chloride No data available

Skin corrosion/irritation

Skin - Rabbit Result: Irritations Remarks: (ECHA) The value is given in analogy to the following substances: Copper (I)-chloride

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. Remarks: (ECHA) The value is given in analogy to the following substances: Copper (I)-chloride

Respiratory or skin sensitization

Maximization Test - Guinea pig

Aldrich- 222011



Result: Not a skin sensitizer. (OECD Test Guideline 406) Remarks: The value is given in analogy to the following substances: Copper (I)chloride

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: Copper sulphate pentahydrate Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Method: Regulation (EC) No. 440/2008, Annex, B.12 Result: negative Remarks: The value is given in analogy to the following substances: Copper sulphate pentahydrate

Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Method: OECD Test Guideline 486 Result: negative Remarks: The value is given in analogy to the following substances: Copper sulphate pentahydrate

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: GL7000000

Aldrich- 222011



Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has lead to hemolytic anemia and accelerates arteriosclerosis., Gastrointestinal disturbance, Lowered blood pressure, Depending on the intensity and duration of exposure, effects may vary from mild irritation to severe destruction of tissue., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption:

Headache Diarrhea drop in blood pressure Fever

After uptake of large quantities:

CNS disorders haemolysis

Damage to:

Liver Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

copper(II) chloride:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0028 mg/l End point: mortality Exposure time: 96 h

Aldrich- 222011

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 15

		Test Type: flow-through test Remarks: (ECOTOX Database)
Toxicity to daphnia and other aquatic inverte- brates	:	EC50 (Ceriodaphnia dubia (water flea)): 0.00557 mg/l End point: mortality Exposure time: 48 h Test Type: static test Remarks: (ECOTOX Database)
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	1
Ecotoxicology Assessme		
Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
Persistence and degrad	abi	lity
<u>Components:</u>		
copper(II) chloride:		
Biodegradability	:	Remarks: The methods for determining biodegradabil- ity are not applicable to inorganic substances.
Bioaccumulative potent	ial	
Components:		
copper(II) chloride: Partition coefficient: n- octanol/water	:	Remarks: Not applicable for inorganic substances
Mobility in soil No data available		
Other adverse effects		
<u>Product:</u> Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as de- fined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



Components:

copper(II) chloride:

Additional ecological in- : Discharge into the environment must be avoided. formation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	UN 2802
Proper shipping name	:	Copper chloride
Class	:	8
Packing group	:	III
Labels	:	Class 8 - Corrosive substances
Packing instruction (cargo aircraft)	:	864
Packing instruction (pas- senger aircraft)	:	860
IMDG-Code UN number Proper shipping name		UN 2802 COPPER CHLORIDE
Class	:	8
Packing group	:	III
Labels	:	8
EmS Code	:	F-A, <u>S-B</u>
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

National regulation

49 CFR Road UN/ID/NA number Proper shipping name	-	UN 2802 Copper chloride
Class Packing group Labels	:	8 III Class 8 - Corrosive substances

Aldrich- 222011

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 15

ERG Code	:	154
Marine pollutant	:	yes

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
copper(II) chloride	7447-39-4	10	10

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Haz- ards	:	Acute Health Ha Chronic Health I		
SARA 313	:	-	•	ubject to reporting III, Section 313:
		copper(II) chloride	7447-39-4	>= 90 - <= 100 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: copper(II) chloride 7447-39-4 >= 90 - <= 100 % The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3: copper(II) chloride 7447-39-4 >= 90 - <= 100 %

Aldrich- 222011



This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

copper(II) chloride 7447-39-4 >= 90 - <= 100 %This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know				
copper(II) chloride	7447-39-4			
Pennsylvania Right To Know				
copper(II) chloride	7447-39-4			
Maine Chemicals of High Concern				
Product does not contain any listed chemicals				
Vermont Chemicals of High Concern				
Product does not contain any listed chemicals				
Washington Chemicals of High Concern				
Product does not contain any listed chemicals				
The ingredients of this product are reported in the following inventories:				

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-
		hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; EMS - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Iden-



tification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/18/2024

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich- 222011

