

SAFETY DATA SHEET

Version 6.17 Revision Date 09/07/2024 Print Date 09/08/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2,2'-Azobis(2-methylpropionitrile)

Product Number : 441090 Brand : Aldrich

Index-No. : 608-019-00-1 CAS-No. : 78-67-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Self-reactive chemicals (Type C), H242 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Aldrich - 441090

Page 1 of 12



Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H242 Heating may cause a fire.

H302 + H332 Harmful if swallowed or if inhaled.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P220 Keep/Store away from clothing/ combustible materials.

P234 Keep only in original container.

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330 Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P420 Store away from other materials.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Risk of explosion if heated under confinement.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : AIBN

Azobisisobutyronitrile a,a'-Azoisobutyronitrile

Formula : C8H12N4 Molecular weight : 164.21 g/mol CAS-No. : 78-67-1

Aldrich - 441090

Page 2 of 12



EC-No. : 201-132-3 Index-No. : 608-019-00-1

Component	Classification	Concentration			
2,2'-dimethyl-2,2'-azodipropiononitrile					
	C; Acute Tox. 4; Aquatic Acute 2; Aquatic Chronic 3; H242, H302, H332, H401, H412	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Aldrich - 441090

Page 3 of 12



5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Risk of dust explosion.

Explosive decomposition possible on heating.

Avoid shock and friction.

Fire may cause evolution of:

nitrogen oxides, Hydrogen cyanide (hydrocyanic acid)

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

Aldrich - 441090

Page 4 of 12



7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Dry. Protected from light. Tightly closed and away from sources of ignition and heat. Observe national regulations.

Storage class

Storage class (TRGS 510): 4.1A: Other explosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
2,2'-dimethyl- 2,2'- azodipropiononitril e	78-67-1	TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Skin designation		
		С	4.7 ppm 5 mg/m3	USA. NIOSH Recommended Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other

Aldrich - 441090 Page 5 of 12



substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection protective clothing

Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: white

b) Odor none

c) Odor Threshold Not applicable d) pH No data available

e) Melting Melting point/ range: 103 - 105 °C (217 - 221 °F)

point/freezing point

Initial boiling point Decomposes below the boiling point. and boiling range

50 °C (122 °F) q) Flash point No data available h) Evaporation rate

Flammability (solid,

explosive limits

gas)

No data available

Upper/lower No data available j) flammability or

k) Vapor pressure 0.01 hPa at 25 °C (77 °F) - OECD Test Guideline 104

Aldrich - 441090

Aillipore

Page 6 of 12

I) Vapor density No data available

m) Density 0.8 g/cm3 at 25 °C (77 °F)

Relative density No data available

n) Water solubility 0.3178 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - partly

soluble

o) Partition coefficient: log Pow: 1.1 at 25 °C (77 °F) - OECD Test Guideline 107 -

n-octanol/water Bioaccumulation is not expected.

p) Autoignition No data available

temperature

q) Decomposition , 184.01 kJ/kgType C

temperature , 95.73 kJ/kg

r) Viscosity No data available

s) Explosive properties Risk of explosion if heated under confinement.

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of dust explosion. Mechanical sensitivity (friction)

Risk of explosion if heated under confinement.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

heat-sensitive

Sensitivity to light

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Aldehydes

alkalines

Alcohols

Alkali metals

Acids

n-heptane

with

Heat.

Ketones

with

Aldrich - 441090

Millipore SigMa

10.4 Conditions to avoid

Avoid shock and friction. Heating (explosive decomposition). no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 300 - 2,000 mg/kg (OECD Test Guideline 423) Acute toxicity estimate Inhalation - 4 h - 1.5 mg/l - dust/mist

risute textistey estimates initial action 1111 1119,11 aust, 1110

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 1 s (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Aldrich - 441090

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 490

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 92 Days - NOAEL (No observed adverse effect level) - 10 mg/kg

RTECS: UG0800000

Nausea, Dizziness, Headache, Drowsiness, Unconsciousness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 367 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata - 4.5 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

Aldrich - 441090

Page 9 of 12



(OECD Test Guideline 209)

Toxicity to daphnia and other aquatic

semi-static test NOEC - Daphnia magna (Water flea) - 2.2 mg/l - 21

invertebrates(Chronic (OECD Test Guideline 202)

toxicity)

12.2 Persistence and degradability

aerobic - Exposure time 28 d Biodegradability

Result: < 10 % - Not readily biodegradable.

(OECD Test Guideline 301B)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3224 Class: 4.1

Proper shipping name: Self-reactive solid type C (2,2'-AZODI(ISOBUTYRONITRILE) 100%)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3234 Class: 4.1

EMS-No: F-F, S-K

Proper shipping name: SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED (2,2'-

AZODI(ISOBUTYRONITRILE)) (2,2'-AZODI(ISOBUTYRONITRILE) 100%)

Aldrich - 441090

Page 10 of 12



IATA

UN number: 3234 Class: 4.1

Proper shipping name: Self-reactive solid type C, temperature controlled (2,2'-

AZODI(ISOBUTYRONITRILE) 100%)

IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

Further information

Special competent authority approval required!

SECTION 15: Regulatory information

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

2,2'-dimethyl-2,2'-azodipropiononitrile

78-67-1

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Aldrich - 441090

Page 11 of 12



SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.17 Revision Date: 09/07/2024 Print Date: 09/08/2024

Aldrich - 441090

