

## SAFETY DATA SHEET

Version 6.10  
Revision Date 03/04/2024  
Print Date 07/13/2024**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Cadmium sulfate

Product Number : 481882

Brand : Aldrich

Index-No. : 048-009-00-9

CAS-No. : 10124-36-4

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 2), H330

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350  
Reproductive toxicity (Category 1B), H360  
Specific target organ toxicity - repeated exposure (Category 1), Bone, Kidney, Respiratory system, H372  
Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H301	Toxic if swallowed.
H330	Fatal if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs (Bone, Kidney, Respiratory system) through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	: CdO <sub>4</sub> S
Molecular weight	: 208.47 g/mol
CAS-No.	: 10124-36-4
EC-No.	: 233-331-6
Index-No.	: 048-009-00-9

Component	Classification	Concentration
<b>cadmium sulphate</b>	Acute Tox. 3; Acute Tox. 2; Muta. 1B; Carc. 1B; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H340, H350, H360, H372, H400, H410 Concentration limits: >= 0.01 %: Carc. 1B, H350; >= 7 %: STOT RE 1, H372; 0.1 - < 7 %: STOT RE 2, H373; M-Factor - Aquatic Acute: 10 M-Factor - Aquatic Chronic: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

**If swallowed**

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Sulfur oxides

Cadmium/cadmium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
cadmium sulphate	10124-36-4	TWA	0.01 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Suspected human carcinogen		
		TWA	0.02 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
		Suspected human carcinogen		
		PEL	0.005 mg/m <sup>3</sup>	OSHA Specifically Regulated Chemicals/Carcinogens
		OSHA specifically regulated carcinogen		
		Potential Occupational Carcinogen		

		PEL	0.005 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
--	--	-----	-------------------------	---

### Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
cadmium sulphate	10124-36-4	cadmium	5 µg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			
		cadmium	5µg/g creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
		Not critical			

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

#### Body Protection

protective clothing

## Respiratory protection

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: solid Color: colorless
b) Odor	odorless
c) Odor Threshold	Not applicable
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 1,000 °C (1,832 °F)
f) Initial boiling point and boiling range	No data available
g) Flash point	( )Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	4.69 g/cm <sup>3</sup> at 25 °C (77 °F)
Relative density	No data available
n) Water solubility	767 g/l at 25 °C (77 °F)soluble
o) Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p) Autoignition temperature	No data available
q) Decomposition	No data available

temperature

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 107 mg/kg

Remarks: (in analogy to similar compounds)  
(ECHA)

The value is given in analogy to the following substances: Cadmium chloride  
Acute toxicity estimate Inhalation - 4 h - 0.051 mg/l - dust/mist

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 15 min

(OECD Test Guideline 439)

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 4 h

Aldrich - 481882

Page 8 of 12



(OECD Test Guideline 431)

**Serious eye damage/eye irritation**

No data available

**Respiratory or skin sensitization**

KeratinoSens assay

Result: negative

(OECD Test Guideline 442D)

**Germ cell mutagenicity**

May cause genetic defects.

**Carcinogenicity**

Presumed to have carcinogenic potential for humans Chronic exposure to cadmium may cause lung and prostate cancer.

IARC: 1 - Group 1: Carcinogenic to humans (cadmium sulphate)

NTP: Known - Known to be human carcinogen The reference note has been added by TD based on the background information of the NTP. (cadmium sulphate)

OSHA: OSHA specifically regulated carcinogen (cadmium sulphate)

**Reproductive toxicity**

May damage the unborn child.

May damage fertility.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

- Bone, Kidney, Respiratory system

**Aspiration hazard**

No data available

**11.2 Additional Information**

RTECS: EV2700000

Acute inhalation exposure to cadmium fumes may cause "metal fume fever" with flu-like symptoms of weakness, fever, headache, chills, nausea, vomiting, dizziness, sweating, muscular pain, cough and difficulty breathing. Acute pulmonary edema may develop within 24 hours and reaches a maximum by three days. The first chronic effect of exposure to cadmium is generally kidney damage, manifested by excretion of excessive protein in the urine, followed by anemia, teeth discoloration and loss of smell. Cadmium also is believed to cause pulmonary emphysema and bone disease.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Systemic effects:

Headache

Diarrhea

muscular weakness

Changes in the blood count

Aldrich - 481882

Page 9 of 12

Convulsions

pain in:

Gastrointestinal tract

Damage to:

Lungs

Bone

Liver

Kidney

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Carassius auratus (goldfish) - 0.75 mg/l - 96 h Remarks: (in analogy to similar products) (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 0.036 mg/l - 48 h Remarks: (in analogy to similar products) (ECHA)
Toxicity to bacteria	static test NOEC - activated sludge - 0.2 mg/l - 3 h (OECD Test Guideline 209) Remarks: (in analogy to similar products)
Toxicity to fish(Chronic toxicity)	NOEC - Salvelinus fontinalis (Brook trout) - 0.008 mg/l - 10 d Remarks: (in analogy to similar products) (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	- Daphnia magna (Water flea) - 0.0003 mg/l - 21 d Remarks: (ECOTOX Database)

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14: Transport information

### DOT (US)

UN number: 2570 Class: 6.1 Packing group: II  
Proper shipping name: Cadmium compounds (cadmium sulphate)  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

### IMDG

UN number: 2570 Class: 6.1 Packing group: II EMS-No: F-A, S-A  
Proper shipping name: CADMIUM COMPOUND (cadmium sulphate)  
Marine pollutant : yes

### IATA

UN number: 2570 Class: 6.1 Packing group: II  
Proper shipping name: Cadmium compound (cadmium sulphate)

---

**SECTION 15: Regulatory information****SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
cadmium sulphate	10124-36-4	1993-04-24

**SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

	CAS-No.	Revision Date
cadmium sulphate	10124-36-4	1993-04-24

**Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
cadmium sulphate	10124-36-4	1993-04-24

**California Prop. 65 Components**

, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). cadmium sulphate

CAS-No.	Revision Date
10124-36-4	2007-09-28

---

**SECTION 16: Other information****Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.10

Revision Date: 03/04/2024

Print Date: 07/13/2024