

# **SAFETY DATA SHEET**

Version 6.15 Revision Date 09/08/2024 Print Date 09/09/2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

1.2

1.4

-				
	Product name	:	Bis(trifluoromethane)sulfonimide lithium salt	
	Product Number : Brand : Index-No. : CAS-No. :		544094 Aldrich 616-124-00-9 90076-65-6	
2	Relevant identified uses of the substance or mixture and uses advised against			
	Identified uses	:	Laboratory chemicals, Synthesis of substances	
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.	

#### **1.3** Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314

Aldrich - 544094

Page 1 of 12



Serious eye damage (Category 1), H318 Specific target organ toxicity - repeated exposure, Oral (Category 2), Nervous system, H373 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

	$\vee$ $\vee$ $\vee$
Signal Word	Danger
Hazard Statements H301 + H311 H314 H373 H412	Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage. May cause damage to organs (Nervous system) through prolonged or repeated exposure if swallowed. Harmful to aquatic life with long lasting effects.
	Harmul to aquatic me with ong lasting effects.
Precautionary Statements P260 P264 P270 P273 P280	Do not breathe dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P314 P362 P405 P501	Get medical advice/ attention if you feel unwell. Take off contaminated clothing and wash before reuse. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### **SECTION 3: Composition/information on ingredients**

3.1 Substances

Synonyms

: Bis(trifluoromethylsulfonyl)aminelithium salt Lithium bistrifluoromethanesulfonimidate

Aldrich - 544094

Page 2 of 12



Component	Classification	Concentration
lithium bis(trifluoromethylsulfonyl)imide		
	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; STOT RE 2; Aquatic Acute 3; Aquatic Chronic 3; H301, H311, H314, H318, H373, H402, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

First treatment with calcium gluconate paste.In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting

Aldrich - 544094

Page 3 of 12



(only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Hydrogen fluoride Lithium oxides Not combustible. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6:** Accidental release measures

#### **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

Aldrich - 544094

Page 4 of 12



#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **Reference to other sections** 6.4 For disposal see section 13.

### **SECTION 7: Handling and storage**

#### Precautions for safe handling 7.1

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Handle and store under inert gas. Moisture sensitive.

#### Storage class

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Aldrich - 544094

Page 5 of 12



#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: powder Color: white
- b) Odor No data available
- c) Odor Threshold No data available
- d) pH 7.0 9.5 at 10 g/l

point/freezing point

e) Melting Melting point/ range: 234 - 238 °C (453 - 460 °F) - lit.

Aldrich - 544094

Page 6 of 12



f)	Initial boiling point and boiling range	No data available			
g)	Flash point	()Not applicable			
h)	Evaporation rate	No data available			
i)	Flammability (solid, gas)	The product is not flammable Regulation (EC) No. 440/2008, Annex, A.10			
j)	Upper/lower flammability or explosive limits	No data available			
k)	Vapor pressure	< 0.000001 hPa at 25 °C (77 °F) - Regulation (EC) No. 440/2008, Annex, A.4			
I)	Vapor density	No data available			
m)	Density	ca.2.15 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109			
	Relative density	No data available			
n)	Water solubility	ca.1,000 g/l - OECD Test Guideline 105			
0)	Partition coefficient: n-octanol/water	log Pow: -1.19 - OECD Test Guideline 107 - Bioaccumulation is not expected.			
p)	Autoignition temperature	> 420 °C (> 788 °F) - Regulation (EC) No. 440/2008, Annex, A.16			
q)	Decomposition temperature	No data available			
r)	Viscosity	No data available			
s)	Explosive properties	No data available			
t)	Oxidizing properties	none			
Otł	Other safety information				

No data available

#### SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

9.2

No data available

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents

# **10.4 Conditions to avoid** Avoid moisture.

no information available

Aldrich - 544094

Page 7 of 12



#### **10.5 Incompatible materials** No data available

**10.6 Hazardous decomposition products** In the event of fire: see section 5

#### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - 210 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rabbit - male and female - 400 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Does not cause skin sensitization. (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

Aldrich - 544094

Page 8 of 12



identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

#### Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Central nervous system, Peripheral nervous system

### Aspiration hazard

No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 29 d - NOAEL (No observed adverse effect level) - 15 mg/kg

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

	Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 88.4 mg/l - 96 h (OECD Test Guideline 203)
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 14 mg/l - 48 h (OECD Test Guideline 202)
	Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - 178 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
12.2	Persistence and deg Biodegradability	r <b>adability</b> aerobic - Exposure time 28 d Result: 9 % - Not readily biodegradable. (OECD Test Guideline 302B)
12.3	Bioaccumulative pot Bioaccumulation	t <b>ential</b> Cyprinus carpio (Carp) - 8 Weeks at 25 °C(lithium bis(trifluoromethylsulfonyl)imide)

Aldrich - 544094

Page 9 of 12



Bioconcentration factor (BCF): < 4 (OECD Test Guideline 305)

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

#### 12.7 Other adverse effects

No data available

#### SECTION 13: Disposal considerations

#### **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **SECTION 14: Transport information**

#### DOT (US)

UN number: 2923 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive solids, toxic, n.o.s. (lithium bis(trifluoromethylsulfonyl)imide) Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 2923 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (lithium bis(trifluoromethylsulfonyl)imide)

#### ΙΑΤΑ

UN number: 2923 Class: 8 (6.1) Packing group: II Proper shipping name: Corrosive solid, toxic, n.o.s. (lithium bis(trifluoromethylsulfonyl)imide)

Aldrich - 544094

Page 10 of 12



### SECTION 15: Regulatory information

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Acute Health Hazard			
SARA 313	: The following components are s levels established by SARA Title				
		lithium bis(trifluorome thylsulfonyl)imi de		>= 90 - <= 100 %	

#### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

#### Washington Chemicals of High Concern

Product does not contain any listed chemicals

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Aldrich - 544094

Page 11 of 12



Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.15 Revision Date: 09/08/2024 Print Date: 09/09/2024

Aldrich - 544094

Page 12 of 12

