

# SAFETY DATA SHEET

Version 6.17 Revision Date 09/27/2024 Print Date 09/28/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Potassium cyanide

Product Number : 60178 Brand : Sigma

Index-No. : 006-007-00-5 CAS-No. : 151-50-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 1), H300 Acute toxicity, Inhalation (Category 2), H330

Sigma - 60178

Page 1 of 13



Acute toxicity, Dermal (Category 2), H310 Specific target organ toxicity - repeated exposure (Category 1), Thyroid, H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger

**Hazard Statements** 

H290 May be corrosive to metals.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.
H372 Causes damage to organs (Thyroid) through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements	
P234	Keep only in original container.
P260	Do not breathe dust.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	Rinse mouth.
P302 + P350 + P310	IF ON SKIN: Gently wash with plenty of soap and water.
	Immediately call a POISON CENTER or doctor/ physician.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Immediately call a POISON CENTER/ doctor.
P314	Get medical advice/ attention if you feel unwell.
P362	Take off contaminated clothing and wash before reuse.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
	miei.

Dispose of contents/ container to an approved waste disposal

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

plant.

Contact with acids liberates very toxic gas.



P501

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : KCN

Molecular weight : 65.12 g/mol CAS-No. : 151-50-8 EC-No. : 205-792-3 Index-No. : 006-007-00-5

Component	Classification	Concentration
Potassium cyanide		
-	Met. Corr. 1; Acute Tox. 1;	<= 100 %
	Acute Tox. 2; STOT RE 1;	
	Aquatic Acute 1; Aquatic	
	Chronic 1; H290, H300,	
	H330, H310, H372, H400,	
	H410	
	M-Factor - Aquatic Acute:	
	10 - Aquatic Chronic: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Sigma - 60178

Page 3 of 13



# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

Water Foam Carbon dioxide (CO2)

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Potassium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

Sigma - 60178



# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

No metal containers.

hygroscopicTightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Do not store near acids.

Light sensitive.

## Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

Ingredients with	1101 Kpiace	control par	4	
Component	CAS-No.	Value	Control parameters	Basis
Potassium cyanide	151-50-8	С	4.7 ppm 5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
	Remarks	Skin designation		
		С	5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Danger of cutaneous absorption		
		PEL	5 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		

Sigma - 60178



Page 5 of 13

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

## **Respiratory protection**

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Sigma - 60178

Page 6 of 13



Color: white

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting Melting point/ range: 634 °C (1173 °F) point/freezing point

f) Initial boiling point 1,6 and boiling range

1,625 °C 2,957 °F

g) Flash point ()Not applicable
 h) Evaporation rate No data available
 i) Flammability (solid, gas)

j) Upper/lower flammability or explosive limits No data available

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.55 g/cm3 at 20 °C (68 °F)

Relative density No data available n) Water solubility No data available

o) Partition coefficient: Not applicable for inorganic substances n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Contact with acids liberates very toxic gas.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Sigma - 60178

\_\_\_\_

Page 7 of 13

## 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Fluorine

magnesium

sodium hypochlorite

Risk of explosion with:

chlorates

nitrites

nitrates

Strong oxidizing agents

permanganates

anhydrides

mercury(II) nitrate

nitrogen trichloride

Peroxides

perchloryl fluoride

A risk of explosion and/or of toxic gas formation exists with the following substances:

Water

Hydrogen fluoride

Carbon dioxide (CO2)

Generates dangerous gases or fumes in contact with:

Acids

#### 10.4 Conditions to avoid

Avoid moisture.

no information available

## 10.5 Incompatible materials

No data available

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

Oral: No data available

Acute toxicity estimate Oral - 0.51 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 0.051 mg/l - dust/mist

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Dermal - 50.1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Skin corrosion/irritation

No data available

Sigma - 60178

Page 8 of 13



## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.17

Result: negative

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

## **Specific target organ toxicity - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

- Thyroid

## Aspiration hazard

No data available

#### 11.2 Additional Information

Lung irritation, Cyanosis, Central nervous system depression, May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, Aspiration or inhalation may cause chemical pneumonitis., pulmonary edema, Lungs, CNS depression with hypertension or circulatory failure, and respiratory depression

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to daphnia static test EC50 - Daphnia pulex (Water flea) - 0.11 mg/l - 48 h

Sigma - 60178

Page 9 of 13



and other aquatic invertebrates

Remarks: (ECHA)

Toxicity to bacteria static test EC50 - activated sludge - 2.3 mg/l - 30 min

Remarks: (IUCLID)

Toxicity to NOE

NOEC - Oncorhynchus mykiss (rainbow trout) - 0.01 mg/l - 20 d

fish(Chronic toxicity) Remarks: (ECOTOX Database)

The value is given in analogy to the following substances: hydrogen

cyanide

# 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

Bioaccumulation is unlikely.

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

## **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

#### DOT (US)

UN number: 1680 Class: 6.1 Packing group: I

Proper shipping name: Potassium cyanide, solid

Reportable Quantity (RQ): 10 lbs

Marine pollutant: yes Poison Inhalation Hazard: No

Sigma - 60178

Page 10 of 13



**IMDG** 

UN number: 1680 Class: 6.1 Packing group: I EMS-No: F-A, S-A

Proper shipping name: POTASSIUM CYANIDE, SOLID

Marine pollutant : yes Marine pollutant : yes

**IATA** 

UN number: 1680 Class: 6.1 Packing group: I

Proper shipping name: Potassium cyanide, solid

# **SECTION 15: Regulatory information**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
Potassium cyanide	151-50-8	10	10

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium cyanide	151-50-8	10	10

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
Potassium cyanide	151-50-8	100

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

Potassium 151-50-8 >= 90 - <= 100 % cyanide

## **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Potassium cyanide 151-50-8 >= 90 - <= 100 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Potassium cyanide 151-50-8 >= 90 - <= 100 %

Sigma - 60178

Page 11 of 13

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Potassium cyanide 151-50-8 >= 90 - <= 100 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Potassium cyanide 151-50-8 >= 90 - <= 100 %

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

# **Massachusetts Right To Know**

Potassium cyanide 151-50-8

# Pennsylvania Right To Know

Potassium cyanide 151-50-8

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## California Prop. 65

WARNING: This product can expose you to chemicals including Potassium cyanide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the

Sigma - 60178

<u> Aillipore</u>

Page 12 of 13

information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.17 Revision Date: 09/27/2024 Print Date: 09/28/2024

Sigma - 60178

