

# **SAFETY DATA SHEET**

Version 6.9 Revision Date 01/02/2025 Print Date 01/03/2025

# **SECTION 1. IDENTIFICATION**

# **1.1 Product identifiers**

Product name : Isobutyric acid

Product Number	:	46935-U
Brand	:	Supelco
Index-No.	:	607-063-00-9
CAS-No.	:	79-31-2

- **1.2** Relevant identified uses of the substance or mixture and uses advised against
  - Identified uses : Laboratory chemicals, Synthesis of substances
  - Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

#### **1.3** Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

# **1.4 Emergency telephone**

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3

Supelco- 46935-U



Acute toxicity (Oral)	:	Category 4
Acute toxicity (Dermal)	:	Category 3
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Short-term (acute) aquatic hazard	:	Category 3

# **GHS** label elements

Hazard pictograms



Signal Word	:	Danger
Hazard Statements	:	H226 Flammable liquid and vapor. H302 Harmful if swallowed.

Precautionary Statements :

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

H314 Causes severe skin burns and eye damage.

P233 Keep container tightly closed.

H311 Toxic in contact with skin.

H402 Harmful to aquatic life.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

# **Response:**

**Prevention:** 

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immedi-

Supelco- 46935-U

Mebck

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 16

ately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Storage:

 $\mathsf{P403}$  +  $\mathsf{P235}$  Store in a well-ventilated place. Keep cool.

P405 Store locked up.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

# **Other hazards**

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

# Components

Chemical name	CAS-No.	Concentration (% w/w)			
2-methylpropionic acid; isobu-	79-31-2	>= 90 - <= 100			
tyric acid					
Actual concentration is withheld as a trade secret					

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice If inhaled		First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance. After inhalation: fresh air. Call in physician.
In case of skin contact	:	In case of skin contact: Take off immediately all con- taminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	:	After swallowing: make victim drink water (two glass- es at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Supelco- 46935-U

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 16

Most important symp- toms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extin- guishing agents are given.
Specific hazards during fire fighting	:	Combustible.
		Vapors are heavier than air and may spread along floors.
		Forms explosive mixtures with air at elevated temper- atures.
		Development of hazardous combustion gases or va- pours possible in the event of fire.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	No data available
Further information	:	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equip- ment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.



# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency proce- dures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precau- tions	:	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Further information on storage conditions	:	Keep container tightly closed in a dry and well- ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to quali- fied or authorized persons.
Storage class	:	3, Flammable liquids
Recommended storage temperature	:	36 - 86 °F / 2 - 30 °C
		/
Further information on storage stability	:	Stench.

Supelco- 46935-U



# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

# **Personal protective equipment**

Respiratory protection	:	required when vapours/aerosols are generated. Our recommendations on filtering respiratory protec- tion are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection Material Break through time Glove thickness Protective index Manufacturer	:	butyl-rubber 480 min 0.7 mm Full contact Butoject® (KCL 898)
Material Break through time Glove thickness Protective index Manufacturer	:	Chloroprene 30 min 0.65 mm Splash contact KCL 720 Camapren®
Remarks	:	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles



Skin and body protection	:	Flame retardant antistatic protective clothing.
Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	clear, liquid
Color	:	colorless
Odor	:	stinging
Odor Threshold	:	8.1 ppm
рН	:	2.3 (77 °F / 25 °C) Concentration: 500 g/l Method: DIN 19268
Melting point/ range	:	-53 °F / -47 °C Method: lit.
Boiling point/boiling range	:	307 - 309 °F / 153 - 154 °C Method: lit.
Flash point	:	131 °F / 55 °C
		Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Burning rate	:	No data available
Self-ignition	:	851 °F / 455 °C 1,018 hPa Method: DIN 51794 GLP: yes
Upper explosion limit / Upper flammability limit	:	10 %(V)
Lower explosion limit / Lower flammability limit	:	2 %(V)
46025.44		

Supelco- 46935-U



Vapor pressure	:	ca. 2 hPa (68 °F / 20 °C)
Relative vapor density	:	3.04 (Air = 1.0)
Relative density	:	No data available
Density	:	0.95 g/cm3 (77 °F / 25 °C) Method: lit.
Solubility(ies) Water solubility	:	618 g/l completely soluble (68 °F / 20 °C) pH: 1.7 Method: OECD Test Guideline 105 GLP: yes
Partition coefficient: n- octanol/water	:	log Pow: 1.1 (77 °F / 25 °C) pH: 3 Method: OECD Test Guideline 117 GLP: yes Bioaccumulation is not expected.
Autoignition temperature	:	824 °F / 440 °C
Decomposition tempera- ture	:	No data available
Viscosity Viscosity, dynamic	:	1.32 mPa.s (68 °F / 20 °C) Method: ASTM D 445
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Surface tension	:	70.2 mN/m, 1 g/l, 68 °F / 20 °C, OECD Test Guideline 115, GLP: yes
Molecular weight	:	88.11 g/mol
Particle characteristics Particle size	:	No data available

# SECTION 10. STABILITY AND REACTIVITY

Supelco- 46935-U



Reactivity	:	Vapor/air-mixtures are explosive at intense warming.
Chemical stability	:	The product is chemically stable under standard ambi- ent conditions (room temperature) .
Possibility of hazardous reactions	:	Violent reactions possible with: Isocyanates bases Amines Nitriles Oxidizing agents Reducing agents Metals
Conditions to avoid	:	Heating.
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5

# SECTION 11. TOXICOLOGICAL INFORMATION

#### **11.1** Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 2,230 mg/kg (OECD Test Guideline 401) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Inhalation: No data available LD50 Dermal - Rabbit - male - 474 mg/kg (OECD Test Guideline 402)

# Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 1 h (OECD Test Guideline 404) Remarks: Tendency of poor wound-healing after penetration of the substance.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive - 8 Days (Draize Test)

**Respiratory or skin sensitization** No data available

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells

Supelco- 46935-U



Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Oral Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

**Specific target organ toxicity - repeated exposure** No data available

#### **Aspiration hazard**

No data available

# **11.2 Additional Information**

RTECS: NQ4375000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Nausea Vomiting Headache Drowsiness Unconsciousness

Handle in accordance with good industrial hygiene and safety practice.



Page 10 of 16

# SECTION 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

# **Components:**

# 2-methylpropionic acid; isobutyric acid:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 146.6 mg/l End point: mortality Exposure time: 96 h Test Type: static test Method: DIN 38412 part 15
Toxicity to daphnia and other aquatic inverte- brates	:	EC50 (Daphnia magna (Water flea)): 51.25 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: DIN 38412
Toxicity to algae/aquatic plants	:	EbC50 (Desmodesmus subspicatus (green algae)): 45.1 mg/l Exposure time: 72 h Test Type: static test Method: DIN 38412
Toxicity to microorgan- isms	:	EC50 (Pseudomonas putida): 57 mg/l Exposure time: 17 h Remarks: (IUCLID)

#### Persistence and degradability

#### **Components:**

# 2-methylpropionic acid; isobutyric acid:

Biodegradability	:	Result: Readily biodegradable.
		Biodegradation: 100 %
		Method: OECD Test Guideline 301E

#### **Bioaccumulative potential**

#### **Components:**

# 2-methylpropionic acid; isobutyric acid:

Partition coefficient: n-	: log Pow: 1.1 (77 °F / 25 °C)
octanol/water	pH: 3
	Method: OECD Test Guideline 117
	GLP: yes
	Remarks: Bioaccumulation is not expected.

## Mobility in soil

No data available

Supelco- 46935-U



# **Other adverse effects**

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR		
UN/ID No.	:	UN 2529
Proper shipping name	:	Isobutyric acid
Class	:	3
Subsidiary risk	:	8
Packing group	:	III
Labels	:	Class 3 - Flammable liquids, Class 8 - Corrosive sub- stances
Packing instruction (cargo aircraft)	:	365
Packing instruction (pas- senger aircraft)	:	354
IMDG-Code		
UN number	:	UN 2529
Proper shipping name	:	ISOBUTYRIC ACID
Class	:	3
Subsidiary risk	:	8
Packing group	:	III
Labels	:	3 (8)
EmS Code	:	F-E, S-C
Marine pollutant	:	no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National regulation**

Supelco- 46935-U



# 49 CFR Road

UN/ID/NA number Proper shipping name	:	UN 2529 Isobutyric acid
Class	:	3
Subsidiary risk	:	8
Packing group	:	III
Labels	:	Class 3 - Flammable liquids, Class 8 - Corrosive sub- stances
ERG Code	:	132
Marine pollutant	:	no
Poison Inhalation Hazard	:	No

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2-methylpropionic acid; iso- butyric acid	79-31-2	5000	5000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Haz-	:	Fire Hazard
ards		Acute Health Hazard

ed the
.cu uic
stablished by
ιc

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Supelco- 46935-U



The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI			
Intermediate or Final VOC's (40 2-methylpropionic	CFR 60.489): 79-31-2	>= 90 - <= 100 %	
acid; isobutyric acid	79-31-2	>= 90 - <= 100 %	
Clean Water Act			
The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:			
2-methylpropionic acid; isobutyric acid	79-31-2	>= 90 - <= 100 %	
This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.			
This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307			
This product does not contain any priority pollutants related to the U.S. Clean Water Act			
US State Regulations			
Massachusetts Right To Kno	w		
2-methylpropionic acid	d; isobutyric acid	79-31-2	
Pennsylvania Right To Know			
2-methylpropionic acid	d; isobutyric acid	79-31-2	
Maine Chemicals of High Concern			
Product does not contain any listed chemicals			
Vermont Chemicals of High	Concern		
Product does not contain any listed chemicals			
Washington Chemicals of Hi	gh Concern		
Product does not contain any listed chemicals			
The ingredients of this product are reported in the following inventories:			
TSCA : A	All substances listed as a	ctive on the TSCA inventory	
TSCA list			
No substances are subject to a Significant New Use Rule.			

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16. OTHER INFORMATION**

# Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Con-

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 14 of 16

centration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 01/02/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Supelco- 46935-U



Supelco- 46935-U



