

## SAFETY DATA SHEET

Version 6.8 Revision Date 09/06/2024 Print Date 09/07/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Ethylenediaminetetraacetic acid tetrasodium

salt dihydrate

Product Number : 03695

Brand : Sigma-Aldrich Index-No. : 607-428-00-2 CAS-No. : 10378-23-1

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Sigma-Aldrich - 03695

Page 1 of 12



Serious eye damage (Category 1), H318 Specific target organ toxicity - repeated exposure (Category 2), Respiratory Tract, H373 For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word Danger

**Hazard Statements** 

H302 + H332 Harmful if swallowed or if inhaled. H318 Causes serious eye damage.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure.

**Precautionary Statements** 

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Formula :  $C_{10}H_{12}N_2Na_4O_8 \cdot 2H_2O$ 

Molecular weight : 416.20 g/mol CAS-No. : 10378-23-1 EC-No. : 200-573-9 Index-No. : 607-428-00-2

Component	Classification	Concentration
Ethylenediaminetetraacetic acid tetrasodium salt dihydrate		
	Acute Tox. 4; Eye Dam. 1;	<= 100 %
	STOT RE 2; H302, H332,	
	H318, H373	

Sigma-Aldrich - 03695

4illiPDRe

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Sodium oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.



#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 11: Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### **Appropriate engineering controls**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

## **Personal protective equipment**

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.



### Control of environmental exposure

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: white

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting No data available

f) Initial boiling point and boiling range

point/freezing point

No data available

g) Flash point ()Not applicable

h) Evaporation rate No data available

i) Flammability (solid, No data available gas)

j) Upper/lower flammability or explosive limits No data available

k) Vapor pressure No data available

I) Vapor density No data available

m) Density No data available

Relative density No data available

n) Water solubility No data available

o) Partition coefficient: No data available n-octanol/water

p) Autoignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

No data available



## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents Aluminum Nickel Zinc

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 1,780 mg/kg (OECD Test Guideline 401)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt LC50 Inhalation - 4 h - 1.5 mg/l - dust/mist

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

Sigma-Aldrich - 03695

Millipore SigMa (OECD Test Guideline 405)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, TetrasodiumsaltThe value is given in analogy to the

following substances: Ethylenedinitrilotetraacetic acid disodium salt

## Germ cell mutagenicity

No data available Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, TetrasodiumsaltTest Type: In vitro mammalian cell gene

mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, TetrasodiumsaltTest Type: Chromosome aberration test in

vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt The value is given in analogy to the

following substances: Ethylenedinitrilotetraacetic acid disodium salt

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Sigma-Aldrich - 03695

Page 8 of 12

### Reproductive toxicity

No data available No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Respiratory Tract

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l

- 96 h

(OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - > 114 mg/l - 48 h

(OECD Test Guideline 202)

invertebrates Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

Toxicity to bacteria static test EC10 - activated sludge - > 500 mg/l - 30 min

(OECD Test Guideline 209)

Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium saltThe value is given in

analogy to the following substances: Sodium feredetate

Toxicity to flow-through test NOEC - Danio rerio (zebra fish) -  $\geq$  35.1 mg/l -

fish(Chronic toxicity) 35 d

(OECD Test Guideline 210)

Remarks: The value is given in analogy to the following substances:

Sigma-Aldrich - 03695 Page 9 of 12



Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt The value is given in analogy to the following substances: Sodium calcium edetate hydrate

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Daphnia magna (Water flea) - 25 mg/l - 21

d

invertebrates(Chronic Remarks: The value is given in analogy to the following substances: toxicity)

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 - 10 % - Not readily biodegradable.

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

### 12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus - 28 d

at 21 °C - 0.08 mg/l(Ethylenediaminetetraacetic acid tetrasodium

salt dihydrate)

Bioconcentration factor (BCF): 1.8

(OECD Test Guideline 305)

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid, Tetrasodiumsalt

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15: Regulatory information**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

Hazards

: Acute Health Hazard

**SARA 313** : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

### **US State Regulations**

### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

Sigma-Aldrich - 03695

Page 11 of 12

## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

## **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### SECTION 16: Other information

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 09/06/2024 Print Date: 09/07/2024

Sigma-Aldrich - 03695



Page 12 of 12