

SAFETY DATA SHEET

Version 6.13 Revision Date 01/06/2025 Print Date 01/07/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name

: Benzo[a]pyrene

Product Number	:	48564
Brand	:	Supelco
Index-No.	:	601-032-00-3
CAS-No.	:	50-32-8

- **1.2** Relevant identified uses of the substance or mixture and uses advised against
 - Identified uses : Laboratory chemicals, Synthesis of substances
 - Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

Supelco- 48564



Germ cell mutagenicity	:	Category 1B
Carcinogenicity	:	Category 1B
Reproductive toxicity	:	Category 1B
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements	:	 H317 May cause an allergic skin reaction. H340 May cause genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. H410 Vory toxic to aquatic life with long lacting effects.
		H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust. P272 Contaminated work clothing must not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

Supelco- 48564



Page 2 of 14

waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
benzo[a]pyrene	50-32-8	>= 90 - <= 100
Actual concentration is with	thheld as a trade secret	

SECTION 4. FIRST AID MEASURES

General advice	:	Show this material safety data sheet to the doctor in attendance.
If inhaled	:	After inhalation: fresh air. Call in physician.
In case of skin contact	:	In case of skin contact: Take off immediately all con- taminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
If swallowed	:	After swallowing: immediately make victim drink wa- ter (two glasses at most). Consult a physician.
Most important symp- toms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

SECTION 5. FIRE-FIGHTING MEASURES

	Suitable extinguishing media	:	Water Foam Carbon dioxide (CO2) Dry powder	
	Unsuitable extinguishing media	:	For this substance/mixture no limitations of extin- guishing agents are given.	
Su	pelco- 48564			Page 3



Specific hazards during fire fighting	:	Combustible.
		Development of hazardous combustion gases or va- pours possible in the event of fire.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	No data available
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equip- ment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circum- stances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency proce- dures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precau- tions	:	Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up af- fected area. Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Supelco- 48564



Advice on safe handling	:	Work under hood. Do not inhale substance/mixture.
Further information on storage conditions	:	Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to quali- fied or authorized persons.
Storage class	:	6.1C, Combustible, acute toxic Cat.3 / toxic com- pounds or compounds which causing chronic effects
Recommended storage temperature	:	Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permis- sible concentra- tion	Basis
benzo[a]pyrene	50-32-8	TWA	0.2 mg/m3	OSHA Z-1
		TWA	0.1 mg/m3	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control	Biological		Permissi-	Basis
		parame-	specimen	pling	ble con-	
		ters		time	centration	
benzo[a]pyrene	50-32-8	1- Hydroxy- pyrene	Urine	End of shift at end of work- week	2.5 μg/l	ACGIH BEI

Engineering measures : No data available

Personal protective equipment

Respiratory protection	:	required when dusts are generated.
		Our recommendations on filtering respiratory protec- tion are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the

Supelco- 48564



instructions of the producer. These measures have to be properly documented.

Hand protection

Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Full contact KCL 741 Dermatril® L
Material Break through time Glove thickness Protective index Manufacturer	:	Nitrile rubber 480 min 0.11 mm Splash contact KCL 741 Dermatril® L
Remarks	:	Handle with impervious gloves. This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin and body protection	:	protective clothing
Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color

: yellow

- Odor : weakly aromatic
- Odor Threshold : No data available

Supelco- 48564



рН	:	No data available
Melting point/ range	:	351 - 356 °F / 177 - 180 °C
Boiling point/boiling range	:	923 °F / 495 °C
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Burning rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.35 g/cm3 (HSDB)
Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition tempera- ture	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none

Supelco- 48564



Molecular weight	:	252.31 g/mol
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The following applies in general to flammable organic substances and mixtures: in correspondingly fine dis- tribution, when whirled up a dust explosion potential may generally be assumed.	
Chemical stability	:	The product is chemically stable under standard ambi- ent conditions (room temperature) .	
Possibility of hazardous reactions	:	Violent reactions possible with: Strong oxidizing agents	
Conditions to avoid	:	no information available	
Incompatible materials	:	No data available	
Hazardous decomposition products	:	In the event of fire: see section 5	

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - Mouse Result: Mild skin irritation Remarks: (RTECS)

Serious eye damage/eye irritation No data available

Respiratory or skin sensitization May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

May cause genetic defects. Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: positive Remarks: (Lit.)

Supelco- 48564



Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: positive Remarks: (National Toxicology Program) Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: positive Remarks: (National Toxicology Program)

Test Type: Chromosome aberration test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection

Result: positive Remarks: (National Toxicology Program)

Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 1 - Group 1: Carcinogenic to humans (benzo[a]pyrene)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (benzo[a]pyrene)

OSHA: OSHA specifically regulated carcinogen (benzo[a]pyrene)

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

benzo[a]pyrene:

Supelco- 48564

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 14

Toxicity to daphnia and other aquatic inverte- brates	:	EC50 (Daphnia magna (Water flea)): 0.25 mg/l End point: mortality Exposure time: 48 h Remarks: (above the solubility limit in the test medi- um) (ECOTOX Database)
Toxicity to algae/aquatic plants	:	ErC50 (Scenedesmus acutus): 0.005 mg/l Exposure time: 72 h Test Type: static test Remarks: (ECOTOX Database)
Ecotoxicology Assessme	ent	
Acute aquatic toxicity		
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.
Persistence and degrada No data available Bioaccumulative potenti		
<u>Components:</u>		
benzo[a]pyrene:		
Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill) Bioconcentration factor (BCF): 3,208 Exposure time: 48 h Concentration: 0.0005 mg/l
Mobility in soil		
No data available		
Other adverse effects		
Product:		
Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as de- fined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Waste material must be disposed of in accordance
		with the national and local regulations. Leave chemi-
		cals in original containers. No mixing with other

Supelco- 48564



waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	-	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (benzo[a]pyrene)
Class	:	9
Packing group	:	III
Labels	:	Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft)	:	956
Packing instruction (pas- senger aircraft)	:	956
IMDG-Code		
UN number	:	UN 3077
Proper shipping name		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
		(benzo[a]pyrene)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (benzo[a]pyrene)
Class	:	9
Packing group	:	III
Labels	:	Class 9 - Miscellaneous dangerous substances and articles
ERG Code	:	171
Marine pollutant	:	no
Poison Inhalation Hazard	:	No

Special precautions for user

Remarks	:	EHS-Mark required (ADR 2.2.9.1.10, IMDG code
		2.10.3) for single packagings and combination pack-
		agings containing inner packagings with Dangerous

Supelco- 48564

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 14

Goods > 5L for liquids or > 5kg for solids.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
benzo[a]pyrene	50-32-8	1	1

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Haz- ards	:	Acute Health Ha Chronic Health		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		ben- zo[a]pyrene	50-32-8	>= 90 - <= 100 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

benzo[a]pyrene 50-32-8 >= 90 - <= 100 %This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

benzo[a]pyrene 50-32-8 >= 90 - <= 100 %This product contains the following priority pollutants related to the U.S. Clean Water Act:

benzo[a]pyrene 50-32-8

Supelco- 48564

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 14

>= 90 - <= 100 %

US State Regulations

Massachusetts Right To Know					
benzo[a]pyrene	50-32-8				
Pennsylvania Right To Know					
benzo[a]pyrene	50-32-8				
Maine Chemicals of High Concern Product does not contain any listed chemicals					
Vermont Chemicals of High Concern Product does not contain any listed chemicals					
Washington Chemicals of High Concern					

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including benzo[a]pyrene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:TSCA: All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-
		1 Limits for Air Contaminants
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-
		hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Har-

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 14

monized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 01/06/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Supelco- 48564

