

# SAFETY DATA SHEET

Version 6.7 Revision Date 11/27/2024 Print Date 11/28/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Dragendorff reagent

Product Number : 44578

Brand : Sigma-Aldrich CAS-No. : 39775-75-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Sigma-Aldrich - 44578

Page 1 of 16



For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

**Hazard Statements** 

H225 Highly flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H336 May cause drowsiness or dizziness.

**Precautionary Statements** 

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Lachrymator.

#### **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Component Classification Concentration

Sigma-Aldrich - 44578

Page 2 of 16



acetic acid			
CAS-No. EC-No. Index-No. Registration number	64-19-7 200-580-7 607-002-00-6 01-2119475328-30- XXXX	Flam. Liq. 3; Skin Corr. 1A; Eye Dam. 1; H226, H314, H318 Concentration limits: >= 90 %: Skin Corr. 1A, H314; 25 - < 90 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; > 80 %: Flam. Liq. 3, H226;	>= 80 - < 90 %
ethyl acetate			
CAS-No.	141-78-6	Flam. Liq. 2; Eye Irrit. 2A;	>= 50 - < 70
EC-No.	205-500-4	STOT SE 3; H225, H319,	%
Index-No.	607-022-00-5	H336	
Registration	01-2119475103-46-	Concentration limits:	
number	XXXX	20 %: STOT SE 3, H336;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich - 44578

AilliPDRE

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Potassium oxides

Bismuth oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling

Sigma-Aldrich - 44578

Millipore Sigma Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

# Storage class

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters





Component	CAS-No.	Value	Control parameters	Basis
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	10 ppm 25 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		С	40 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	15 ppm 37 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
ethyl acetate	141-78-6	TWA	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400 ppm 1,400 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	400 ppm 1,400 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	400 ppm 1,400 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

# 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact

Sigma-Aldrich - 44578



Page 6 of 16

with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 60 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

scenario.

## **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

# **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: dark red

b) Odorc) Odor Thresholddata availableNo data available

d) pH No data available

e) Melting No data available

point/freezing point

it 77 °C 171 °F at 1,013 hPa

Initial boiling point and boiling range

g) Flash point 7 °C (45 °F)

h) Evaporation rate No data available

Sigma-Aldrich - 44578

Millipore SigMa i) Flammability (solid, No data available gas)

j) Upper/lower No data available flammability or explosive limits

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 0.950 g/cm3 at 20 °C (68 °F)

Relative density
 No data available
 No data available
 Partition coefficient: No data available n-octanol/water

p) Autoignition

No data available

q) Decomposition temperature

temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Vapors may form explosive mixture with air.

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Warming.

## 10.5 Incompatible materials

Soluble carbonates and phosphates, Hydroxides, Metals, Peroxides, permanganates, for example potassium permanganate, Amines, Alcohols, Strong oxidizing agents

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

Sigma-Aldrich - 44578



#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Oral - 3,678 mg/kg

(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the esophagus and the stomach.

Inhalation: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

No data available

#### Skin corrosion/irritation

Remarks: No data available Remarks: Mixture causes burns.

#### Serious eye damage/eye irritation

Remarks: No data available

Remarks: Mixture causes serious eye damage.

Risk of blindness!

# Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

## Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available No data available

# Specific target organ toxicity - single exposure

Remarks: No data available

Mixture may cause drowsiness or dizziness.

## Specific target organ toxicity - repeated exposure

No data available

Sigma-Aldrich - 44578

Millipore Sigma

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

Ingestion or inhalation of concentrated acetic acid causes damage to tissues of the respiratory and digestive tracts. Symptoms include: hematemesis, bloody diarrhea, edema and/or perforation of the esophagus and pylorus, pancreatitis, hematuria, anuria, uremia, albuminuria, hemolysis, convulsions, bronchitis, pulmonary edema, pneumonia, cardiovascular collapse, shock, and death. Direct contact or exposure to high concentrations of vapor with skin or eyes can cause: erythema, blisters, tissue destruction with slow healing, skin blackening, hyperkeratosis, fissures, corneal erosion, opacification, iritis, conjunctivitis, and possible blindness., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Kidney - Irregularities - Based on Human Evidence

## Components

#### acetic acid

## Acute toxicity

LD50 Oral - Rat - 3,310 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Mouse - 4 h - 2,819 mg/l - vapor

Remarks: (RTECS)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

## Serious eye damage/eye irritation

Eves - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 405)

Remarks: (IUCLID)

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

No data available

Sigma-Aldrich - 44578



# Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: negative

Method: Mutagenicity (micronucleus test) Species: Rat - male and female - Bone marrow

Result: negative

Carcinogenicity

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# ethyl acetate

## **Acute toxicity**

LD50 Oral - Rat - 5,620 mg/kg

Remarks: (RTECS)

Inhalation: No data available

LD50 Dermal - Rabbit - male - > 20,000 mg/kg

Remarks: (ECHA) No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation Remarks: (IUCLID)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Respiratory or skin sensitization

Maximization Test - Guinea pig



Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: UDS (Unscheduled DNA synthesis assay)

Test system: Escherichia coli

Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Chinese hamster - male and female - Red blood cells (erythrocytes)

Result: negative

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Specific target organ toxicity - repeated exposure

## **Aspiration hazard**

No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Mixture**

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Endocrine disrupting properties

No data available

Sigma-Aldrich - 44578

Millipore Sigma

#### 12.7 Other adverse effects

No data available

## **Components**

acetic acid

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -

> 1,000 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l

- 48 h

invertebrates

(OECD Test Guideline 202)

Toxicity to algae static test EC50 - Skeletonema costatum - > 1,000 mg/l - 72 h

(ISO 10253)

Toxicity to bacteria EC5 - Pseudomonas putida - 2,850 mg/l - 16 h

Remarks: neutral

(maximum permissible toxic concentration)

(Lit.)

microtox test EC50 - Photobacterium phosphoreum - 11 mg/l -

15 min

Remarks: (IUCLID)

ethyl acetate

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead

minnow) - 230 mg/l - 96 h

(US-EPA)

Toxicity to algae static test NOEC - Desmodesmus subspicatus (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria Remarks: (IUCLID)

Toxicity to daphnia semi-static test NOEC - Daphnia magna (Water flea) - 2.4 mg/l

and other aquatic - 21 d

invertebrates(Chronic (OECD Test Guideline 211)

toxicity)

Sigma-Aldrich - 44578 Page 13 of 16

## **SECTION** 13: Disposal considerations

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

DOT (US)

UN number: 2924 Class: 3 (8) Packing group: II

Proper shipping name: Flammable liquids, corrosive, n.o.s. (ethyl acetate, acetic acid)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2924 Class: 3 (8) EMS-No: F-E, S-C Packing group: II Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (acetic acid, ethyl

acetate)

**IATA** 

UN number: 2924 Class: 3 (8) Packing group: II

Proper shipping name: Flammable liquid, corrosive, n.o.s. (acetic acid, ethyl acetate)

## **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Fire Hazard

Acute Health Hazard Hazards

Chronic Health Hazard

**SARA 313** : This material does not contain any chemical

> components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Sigma-Aldrich - 44578

Page 14 of 16



This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

acetic acid 64-19-7 >= 70 - < 90 %ethyl acetate 141-78-6 >= 50 - < 70 %

## **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

acetic acid 64-19-7 >= 70 - < 90 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

acetic acid 64-19-7 >= 70 - < 90 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

# **Massachusetts Right To Know**

acetic acid 64-19-7 ethyl acetate 141-78-6

## Pennsylvania Right To Know

acetic acid 64-19-7 ethyl acetate 141-78-6

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA

inventory.

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Sigma-Aldrich - 44578

Millipore SigMa

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 11/27/2024 Print Date: 11/28/2024

Sigma-Aldrich - 44578

