

SAFETY DATA SHEET

Version 6.9 Revision Date 09/08/2024 Print Date 09/09/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	[:] Lactophenol blue solution	
	Product Number Brand	-	61335 Sigma-Aldrich	
1.2 Relevant identified uses of the substance or mixture and uses advi		of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Synthesis of substances	
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption $(40, CER, Section, 720, 26)$. It is the recipient's responsibility to	

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Tolophono		1 214 771 5765

Telephone	: +1 314 //1-5/65
Fax	: +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Germ cell mutagenicity (Category 2), H341

Sigma-Aldrich - 61335

Page 1 of 15



Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney, Liver, Skin, H373 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Danger

Pictogram

Signal Word



•	-
Hazard Statements H302 + H332 H314 H341 H373	Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. Suspected of causing genetic defects. May cause damage to organs (Nervous system, Kidney, Liver, Skin) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Precautionary Statements P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P260 P264 P270 P271 P273	Do not breathe mist or vapors. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P312 + P330	protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 P363 P391 P405 P501	IF exposed or concerned: Get medical advice/ attention. Wash contaminated clothing before reuse. Collect spillage. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Corrosive to the respiratory tract. Vesicant., Rapidly absorbed through skin.

Sigma-Aldrich - 61335

Page 2 of 15



SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Lactophenol Anilin Blue Lactophenol Cotton Blue

Component		Classification	Concentration
Phenol			
CAS-No. EC-No. Index-No. Registration number	108-95-2 203-632-7 604-001-00-2 01-2119471329-32- XXXX	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Muta. 2; STOT RE 2; Aquatic Acute 2; Aquatic Chronic 2; H301, H331, H311, H314, H318, H341, H373, H401, H411 Concentration limits: >= 3 %: Skin Corr. 1B, H314; 1 - < 3 %: Skin Irrit. 2, H315; 1 - < 3 %: Eye Irrit. 2, H319;	>= 20 - < 30 %
lactic acid			
CAS-No. EC-No. Index-No.	79-33-4 201-196-2 607-743-00-5	Skin Corr. 1C; Eye Dam. 1; H314, H318	>= 20 - < 30 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

After contact with skin: rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

Sigma-Aldrich - 61335

Page 3 of 15



If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Mixture with combustible ingredients. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections For disposal see section 13.

Sigma-Aldrich - 61335

Page 4 of 15



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Ingreatents with	workplace	control par	ameters	
Component	CAS-No.	Value	Control	Basis
			parameters	
Phenol	108-95-2	TWA	5 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
	Remarks	Not classifia	able as a human	carcinogen
		Danger of o	cutaneous absor	ption
		TWA	5 ppm	USA. NIOSH Recommended
			19 mg/m3	Exposure Limits
		Potential fo	r dermal absorp	tion
		С	15.6 ppm	USA. NIOSH Recommended
			60 mg/m3	Exposure Limits
		Potential for dermal absorption		tion
		TWA 5 ppm		USA. Occupational Exposure
			19 mg/m3	Limits (OSHA) - Table Z-1
			_	Limits for Air Contaminants
		Skin designation		

Sigma-Aldrich - 61335

Page 5 of 15



PEL	5 ppm 19 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Phenol	108-95-2	Phenol	250mg/g creatinin e	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks End of shift (As soon as possible after exposu		osure ceases)		

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 30 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Sigma-Aldrich - 61335

Page 6 of 15



Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	•	• • • •
a)	Appearance	Form: liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.16 g/mL at 20 °C (68 °F)
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available

Sigma-Aldrich - 61335

Page 7 of 15



- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

9.2 Other safety information No data available

SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available
- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Remarks: No data available Remarks: Mixture causes burns.

Serious eye damage/eye irritation

Remarks: No data available Remarks: Mixture causes serious eye damage. Risk of blindness!

Sigma-Aldrich - 61335

Page 8 of 15



Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available Evidence of genetic defects.

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Remarks: No data available Mixture may cause damage to organs through prolonged or repeated exposure. - Nervous system, Kidney, Liver, Skin

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Kidney - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

Components

Phenol

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Sigma-Aldrich - 61335

Page 9 of 15



Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l - dust/mist (Expert judgment) Symptoms: Irritation, Lung edema Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) LD50 Dermal - Rat - female - 660 mg/kg (OECD Test Guideline 402) No data available

Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (OECD Test Guideline 405) Remarks: Causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

Sensitisation test: - Guinea pig Result: negative Remarks: (IUCLID)

Germ cell mutagenicity

Suspected of causing genetic defects. Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Result: positive Test Type: Mutagenicity (mammal cell test): micronucleus. Test system: Chinese hamster ovary cells Result: positive

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Acute inhalation toxicity - Irritation, Lung edema

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Nervous system, Kidney, Liver, Skin Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Sigma-Aldrich - 61335

Page 10 of 15



lactic acid

Acute toxicity

LD50 Oral - Rat - female - 3,543 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 7.94 mg/l - aerosol (OECD Test Guideline 403) Remarks: (ECHA) LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA)

Skin corrosion/irritation

Remarks: Causes skin burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Chicken eye Result: Irreversible effects on the eye - 10 s (OECD Test Guideline 438) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (US-EPA)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Corrosive to the respiratory tract. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

Sigma-Aldrich - 61335

Page 11 of 15



SECTION 12: Ecological information

12.1	Toxicity						
	Mixture No data available						
12.2	Persistence and degradability No data available						
12.3	Bioaccumulative potentia No data available	1					
12.4	Mobility in soil No data available	-					
	Results of PBT and vPvB PBT/vPvB assessment not a conducted Endocrine disrupting prop No data available	vailable as chemical safety assessment not required/not					
12.7	Other adverse effects No data available						
	Components						
	Phenol						
	Toxicity to fish	flow-through test LC50 - Onchorhynchus clarki - 8.9 mg/l - 96 h (US-EPA)					
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Ceriodaphnia dubia (water flea) - 3.1 mg/l - 48 h (US-EPA)					
	Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (algae) - 61.1 mg/l - 96 h (US-EPA)					
	Toxicity to bacteria	static test IC50 - microorganisms - 21 mg/l - 24 h Remarks: (ECHA)					
	Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Fish - 0.077 mg/l - 60 d Remarks: (ECHA)					
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 0.16 mg/l - 16 d Remarks: (ECHA)					
	lactic acid Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 130 mg/l - 96 h					
Sigma	-Aldrich - 61335	Page 12 of 15					

Page 12 of 15



	(US-EPA)
Toxicity to daphnia and other aquatic	static test EC50 - Daphnia magna (Water flea) - 130 mg/l - 48 h
invertebrates	(OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (algae) - ca. 3,500 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 88.2 mg/l - 3 h (OECD Test Guideline 209)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information				
DOT (US) UN number: 2821 Class: 6.1 Proper shipping name: Phenol solutions Reportable Quantity (RQ): 4000 lbs Poison Inhalation Hazard: No	Packing group: II			
IMDG UN number: 2821 Class: 6.1 Proper shipping name: PHENOL SOLUTION Marine pollutant : yes	Packing group: II	EMS-No: F-A, S-A		
IATA UN number: 2821 Class: 6.1 Proper shipping name: Phenol solution	Packing group: II			

SECTION 15: Regulatory information

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)

Sigma-Aldrich - 61335

Page 13 of 15



Phenol 108-95-2 1000 4000

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Phenol	108-95-2	1000	4000

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
Phenol	108-95-2	10000
Phenol	108-95-2	500*

*: Solid in the molten or powdered form (particles < 100 microns), in solution, or meeting the NFPA reactivity criteria

SARA 311/312 Hazards	:	Acute Healt Chronic Hea		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Phenol	108-95-2	>= 20 - < 30 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61): Phenol 108-95-2 >= 20 - < 30 % This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): Phenol 108-95-2 >= 20 - < 30 %**Clean Water Act** The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: Phenol 108-95-2 >= 20 - < 30 % The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3: 108-95-2 >= 20 - < 30 %Phenol This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307 Phenol 108-95-2 >= 20 - < 30 % This product contains the following priority pollutants related to the U.S. Clean Water Act: 108-95-2 >= 20 - < 30 % Phenol **US State Regulations Massachusetts Right To Know** Phenol 108-95-2 Pennsylvania Right To Know

Sigma-Aldrich - 61335

Page 14 of 15



Phenol		108-95-2	
Maine Chemicals of High C Product does not co	Concern ntain any listed chemicals		
Vermont Chemicals of Hig			
Phenol Washington Chemicals of	High Concern	108-95-2	
Phenol		108-95-2	
The ingredients of this product are reported in the following inventories:			
TSCA :	Product contains substance(s) not inventory.	listed on TSCA	

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 09/08/2024 Print Date: 09/09/2024

Sigma-Aldrich - 61335

Page 15 of 15

