

SAFETY DATA SHEET

Version 6.14 Revision Date 01/02/2025 Print Date 01/03/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : 1-Hexanol

Product Number : 73117

Brand : Sigma-Aldrich Index-No. : 603-059-00-6 CAS-No. : 111-27-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3

Sigma-Aldrich- 73117 Page 1 of 16

MERCK

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Eye irritation : Category 2A

Short-term (acute) aquatic hazard

: Category 2

GHS label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

H302 + H312 Harmful if swallowed or in contact with

skin.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

Precautionary Statements: **Prevention:**

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ light-

ing/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static dis-

charge.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this prod-

uct.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face pro-

tection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical ad-

vice/ attention.

P363 Wash contaminated clothing before reuse.

MGBCK

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep

cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
hexan-1-ol	111-27-3	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all con-

taminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: caution if victim vomits. Risk of as-

piration! Keep airways free.

Pulmonary failure possible after aspiration of vomit.

Call a physician immediately.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Carbon dioxide (CO2)

Foam

Dry powder

Unsuitable extinguishing

media

For this substance/mixture no limitations of extin-

guishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Vapors are heavier than air and may spread along

floors.

Forms explosive mixtures with air at elevated temper-

atures.

Development of hazardous combustion gases or va-

pours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Remove container from danger zone and cool with

water.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equip-

ment for fire-fighters

Stay in danger area only with self-contained breathing

apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Do not breathe vapors, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency proce-

Sigma-Aldrich- 73117

Page 4 of 16 Merck

dures, consult an expert.

Advice for emergency responders: For personal protection see section 8.

Environmental precau-

tions

: Do not let product enter drains.

Risk of explosion.

Methods and materials for containment and

cleaning up

: Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected

area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion

: Keep away from open flames, hot surfaces and

sources of ignition.

Take precautionary measures against static discharge.

Further information on storage conditions

: Keep container tightly closed in a dry and well-

ventilated place.

Keep away from heat and sources of ignition.

Storage class : 3, Flammable liquids

Recommended storage

temperature

: Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control param-	Basis
		(Form of	eters / Permis-	
		exposure)	sible concentra-	
			tion	
hexan-1-ol	111-27-3	TWA	40 ppm	US WEEL

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Sigma-Aldrich- 73117 Page 5 of 16



Recommended Filter

type:

: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0.7 mm
Protective index : Full contact

Manufacturer : Butoject® (KCL 898)

Material : Nitrile rubber Break through time : 30 min Glove thickness : 0.4 mm

Protective index : Splash contact

Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and ap-

proved under appropriate government standards such

as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : Flame retardant antistatic protective clothing.

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face af-

ter working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear, liquid

Color : colorless

Odor : characteristic

Odor Threshold : 10 ppm

: No data available рΗ

: -62 °F / -52 °C Melting point/ range

Method: lit.

Boiling point/boiling range : 313 - 315 °F / 156 - 157 °C

Method: lit.

: 140 °F / 60 °C Flash point

(1,015 hPa)

Method: ASTM D 93, closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition

595 °F / 313 °C ca. 1,013 hPa

Method: ASTM E-659

Upper explosion limit /

Upper flammability limit

: Upper explosion limit

7.7 %(V)

Lower explosion limit /

Lower flammability limit

: 1.3 %(V)

Vapor pressure : 3.64 hPa (ca. 100 °F / 38 °C)

Method: ASTM D 2879-86

Relative vapor density : 3.53

(Air = 1.0)

Relative density : No data available

: 0.814 g/mL (77 °F / 25 °C) Density

Method: lit.

Solubility(ies)

Water solubility : 1.3 g/l soluble (73 °F / 23 °C)

pH: 5.5

Method: OECD Test Guideline 105

Partition coefficient: n-: log Pow: 1.8

Sigma-Aldrich- 73117

Page 7 of 16

Method: OECD Test Guideline 117 octanol/water

Bioaccumulation is not expected.

Autoignition temperature : 559 °F / 293 °C

Decomposition tempera-

ture

: No data available

Viscosity

: 5.3 mPa.s (68 °F / 20 °C) Viscosity, dynamic

Viscosity, kinematic : 3.64 mm2/s (104 °F / 40 °C)

Method: ASTM D 445

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Surface tension : 30.21 mN/m, Surface tension

Molecular weight : 102.17 g/mol

Particle characteristics

: No data available Particle size

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Vapor/air-mixtures are explosive at intense warming.

Chemical stability : The product is chemically stable under standard ambi-

ent conditions (room temperature).

Possibility of hazardous

reactions

: Violent reactions possible with:

Strong oxidizing agents

halogens

Risk of ignition or formation of inflammable gases or

vapours with: Alkali metals

Alkaline earth metals

Aluminum

Conditions to avoid : Heating.

: No data available Incompatible materials

products

Hazardous decomposition : In the event of fire: see section 5

Sigma-Aldrich- 73117 Page 8 of 16

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 720 mg/kg

Remarks: Liver:Fatty liver degeneration. Kidney, Ureter, Bladder:Other changes.

Blood:Other changes.

LC50 Inhalation - Rat - male and female - 4 h - > 2.05 mg/l - vapor

Remarks: (ECHA)

(Regulation (EC) No 1272/2008, Annex VI)

LD50 Dermal - Rabbit - male and female - > 1,500 - < 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 4 h (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Sigma-Aldrich- 73117

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen

by IARC.

NTP: No ingredient of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to

0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: MQ4025000

Dermatitis, Nausea, Dizziness, Headache, narcosis

To the best of our knowledge, the chemical, physical, and toxicological properties

have not been thoroughly investigated.

Systemic effects:

After absorption of large quantities:

Nausea

Vomiting

Diarrhea

Headache

narcosis

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence



SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

hexan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 97.2

- 97.5 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: US-EPA

Toxicity to daphnia and

other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): 7 mg/l

End point: Immobilization Exposure time: 48 h

Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Remarks: (ECHA)

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green

algae)): 79.7 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Persistence and degradability

Components:

hexan-1-ol:

Biodegradability : aerobic

Inoculum: activated sludge, adapted

Concentration: 20 mg/l Result: Readily biodegradable. Biodegradation: 87.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

BOD/ThOD : 28 %

Remarks: (Lit.)

Merck

Bioaccumulative potential

Components:

hexan-1-ol:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 0.5

Exposure time: 24 h

Concentration: 39800 µg/l

Partition coefficient: n-

: log Pow: 1.8

octanol/water

Method: OECD Test Guideline 117

Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602

Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Components:

hexan-1-ol:

Results of PBT and vPvB

assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex

XIII.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Sigma-Aldrich- 73117

UN/ID No. : UN 2282

MGBCK

Proper shipping name : Hexanols

Class : 3 Packing group : III

Labels : Class 3 - Flammable liquids

Packing instruction (cargo: 366

aircraft)

Packing instruction (pas- : 355

senger aircraft)

IMDG-Code

UN number : UN 2282 Proper shipping name : HEXANOLS

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number : UN 2282 Proper shipping name : Hexanols

Class : 3 Packing group : III

Labels : Class 3 - Flammable liquids

ERG Code : 129 Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

Sigma-Aldrich- 73117 Page 13 of 16



SARA 311/312 Haz- : Fire Hazard

Acute Health Hazard Chronic Health Hazard

SARA 313 : This material does not contain any chemical compo-

> nents with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

ards

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

hexan-1-ol 111-27-3

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

MGBCK

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels

(WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does

Sigma-Aldrich- 73117 Page 15 of 16



not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 01/02/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich- 73117 Page 16 of 16

