

SAFETY DATA SHEET

Version 6.8 Revision Date 01/02/2025 Print Date 01/03/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : 1-Propanol

Product Number	:	96566
Brand	:	Sigma-Aldrich
Index-No.	:	603-003-00-0
CAS-No.	:	71-23-8

- **1.2** Relevant identified uses of the substance or mixture and uses advised against
 - Identified uses : Laboratory chemicals, Synthesis of substances
 - Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703-
		527-3887 CHEMTREC (International) 24
		Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Sigma-Aldrich- 96566



Serious eye damage : Category 1

icity - single exposure

Specific target organ tox- : Category 3 (Central nervous system)

GHS label elements

Hazard pictograms :		
Signal Word	:	Danger
Hazard Statements	:	H225 Highly flammable liquid and vapor. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness.
Precautionary Statements	:	 Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ light-ing/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing mist or vapors. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.
		Response:
		P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cau- tiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
		Storage:
		P403 + P233 Store in a well-ventilated place. Keep con- tainer tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Sigma-Aldrich- 96566

Page 2 of 16 Merck

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)					
1-Propanol	71-23-8	>= 90 - <= 100					
Actual concentration is withheld as a trade secret							

SECTION 4. FIRST AID MEASURES

General advice If inhaled		Show this material safety data sheet to the doctor in attendance. After inhalation: fresh air. Call in physician.
In case of skin contact	:	In case of skin contact: Take off immediately all con- taminated clothing. Rinse skin with water/ shower.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	:	After swallowing: immediately make victim drink wa- ter (two glasses at most). Consult a physician.
Most important symp- toms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

SECTION 5. FIRE-FIGHTING MEASURES

: Carbon dioxide (CO2)
Foam
Dry powder

Unsuitable extinguishing : For this substance/mixture no limitations of extin-

Sigma-Aldrich- 96566

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 16

media		guishing agents are given.
Specific hazards during fire fighting	:	Combustible.
		Pay attention to flashback.
		Vapors are heavier than air and may spread along floors.
		Development of hazardous combustion gases or va- pours possible in the event of fire.
		Forms explosive mixtures with air at ambient temper- atures.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	No data available
Further information	:	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equip- ment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency proce- dures, consult an expert. Advice for emergency responders: For personal protection see section 8.
---	---	--

Environmental precau- : Do not let product enter drains.

Sigma-Aldrich- 96566



tions	Risk of explosion.
Methods and materials : for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Che- mizorb®). Dispose of properly. Clean up affected area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Advice on safe handling	:	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Further information on storage conditions	:	Keep container tightly closed in a dry and well- ventilated place. Keep away from heat and sources of ignition.
Storage class	:	3, Flammable liquids
Recommended storage temperature	:	Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control param- eters / Permis- sible concentra- tion	Basis
1-Propanol	71-23-8	TWA	100 ppm	ACGIH
		TWA	200 ppm 500 mg/m3	NIOSH REL
		ST	250 ppm 625 mg/m3	NIOSH REL
		TWA	200 ppm 500 mg/m3	OSHA Z-1

Engineering measures : No data available

Personal protective equipment

Respiratory protection

: required when vapours/aerosols are generated. Our recommendations on filtering respiratory protec-

Sigma-Aldrich- 96566



	tion are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.			
Recommended Filter type:	Filter A (acc. to DIN 3181) for vapours of organic compounds			
The entrepeneur has to ensure that maintenance, cleaning and test- ing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.				
Hand protection Material Break through time Glove thickness Protective index Manufacturer	Nitrile rubber 480 min 0.4 mm Full contact Camatril® (KCL 730 / Aldrich Z677442, Size M)			
Material Break through time Glove thickness Protective index Manufacturer	Chloroprene 120 min 0.65 mm Splash contact KCL 720 Camapren®			
Remarks	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviatin from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).			
Eye protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles	ch		
Skin and body protection	Flame retardant antistatic protective clothing.			
Hygiene measures	Change contaminated clothing. Wash hands after working with substance.			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: clear, liquid

Sigma-Aldrich- 96566



	Color	:	colorless
	Odor	:	alcohol-like
	Odor Threshold	:	2.6 ppm
	рН	:	8.5 (68 °F / 20 °C) Concentration: 200 g/l
	Melting point/ range	:	-197 °F / -127 °C Method: lit.
	Boiling point/boiling range	:	207 °F / 97 °C Method: lit.
	Flash point	:	72 °F / 22 °C
			Method: closed cup
	Evaporation rate	:	1
	Flammability (solid, gas)	:	No data available
	Flammability (liquids)	:	No data available
	Burning rate	:	No data available
	Self-ignition	:	752 °F / 400 °C 1,013.25 hPa Method: DIN 51794
	Upper explosion limit / Upper flammability limit		
	Lower explosion limit / Lower flammability limit	:	Lower explosion limit 2.1 %(V)
	Vapor pressure	:	19.3 hPa (68 °F / 20 °C)
	Relative vapor density	:	2.07 (Air = 1.0)
	Relative density	:	No data available
	Density	:	0.804 g/mL (77 °F / 25 °C) Method: lit.
	Solubility(ies) Water solubility	:	completely miscible (68 °F / 20 °C)
	Partition coefficient: n-	:	log Pow: 0.2 (77 °F / 25 °C)
Sigr	na-Aldrich- 96566		



octanol/water		pH: 7 Method: OECD Test Guideline 117 GLP: yes Bioaccumulation is not expected.
Autoignition temperature	:	743 °F / 395 °C
Decomposition tempera- ture	:	No data available
Viscosity Viscosity, dynamic	:	2.21 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Surface tension	:	23.45 mN/m, 68 °F / 20 °C
Molecular weight	:	60.10 g/mol
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Vapors may form explosive mixture with air.
Chemical stability	:	The product is chemically stable under standard ambi- ent conditions (room temperature) .
Possibility of hazardous reactions	:	Exothermic reaction with: Alkaline earth metals alcoholates Alkali metals Release of: Hydrogen Violent reactions possible with: Strong oxidizing agents
Conditions to avoid	:	Warming.
Incompatible materials	:	No data available
Hazardous decomposition products	:	In the event of fire: see section 5
ma-Aldrich- 96566		Page

Sigma-Aldrich- 96566



SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. LC50 Inhalation - Rat - male and female - 4 h - > 33.8 mg/l - vapor

(OECD Test Guideline 403) Symptoms: Possible damages:, mucosal irritations LD50 Dermal - Rabbit - male - 4,032 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative Remarks: (ECHA) Patch test: - Human Result: negative Remarks: (IUCLID)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to

Sigma-Aldrich- 96566



- 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: UH8225000 Central nervous system depression, prolonged or repeated exposure can cause:, narcosis, Skin irritation To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

Headache Vertigo inebriation Unconsciousness narcosis

After uptake of large quantities:

Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1-Propanol:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): 4,555

Sigma-Aldrich- 96566

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 16

		mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic inverte- brates	:	EC50 (Daphnia magna (Water flea)): 3,644 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: DIN 38412
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 9,170 mg/l Exposure time: 48 h Test Type: static test Remarks: (ECHA)
Toxicity to microorgan- isms	:	IC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209

Persistence and degradability

Components:

1-Propanol:

Biodegradability	:	aerobic Concentration: 3 mg/l Result: Readily biodegradable. Biodegradation: 75 % Exposure time: 20 d Remarks: (ECHA)
Chemical Oxygen De- mand (COD)	:	2,230 mg/g Remarks: (IUCLID)
BOD/COD	:	BOD/COD: 73 % Remarks: (IUCLID)
ThOD	:	2,400 mg/g Remarks: (Lit.)
BOD/ThOD	:	< 2 %

Bioaccumulative potential

Components:

1-Propanol:

Sigma-Aldrich- 96566



Bioaccumulation	:	Remarks: The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.
Partition coefficient: n- octanol/water	:	log Pow: 0.2 (77 °F / 25 °C) pH: 7 Method: OECD Test Guideline 117 GLP: yes Remarks: Bioaccumulation is not expected.
Mobility in soil No data available		
Other adverse effects		
Product:		
Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as de- fined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Components:		
1-Propanol:		
Results of PBT and vPvB assessment	:	This substance/mixture contains no components con- sidered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumula- tive (vPvB) at levels of 0.1% or higher.
	:	Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Sigma-Aldrich- 96566



UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (pas- senger aircraft)	:	UN 1274 n-Propanol 3 II Class 3 - Flammable liquids 364 353
IMDG-Code UN number Proper shipping name	-	UN 1274 n-PROPANOL
Class Packing group Labels EmS Code Marine pollutant	:	3 II 3 F-E, S-D no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation

49 CFR Road

UN/ID/NA number Proper shipping name		UN 1274 n-Propanol
Class Packing group Labels ERG Code Marine pollutant	:	3 II Class 3 - Flammable liquids 129 no
		•

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Sigma-Aldrich- 96566

the US and Canada

The life science business of Merck operates as MilliporeSigma in



Page 13 of 16

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313	: This material does not contain any chemical compo-
	nents with known CAS numbers that exceed the
	threshold (De Minimis) reporting levels established by
	SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

1-Propanol

71-23-8

>= 90 - <= 100 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know			
1-Propanol	71-23-8		
Pennsylvania Right To Know			
1-Propanol	71-23-8		
Maine Chemicals of High Concern			

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Sigma-Aldrich- 96566



SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-
		1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-
		hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be
		exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 15 of 16

Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 01/02/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich- 96566



Page 16 of 16