

# SAFETY DATA SHEET

Version 6.12 Revision Date 09/06/2024 Print Date 09/06/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Benzophenone

Product Number : B9300

Brand : Sigma-Aldrich Index-No. : 606-153-00-5 CAS-No. : 119-61-9

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Carcinogenicity (Category 1B), H350

Specific target organ toxicity - repeated exposure, Oral (Category 2), Liver, Kidney, H373

Short-term (acute) aquatic hazard (Category 2), H401

Sigma-Aldrich - B9300

Page 1 of 11



Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H350 May cause cancer.

H373 May cause damage to organs (Liver, Kidney) through prolonged

or repeated exposure if swallowed.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms : Diphenyl ketone

Component	Classification	Concentration
Benzophenone derivatives		
	Carc. 1B; STOT RE 2; Aquatic Acute 2; Aquatic Chronic 3; H350, H373, H401, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - B9300

Page 2 of 11



#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed 4.3 No data available

# **SECTION 5: Firefighting measures**

## **Extinguishing media**

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 **Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **Further information**

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - B9300

Page 3 of 11

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

## Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Ingredients with workplace control parameters

Sigma-Aldrich - B9300

Aillipore

Component	CAS-No.	Value	Control	Basis
			parameters	
Benzophenone derivatives	119-61-9	TWA	0.5 mg/m3	USA. Workplace Environmental Exposure Levels (WEEL)

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.do)

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Sigma-Aldrich - B9300



### Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: flakes

Color: white

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting point/ range: 47 - 51 °C (117 - 124 °F) - lit.

point/freezing point

f) Initial boiling point 305 °C 581 °F - lit. and boiling range

g) Flash point 138 °C (280 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure 1.33 hPa at 108 °C (226 °F)

Vapor density
No data available

m) Density 1.11 g/cm3 at 18 °C (64 °F)

Relative density No data available

n) Water solubility ca.0.14 g/l at 25 °C (77 °F) - soluble

o) Partition coefficient: log Pow: 3.18 at 25 °C (77 °F) - Bioaccumulation is not

n-octanol/water expected., (Lit.)

p) Autoignition No data available

temperature

q) Decomposition  $> 320 \, ^{\circ}\text{C} \, (> 608 \, ^{\circ}\text{F}) -$ 

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

### 9.2 Other safety information

No data available

Sigma-Aldrich - B9300

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

#### 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Mouse - 2,895 mg/kg

(OECD Test Guideline 401) Inhalation: No data available

LD50 Dermal - Rabbit - 3,535 mg/kg

Remarks: (ECHA) No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Remarks: No data available

## Respiratory or skin sensitization

Draize Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Sensitisation possible in predisposed persons.

## Germ cell mutagenicity

Test Type: Ames test

Sigma-Aldrich - B9300

Millipore SigMa Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative Test Type: in vitro test Test system: E. coli

Metabolic activation: with and without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

# Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Benzophenone derivatives)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure.

- Liver, Kidney

### Aspiration hazard

No data available

#### 11.2 Additional Information

RTECS: DI9950000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich - B9300

**AilliPORE** 

Page 8 of 11

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

14.2 mg/l - 96.0 h

(OECD Test Guideline 203)

Toxicity to daphnia

and other aquatic

invertebrates

(OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

semi-static test EC50 - Daphnia magna (Water flea) - 6.78 mg/l - 48

3.5 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria

static test EC50 - activated sludge - 787 mg/l - 3 h

(OECD Test Guideline 209)

Toxicity to

flow-through test LC50 - Pimephales promelas (fathead minnow) -

fish(Chronic toxicity) 5.86 mg/l - 7 d

(US-EPA)

Toxicity to daphnia and other aquatic

invertebrates(Chronic

EC50 - Daphnia magna (Water flea) - 1.1 mg/l - 21 d (OECD Test Guideline 211)

toxicity)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 66 - 84 % - Readily biodegradable.

(OECD Test Guideline 301F)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

Sigma-Aldrich - B9300

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312

Hazards

: Chronic Health Hazard

**SARA 313** : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

### **US State Regulations**

## **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

Sigma-Aldrich - B9300

Page 10 of 11



## **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including Benzophenone derivatives, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.12 Revision Date: 09/06/2024 Print Date: 09/06/2024

