

SAFETY DATA SHEET

Version 6.18 Revision Date 09/06/2024 Print Date 09/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Arsenic Standard for ICP

Product Number : 01969

Brand : Sigma-Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Carcinogenicity (Category 1A), H350

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 01969

Page 1 of 14



2.2 GHS Label elements, including precautionary statements

Signal Word Danger Hazard Statements H290 May be corrosive to metals. H315 Causes skin irritation. H318 Causes serious eye damage. H350 May cause cancer. **Precautionary Statements** Obtain special instructions before use. P201 P202 Do not handle until all safety precautions have been read and understood. P234 Keep only in original container. P264 Wash skin thoroughly after handling.

protection.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 +

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

Wear protective gloves/ protective clothing/ eye protection/ face

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner

liner.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Pictogram

P280

Component		Classification	Concentration
nitric acid			
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-004-00-1 01-2119487297-23- XXXX	Ox. Liq. 3; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; >= 65 %: Ox. Liq. 3, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20	>= 3 - < 5 %

Sigma-Aldrich - 01969 Page 2 of 14



		%: Skin Corr. 1B, H314; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315;	
Arsenic trioxide			
CAS-No.	1327-53-3	Acute Tox. 2; Skin Corr.	>= 0.1 - < 1
EC-No.	215-481-4	1B; Eye Dam. 1; Carc. 1A;	%
Index-No.	033-003-00-0	STOT RE 1; Aquatic Acute	
		1; Aquatic Chronic 1;	
		H300, H314, H318, H350,	
		H372, H400, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.



Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal containers.

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Sigma-Aldrich - 01969

Page 4 of 14



Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Ingredients With				
Component	CAS-No.	Value	Control	Basis
			parameters	
nitric acid	7697-37-2	TWA	2 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
		STEL	4 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
		ST	4 ppm	USA. NIOSH Recommended
			10 mg/m3	Exposure Limits
		TWA	2 ppm	USA. NIOSH Recommended
			5 mg/m3	Exposure Limits
		TWA	2 ppm	USA. Occupational Exposure
			5 mg/m3	Limits (OSHA) - Table Z-1
				Limits for Air Contaminants
		PEL	2 ppm	California permissible exposure
			5 mg/m3	limits for chemical
				contaminants (Title 8, Article
				107)
		STEL	4 ppm	California permissible exposure
			10 mg/m3	limits for chemical
				contaminants (Title 8, Article
	1007 50 0		0.04 / 0	107)
Arsenic trioxide	1327-53-3	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit
		0 6		Values (TLV)
	Remarks	Confirmed human carcinogen		
		PEL	0.01 mg/m3	OSHA Specifically Regulated
				Chemicals/Carcinogens
		OSHA specifically regulated carcinogen		
		С	0.002 mg/m3	USA. NIOSH Recommended
				Exposure Limits
		Potential Occupational Carcinogen		

Sigma-Aldrich - 01969 Page 5 of 14



	PEL	0.01 mg/m3	California permissible exposure
			limits for chemical
			contaminants (Title 8, Article
			107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

required

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquidb) Odor No data availablec) Odor Threshold No data available

d) pH 3.0

e) Melting No data available

point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

Sigma-Aldrich - 01969

Millipore

i) Flammability (solid, No data available gas)

j) Upper/lower No data available flammability or

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.010 g/cm3

Relative density No data available

n) Water solubility soluble

o) Partition coefficient: No data available

n-octanol/water

explosive limits

p) Autoignition Not applicable temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Bases, Amines, Alkali metals, Copper, AluminumMetals

10.6 Hazardous decomposition products

In the event of fire: see section 5



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 66.25 mg/l - vapor(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

NTP: Known - Known to be human carcinogen (Arsenic trioxide)

OSHA: OSHA specifically regulated carcinogen (Arsenic trioxide)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich - 01969

Page 8 of 14



Liver - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

Components

nitric acid

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2.65 mg/l - vapor

(Expert judgment)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Arsenic trioxide

Acute toxicity

LD50 Oral - Rat - 14.6 mg/kg

Remarks: (IUCLID)

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Remarks: Causes skin burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli

Result: negative Remarks: (ECHA)

The value is given in analogy to the following substances: sodium arsenite

Carcinogenicity

May cause cancer. Positive evidence from human epidemiological studies.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

- Respiratory system, Cardio-vascular system, Gastrointestinal tract

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Sigma-Aldrich - 01969

Millipore Sigma

Page 10 of 14

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

Components

nitric acid

No data available

Arsenic trioxide

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead

minnow) - 12.6 mg/l - 96 h

(US-EPA)

Remarks: The value is given in analogy to the following

substances: Disodium arsenate heptahydrate

Toxicity to daphnia and other aquatic

static test LC50 - Daphnia magna (Water flea) - 1.5 mg/l - 48

invertebrates Remarks: (ECHA)

The value is given in analogy to the following substances:

sodium arsenite

static test EC50 - activated sludge - 6.1 mg/l - 60 h Toxicity to bacteria

Remarks: (ECHA)

Toxicity to

flow-through test NOEC - Pimephales promelas (fathead fish(Chronic toxicity)

minnow) - 3.8 mg/l - 28 d

Remarks: (ECHA)

The value is given in analogy to the following substances:

Disodium arsenate heptahydrate

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

LOEC - Daphnia magna (Water flea) - 10 mg/l - 21 d

Remarks: (ECOTOX Database)

NOEC - Daphnia magna (Water flea) - 1.85 mg/l - 21 d

Remarks: (ECOTOX Database)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3264 Class: 8 Packing group: III

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid, 4%)

Reportable Quantity (RQ): 1000 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 3264 Class: 8 Packing group: III EMS-No: F-A, S-B Proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

IATA

UN number: 3264 Class: 8 Packing group: III

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid, 4%)

SECTION 15: Regulatory information

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Arsenic trioxide	1327-53-3	1	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

		_	
Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
Arsenic trioxide	1327-53-3	1	1000

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
nitric acid	7697-37-2	1000

SARA 311/312

Hazards

: Chronic Health Hazard

SARA 313 : The following components are subject to reporting

levels established by SARA Title III, Section 313:

nitric acid 7697-37-2 >= 1 - < 5 %

Sigma-Aldrich - 01969

Page 12 of 14

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

nitric acid	7697-37-2	>= 1 - < 5 %
Arsenic trioxide	1327-53-3	>= 0.1 - < 1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

nitric acid	7697-37-2	>= 1 - < 5 %
Arsenic trioxide	1327-53-3	>= 0.1 - < 1.%

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

riussuciiusetts itigiit io itiiow	
water nitric acid Arsenic trioxide	7732-18-5 7697-37-2 1327-53-3
Pennsylvania Right To Know	
nitric acid	7697-37-2
Arsenic trioxide	1327-53-3
Maine Chemicals of High Concern	
water	7732-18-5
Vermont Chemicals of High Concern	
water	7732-18-5
Arsenic trioxide	1327-53-3

Washington Chemicals of High Concern

water	7732-18-5
Arsenic trioxide	1327-53-3

California Prop. 65

WARNING: This product can expose you to chemicals including Arsenic trioxide, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory
Sigma-Aldrich - 01969

Millipore SigMa

Page 13 of 14

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.18 Revision Date: 09/06/2024 Print Date: 09/07/2024

