

SAFETY DATA SHEET

Version 6.16 Revision Date 12/18/2024 Print Date 12/19/2024

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Zinc chloride

Product Number : 208086

Brand : SIGALD

Index-No. : 030-003-00-2

CAS-No. : 7646-85-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

SIGALD- 208086 Page 1 of 15



Skin corrosion : Category 1B

Serious eye damage : Category 1

icity - single exposure

Specific target organ tox- : Category 3 (Respiratory system)

Short-term (acute) aquatic hazard

: Category 1

Long-term (chronic)

aquatic hazard

: Category 1

GHS label elements

Hazard pictograms







Signal Word : Danger

: H302 Harmful if swallowed. **Hazard Statements**

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

Prevention:

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this prod-

uct.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immedi-

ately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

SIGALD- 208086 Page 2 of 15 P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep con-

tainer tightly closed. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Components

Chemical name	CAS-No.	Concentration (% w/w)
zinc chloride	7646-85-7	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all con-

taminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two glass-

es at most), avoid vomiting (risk of perforation).

Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

SIGALD- 208086

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

Page 3 of 15



SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

For this substance/mixture no limitations of extin-

guishing agents are given.

Specific hazards during

fire fighting

Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

Hydrogen chloride gas

Zinc/zinc oxides

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapors/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equip-

ment for fire-fighters

Stay in danger area only with self-contained breathing

apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency proce-

dures, consult an expert.

Advice for emergency responders: For personal protection see section 8.

Environmental precau-

tions

: Do not let product enter drains.

Methods and materials : Cover drains. Collect, bind, and pump off spills.

SIGALD- 208086 Page 4 of 15

Merck

for containment and cleaning up

Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Conditions for safe stor-

age

: Handle under nitrogen, protect from moisture.

Store under nitrogen.

Further information on

storage conditions

: Tightly closed.

Dry.

Storage class : 8A, Combustible, corrosive hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: strongly hygroscopic

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
zinc chloride	7646-85-7	TWA (Fumes)	1 mg/m3	ACGIH
		STEL (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	1 mg/m3	NIOSH REL
		ST (Fumes)	2 mg/m3	NIOSH REL
		TWA (Fumes)	1 mg/m3	OSHA Z-1

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

SIGALD- 208086 Page 5 of 15

Recommended Filter : Filter type P2

type:

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber Break through time : 480 min : 0.11 mm Glove thickness Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber Break through time : 480 min : 0.11 mm Glove thickness : Splash contact Protective index

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and ap-

proved under appropriate government standards such

as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin and body protection : protective clothing

: Immediately change contaminated clothing. Apply Hygiene measures

preventive skin protection. Wash hands and face af-

ter working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white Odor : odorless

Odor Threshold : No data available pH : No data available

Melting point/ range : 559 °F / 293 °C

Method: lit.

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 2.93 g/cm3 (72 °F / 22 °C)

Solubility(ies)

Water solubility : 851 g/l completely soluble (68 °F / 20 °C)

pH: < 0

Method: OECD Test Guideline 105

Partition coefficient: n-

octanol/water

: Not applicable for inorganic substances

Autoignition temperature : No data available

Decomposition tempera-

ture

: No data available

Viscosity

Viscosity, dynamic : > 100 - 200 mPa.s (752 °F / 400 °C)

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

SIGALD- 208086

Page 7 of 15

Oxidizing properties : none

Molecular weight : 136.30 g/mol

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No data available

: The product is chemically stable under standard ambi-Chemical stability

ent conditions (room temperature).

Possibility of hazardous

reactions

: Violent reactions possible with:

sodium

Strong oxidizing agents

Conditions to avoid : Exposure to moisture.

no information available

Incompatible materials : various metals

products

Hazardous decomposition : In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 1,100 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - female - 10 min - <= 1,975 mg/m3 - aerosol

Remarks: (ECHA)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Mouse Remarks: (ECHA)

Serious eye damage/eye irritation

Remarks: Risk of blindness!

(Regulation (EC) No 1272/2008, Annex VI)

Respiratory or skin sensitization

Maximization Test - Guinea pig

SIGALD- 208086 Page 8 of 15 Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Result: negative Remarks: (ECHA)

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Intraperitoneal

Result: negative

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: Zinc sulphate

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen

by IARC.

NTP: No ingredient of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to

0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 31.52 mg/kg - LOAEL (Lowest observed adverse effect level) - 53.8 mg/kg

RTECS: ZH1400000

Zinc chloride and its aqueous solutions are corrosive to the eyes and skin. They cause conjunctivitis and corneal burns in the eye and produce chemical burns, particularly on areas where the skin is broken. Ingestion produces a corrosive action to the mouth, throat, and digestive tract which can include symptoms of stomach pain, nausea, vomiting, bloody diarrhea, swelling of the throat, blood in the urine, and shock. Inhalation irritates the nose and throat producing cough, chest pain, bluish skin, fever, nausea and vomiting, shortness of breath, difficulty in breathing

SIGALD- 208086 Page 9 of 15



(onset may be delayed by several hours), and pneumonia. Fatalities have occurred by inhalation and ingestion., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

zinc chloride:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.169

mg/l

End point: mortality Exposure time: 96 h Test Type: static test Remarks: (ECHA)

Toxicity to daphnia and

other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): 0.33 mg/l

Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)):

0.0049 mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

: 10

Toxicity to fish (Chronic

toxicity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.039

mg/l

Exposure time: 30 d

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 215

Toxicity to daphnia and

other aquatic invertebrates (Chronic toxicity) NOEC (Daphnia magna (Water flea)): 0.039 mg/l

End point: reproduction rate

Exposure time: 21 d

Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 1

toxicity)

SIGALD- 208086 Page 10 of 15

Toxicity to microorgan-

isms

: IC50 (activated sludge): 0.35 mg/l

Exposure time: 4 h Test Type: static test Method: ISO 9509

Remarks: (referred to the cation)

Persistence and degradability

Components:

zinc chloride:

Biodegradability : Remarks: The methods for determining biodegradabil-

ity are not applicable to inorganic substances.

Bioaccumulative potential

Components:

zinc chloride:

: Species: Channa punctata Bioaccumulation

Bioconcentration factor (BCF): 0.4

Exposure time: 45 d

Temperature: 81 °F / 27 °C

Partition coefficient: n-

octanol/water

: Remarks: Not applicable for inorganic substances

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602

Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

Components:

zinc chloride:

assessment

Results of PBT and vPvB : PBT/vPvB: Not applicable for inorganic substances

SIGALD- 208086 Page 11 of 15

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2331

Proper shipping name : Zinc chloride, anhydrous

Class : 8 Packing group : III

Labels : Class 8 - Corrosive substances

Packing instruction (cargo: 864

aircraft)

Packing instruction (pas- : 860

senger aircraft)

IMDG-Code

UN number : UN 2331

Proper shipping name : ZINC CHLORIDE, ANHYDROUS

Class : 8
Packing group : III
Labels : 8

EmS Code : F-A, <u>S-B</u> Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation

49 CFR Road

SIGALD- 208086

UN/ID/NA number : UN 2331

Proper shipping name : Zinc chloride, anhydrous

Class : 8 Packing group : III

Labels : Class 8 - Corrosive substances

ERG Code : 154 Marine pollutant : yes

Poison Inhalation Hazard : No

Page 12 of 15



Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
zinc chloride	7646-85-7	1000	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 : The following components are subject to reporting

levels established by SARA Title III, Section 313:

zinc chloride 7646-85-7 >= 90 - <= 100 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

zinc chloride 7646-85-7 >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

zinc chloride 7646-85-7 >= 90 - <= 100 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

zinc chloride 7646-85-7 >= 90 - <= 100 %

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

zinc chloride 7646-85-7

SIGALD- 208086 Page 13 of 15

Pennsylvania Right To Know

zinc chloride 7646-85-7

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-

hour workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be

exceeded at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - In-

SIGALD- 208086 Page 14 of 15



ventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/18/2024

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

SIGALD- 208086 Page 15 of 15

