

# SAFETY DATA SHEET

Version 8.10  
Revision Date 09/07/2024  
Print Date 09/08/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : TAE buffer 50 x pH 8,3 tris-acetate EDTA buffer  
Product Number : 1.06174  
Catalogue No. : 106174  
Brand : Millipore

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis  
Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319  
Skin sensitization (Category 1), H317  
Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Respiratory Tract, H373

Millipore - 1.06174

Page 1 of 15

Short-term (acute) aquatic hazard (Category 1), H400  
 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Warning

Hazard Statements

H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ eye protection/ face protection.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P314 Get medical advice/ attention if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.  
 P391 Collect spillage.  
 P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Component	Classification	Concentration
<b>Ethylenedinitrilotetraacetic acid disodium salt</b>		
CAS-No.	139-33-3	Acute Tox. 4; STOT RE 2; H332, H373
EC-No.	205-358-3	
Registration number	01-2119486775-20-XXXX	>= 1 - < 5 %

<b>Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)</b>			
CAS-No.	55965-84-9	Acute Tox. 3; Acute Tox. 2; Skin Corr. 1C; Eye Dam. 1; Skin Sens. 1A; Aquatic Acute 1; Aquatic Chronic 1; H301, H330, H310, H314, H318, H317, H400, H410 Concentration limits: >= 0.6 %: Skin Corr. 1B, H314; 0.06 - < 0.6 %: Skin Irrit. 2, H315; 0.06 - < 0.6 %: Eye Irrit. 2, H319; >= 0.0015 %: Skin Sens. 1A, H317; M-Factor - Aquatic Acute: 100 - Aquatic Chronic: 100	>= 0.1 - < 0.6 %
EC-No.	911-418-6		
Index-No.	613-167-00-5		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

### **4.1 Description of first-aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NO<sub>x</sub>)

Sodium oxides

Mixture with combustible ingredients.

Fire may cause evolution of:

nitrogen oxides

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb® ). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed.

Recommended storage temperature see product label.

### Storage class

Storage class (TRGS 510): 10: Combustible liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

**Body Protection**  
protective clothing

**Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**

Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: liquid<br>Color: colorless       |
| b) Odor   | weakly of acetic acid                  |
| c) Odor Threshold                               | No data available                      |
| d) pH   | 8.2 - 8.4 at 20 °C (68 °F)             |
| e) Melting point/freezing point                 | No data available                      |
| f) Initial boiling point and boiling range      | No data available                      |
| g) Flash point                                  | No data available                      |
| h) Evaporation rate                             | No data available                      |
| i) Flammability (solid, gas)                    | No data available                      |
| j) Upper/lower flammability or explosive limits | No data available                      |
| k) Vapor pressure                               | No data available                      |
| l) Vapor density                                | No data available                      |
| m) Density                                      | 1.1 g/cm <sup>3</sup> at 20 °C (68 °F) |
| Relative density                                | No data available                      |
| n) Water solubility                             | soluble                                |
| o) Partition coefficient: n-octanol/water       | No data available                      |
| p) Autoignition                                 | No data available                      |

Millipore - 1.06174

Page 6 of 15

- temperature
- q) Decomposition temperature No data available
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Violent reactions possible with:

The generally known reaction partners of water.

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 9.06 mg/l - dust/mist(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Acute toxicity estimate Dermal - > 5,000 mg/kg  
(Calculation method)

**Skin corrosion/irritation**

Remarks: Mixture causes skin irritation.

**Serious eye damage/eye irritation**

Remarks: Mixture causes serious eye irritation.

**Respiratory or skin sensitization**

Mixture may cause an allergic skin reaction.

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Mixture may cause damage to organs through prolonged or repeated exposure.

- Respiratory Tract

**Aspiration hazard**

No data available

**11.2 Additional Information**

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

**Components**

**Ethylenedinitrilotetraacetic acid disodium salt**

**Acute toxicity**

LD50 Oral - Rat - male and female - 2,800 mg/kg

(OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation



(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Result: negative

(ECHA)

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid trisodium salt

Test Type: Ames test

Result: negative

Remarks: The value is given in analogy to the following substances:

Ethylenedinitrilotetraacetic acid trisodium salt

(ECHA)

Method: OECD Test Guideline 474

Species: Mouse - male - Bone marrow

Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Inhalation - May cause damage to organs through prolonged or repeated exposure.

- Respiratory Tract

Inhalation - Lungs, larynx

Inhalation - larynx

**Aspiration hazard**

No data available

## **Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)**

### **Acute toxicity**

LD50 Oral - Rat - male and female - 66 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 0.171 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 87.12 mg/kg

Remarks: (ECHA)

### **Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

(OECD Test Guideline 404)

### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes serious eye damage.

Remarks: (ECHA)

### **Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: positive

Test Type: Ames test

Test system: Salmonella typhimurium

Result: Positive results were obtained in some in vitro tests.

Test Type: UDS (Unscheduled DNA synthesis assay)

Test system: rat hepatocytes

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Result: positive

Method: OECD Test Guideline 475

Species: Mouse - male and female - Bone marrow

Result: negative

Method: OECD Test Guideline 486

Species: Rat - male - Liver cells

Result: negative

Method: US-EPA

Species: Mouse - male and female - Bone marrow

Result: negative  
Method: US-EPA  
Species: Rat - male - Liver cells  
Result: negative  
Method: OECD Test Guideline 474  
Species: Mouse - male and female - Red blood cells (erythrocytes)  
Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

**Aspiration hazard**

No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties**

No data available

**12.7 Other adverse effects**

No data available

**Components**

**Ethylenedinitrilotetraacetic acid disodium salt**

Toxicity to fish                      static test LC100 - Oncorhynchus mykiss (rainbow trout) - 860 mg/l - 24 h  
Remarks: (ECHA)

semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h  
(OECD Test Guideline 203)

Remarks: (ECHA)  
The value is given in analogy to the following substances:  
Sodium ferredetate

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 140 mg/l - 48 h  
(DIN 38412)  
Remarks: (ECHA)

NOEC - Daphnia magna (Water flea) - 25 mg/l - 21 d  
Remarks: (ECHA)

Toxicity to algae static test - Pseudokirchneriella subcapitata (green algae) - > 60 mg/l - 72 h  
(OECD Test Guideline 201)  
Remarks: (ECHA)  
The value is given in analogy to the following substances:  
Sodium ferredetate

Toxicity to bacteria NOEC - activated sludge - > 640 mg/l - 3 h  
(OECD Test Guideline 209)  
Remarks: (ECHA)  
The value is given in analogy to the following substances:  
Sodium ferredetate

Toxicity to fish(Chronic toxicity) flow-through test NOEC - Danio rerio (zebra fish) - >= 25.7 mg/l - 35 d  
(OECD Test Guideline 210)  
Remarks: (in analogy to similar products)

**Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1)**

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 0.19 mg/l - 96 h  
(US-EPA)

Toxicity to daphnia and other aquatic invertebrates flow-through test LC50 - Daphnia magna (Water flea) - 0.18 mg/l - 48 h  
(US-EPA)

Toxicity to bacteria static test EC50 - activated sludge - 4.5 mg/l - 3 h  
(OECD Test Guideline 209)

Toxicity to fish(Chronic toxicity) semi-static test NOEC - Oncorhynchus mykiss (rainbow trout) - 0.098 mg/l - 35 d  
(OECD Test Guideline 215)

Toxicity to daphnia and other aquatic flow-through test NOEC - Daphnia magna (Water flea) - 0.1 mg/l - 21 d

invertebrates(Chronic (US-EPA)  
toxicity)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

### IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one  
(3:1))

Marine pollutant : yes

Marine pollutant : no

### IATA

UN number: 3082 Class: 9 Packing group: III  
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Mixture of 5-  
Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-2H -isothiazol-3-one (3:1))

### Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

---

## SECTION 15: Regulatory information

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

#### **Massachusetts Right To Know**

water 7732-18-5

#### **Maine Chemicals of High Concern**

water 7732-18-5

#### **Vermont Chemicals of High Concern**

water 7732-18-5

#### **Washington Chemicals of High Concern**

water 7732-18-5

### **The ingredients of this product are reported in the following inventories:**

TSCA : Product contains substance(s) not listed on TSCA inventory.

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16: Other information****Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 8.10

Revision Date: 09/07/2024

Print Date: 09/08/2024