Sigma-Aldrich.

# **SAFETY DATA SHEET**

Version 6.11 Revision Date 09/07/2024 Print Date 09/08/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1	1 Product identifiers		
	Product name	:	[3-(2- Aminoethylamino)propyl]trimethoxysilane
	Product Number Brand CAS-No.		440302 Aldrich 1760-24-3
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against		of the substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1.3	1.3 Details of the supplier of the safety data sheet		
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052
1.4	Emergency telephone		
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Inhalation (Category 4), H332 Serious eye damage (Category 1), H318 Skin sensitization (Sub-category 1B), H317 Aldrich - 440302

Page 1 of 11



Specific target organ toxicity - repeated exposure, Inhalation (Category 2), respiratory tract irritation, H373 Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

	· · · ·
Signal Word	Danger
Hazard Statements H317 H318 H332 H373 H401	May cause an allergic skin reaction. Causes serious eye damage. Harmful if inhaled. May cause damage to organs (respiratory tract irritation) through prolonged or repeated exposure if inhaled. Toxic to aquatic life.
Precautionary Statements P260 P271 P272 P273 P280 P302 + P352 P304 + P340 + P312	Do not breathe mist or vapors. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P314 P333 + P313 P363 P501	Get medical advice/ attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# SECTION 3: Composition/information on ingredients

3.1 Substances	3.1	Substa	ances
----------------	-----	--------	-------

Synonyms	: N-(2-Aminoethyl)-3-(trimethoxysilyl)propylamine Dow Corning® product Z-6020
Formula	: C <sub>8</sub> H <sub>22</sub> N <sub>2</sub> O <sub>3</sub> Si

i umula	•	C8H22N2O35H
Molecular weight	:	222.36 g/mol
CAS-No.	:	1760-24-3
EC-No.	:	217-164-6

Aldrich - 440302

Page 2 of 11



Component	Classification	Concentration
N-[3-(trimethoxysilyl)propyl]ethylenediamine		
	Acute Tox. 4; Eye Dam. 1; Skin Sens. 1B; STOT RE 2; Aquatic Acute 2; H332, H318, H317, H373, H401	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Aldrich - 440302

Page 3 of 11



# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) silicon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6:** Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

**6.4** Reference to other sections For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed.

Aldrich - 440302

Page 4 of 11



Storage class (TRGS 510): 10: Combustible liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

# **Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

## Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## **Personal protective equipment**

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter type ABEK

Aldrich - 440302

Page 5 of 11



The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	146 °C 295 °F at 20 hPa - lit.
g)	Flash point	136 °C (277 °F) - closed cup - DIN 51758
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	1.028 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available

Aldrich - 440302

Page 6 of 11



- s) Explosive properties No data available
- t) Oxidizing properties none
- **9.2 Other safety information** No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3** Possibility of hazardous reactions

with Water Release of: Methanol Exothermic reaction with: acids Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

#### **10.4** Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 2,295 mg/kg (US-EPA) LC50 Inhalation - Rat - male and female - 4 h - 1.49 - 2.44 mg/l - aerosol

(US-EPA) LD50 Dermal - Rat - > 2,000 mg/kg (OECD Test Guideline 402) No data available

# Skin corrosion/irritation

Skin - Rabbit Result: slight irritation - 4 h

Aldrich - 440302

Page 7 of 11



(US-EPA)

## Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405)

## **Respiratory or skin sensitization**

Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406)

# Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: US-EPA Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: Micronucleus test Species: Mouse

Application Route: i.p. Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - respiratory tract irritation

#### **Aspiration hazard**

No data available

Aldrich - 440302

Page 8 of 11



## **11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

#### **12.1 Toxicity**

	,	
	Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 597 mg/l - 96 h Remarks: (External MSDS)
	Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 81 mg/l  - 48 h Remarks: (External MSDS)
	Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (green algae) - 8.8 mg/l - 72 h (OECD Test Guideline 201)
		static test NOEC - Pseudokirchneriella subcapitata (green algae) - 3.1 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to bacteria	static test EC10 - Pseudomonas putida - 25 mg/l - 16 h Remarks: (External MSDS)
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	NOEC - Daphnia magna (Water flea) - > 1 mg/l - 21 d (OECD Test Guideline 211)
2	Persistence and deg	radability
	Biodegradability	aerobic - Exposure time 28 d Result: 39 % - Not readily biodegradable. (Regulation (EC) No. 440/2008, Annex, C.4-A)
3	<b>Bioaccumulative pot</b> No data available	ential
ŀ	<b>Mobility in soil</b> No data available	
5	Results of PBT and v	/PvB assessment

#### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- **12.6 Endocrine disrupting properties** No data available
- 12.7 Other adverse effects

No data available

Aldrich - 440302

12.2

12.3

12.4

Page 9 of 11



#### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

## ΙΑΤΑ

Not dangerous goods

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

#### **SECTION 15: Regulatory information**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Aldrich - 440302

Page 10 of 11



## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

# **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually<br/>match the product purchased as we transition our branding. However, all of the<br/>information in the document regarding the product remains unchanged and matches the<br/>product ordered. For further information please contact mlsbranding@sial.com.<br/>Version: 6.11Revision Date: 09/07/2024Print Date: 09/08/2024

Aldrich - 440302

Page 11 of 11

