

SAFETY DATA SHEET

Version 6.7 Revision Date 03/02/2024 Print Date 07/14/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifiers 1.1

Product name Heptanal a alternation Niteria da

| Product Number | : | W254002 |
|----------------|---|----------|
| Brand | : | Aldrich |
| CAS-No. | : | 111-71-7 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES |
|---------------------|---|---|
| Telephone | : | +1 314 771-5765 |
| Fax | : | +1 800 325-5052 |
| Emergency telephone | | |

1.4

| Emergency Phone # | : 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 |
|-------------------|---|
| | Hours/day; 7 Days/week |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin irritation (Category 2), H315 Short-term (acute) aquatic hazard (Category 2), H401 Long-term (chronic) aquatic hazard (Category 3), H412

Aldrich - W254002

Page 1 of 11



For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

| Warning |
|---|
| Flammable liquid and vapor. Causes skin irritation. Toxic to aquatic life. Harmful to aquatic life with long lasting effects. |
| Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. |
| Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection. |
| IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved waste disposal plant. |
| |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances : Heptaldehyde Synonyms Enanthaldehyde Oenanthaldehyde 1-Heptanal Aldehyde C7 Formula : C₇H₁₄O Molecular weight : 114.19 g/mol CAS-No. : 111-71-7 EC-No. : 203-898-4 Classification Concentration Component

Aldrich - W254002

Page 2 of 11



| n-heptanal | | |
|------------|--|----------|
| | Flam. Liq. 3; Skin Irrit. 2; Aquatic Acute 2; Aquatic Chronic 3; H226, H315, H401, H412 | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

Aldrich - W254002

Page 3 of 11



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains. Risk of explosion.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - W254002

Page 4 of 11



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 60 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387

Aldrich - W254002

Page 5 of 11



and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: clear, liquid Color: light yellow |
|----|--|--|
| b) | Odor | No data available |
| c) | Odor Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | Melting point/range: -43 °C (-45 °F) - lit. |
| f) | Initial boiling point and boiling range | 153 °C 307 °F - lit. |
| g) | Flash point | 35 °C (95 °F) - closed cup |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | Upper explosion limit: 5.2 %(V) Lower explosion limit: 1.1 %(V) |
| k) | Vapor pressure | 6.6 hPa at 25 °C (77 °F) 5.0 hPa at 20 °C(68 °F) |
| I) | Vapor density | No data available |
| m) | Density | 0.817 g/cm3 at 25 °C (77 °F) - lit. |
| | Relative density | No data available |
| n) | Water solubility | slightly soluble |
| o) | Partition coefficient: n-octanol/water | log Pow: 2.8 at 20 °C (68 °F) |
| p) | Autoignition temperature | 205 °C (401 °F) at 990 hPa |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| | | |

Aldrich - W254002

Page 6 of 11



SECTION 10: Stability and reactivity

10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents Strong bases strong reducing agents
- **10.4 Conditions to avoid** Heating.
- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 5,000 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rabbit - > 5,000 mg/kg No data available

Skin corrosion/irritation

Skin - Rabbit Result: Skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation Remarks: No data available

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: Not a skin sensitizer. (OECD Test Guideline 406)

Germ cell mutagenicity

No data available

Page 7 of 11



Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Carcinogenicity

No data available

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Developmental Toxicity- Rabbit

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Repeated dose toxicity - Rat - Oral

RTECS: MI6900000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

No data available

Aldrich - W254002

Page 8 of 11



| | Toxicity to fish | semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 12 mg/l - 96 h | |
|------|--|---|--|
| | | (OECD Test Guideline 203) | |
| | Toxicity to daphnia and other aquatic invertebrates | flow-through test EC50 - Daphnia magna (Water flea) - 4.13 mg/l - 48 h (OECD Test Guideline 202) | |
| | Toxicity to algae | static test EC50 - Pseudokirchneriella subcapitata - 2.9 mg/l - 72 h (OECD Test Guideline 201) | |
| | Toxicity to bacteria | EC50 - Pseudomonas putida - 580 mg/l - 3 h (OECD Test Guideline 209) | |
| | Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) | NOEC - Daphnia magna (Water flea) - > 0.819 mg/l - 21 d (OECD Test Guideline 211) | |
| 12.2 | Persistence and deg | radability | |
| | Biodegradability | Result: 63 - 74 % - Readily biodegradable. (OECD Test Guideline 301D) | |
| 12.3 | .3 Bioaccumulative potential No data available | | |
| 12.4 | .4 Mobility in soil No data available | | |
| 12.5 | .5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted | | |
| 12.6 | 2.6 Endocrine disrupting properties No data available | | |
| 12.7 | 12.7 Other adverse effects No data available | | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Aldrich - W254002

Page 9 of 11



SECTION 14: Transport information

| DOT (US) UN number: 3056 Class: 3 Proper shipping name: n-Heptaldehyde Reportable Quantity (RQ): Poison Inhalation Hazard: No | Packing group: III | |
|--|--------------------|------------------|
| IMDG UN number: 3056 Class: 3 Proper shipping name: n-HEPTALDEHYDE Marine pollutant : yes | Packing group: III | EMS-No: F-E, S-D |
| IATA UN number: 3056 Class: 3 Proper shipping name: n-Heptaldehyde | Packing group: III | |

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich - W254002

Page 10 of 11



Version: 6.7

Aldrich - W254002

Page 11 of 11

