

# SAFETY DATA SHEET

Version 6.7  
Revision Date 01/09/2025  
Print Date 01/10/2025

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Silica gel

Product Number : 236772  
Brand : Sigma-Aldrich  
CAS-No. : 112926-00-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### GHS label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

### Components

| Chemical name                     | CAS-No.     | Concentration (% w/w) |
|-----------------------------------|-------------|-----------------------|
| synthetic amorphous silica, pptd. | 112926-00-8 | >= 90 - <= 100        |

Actual concentration is withheld as a trade secret

---

## SECTION 4. FIRST AID MEASURES

- If inhaled : After inhalation: fresh air.
- In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- In case of eye contact : After eye contact: rinse out with plenty of water. Remove contact lenses.
- If swallowed : After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

---

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.
- Specific hazards during fire fighting : Not combustible.

Ambient fire may liberate hazardous vapours.

|  |  |
|--|--|
| Hazardous combustion products                  | : silicon oxides   |
| Specific extinguishing methods                 | : No data available  |
| Further information                            | : Suppress (knock down) gases/vapors/mists with a water spray jet. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.   |

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

|   |   |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Advice for non-emergency personnel:<br>Avoid inhalation of dusts.<br>Evacuate the danger area, observe emergency procedures, consult an expert.<br>Advice for emergency responders:<br>For personal protection see section 8. |
| Environmental precautions   | : No special precautionary measures necessary.  |
| Methods and materials for containment and cleaning up               | : Observe possible material restrictions (see sections 7 and 10).<br>Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.   |

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

|   |  |
|---|--|
| Further information on storage conditions | : Tightly closed.<br>Dry.                            |
| Storage class                             | : 11, Combustible Solids                             |
| Recommended storage temperature           | : Recommended storage temperature see product label. |
| Further information on storage stability  | : Hygroscopic.                                       |
| Packaging material                        | : Suitable material: Poly Drum, LDPE Bottle/Jar      |

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components                        | CAS-No.     | Value type<br>(Form of exposure) | Control parameters / Permissible concentration       | Basis     |
|-----------------------------------|-------------|----------------------------------|--|-----------|
| synthetic amorphous silica, pptd. | 112926-00-8 | TWA                              | 6 mg/m <sup>3</sup>                                  | OSHA P0   |
|                                   |             | TWA (Dust)                       | 20 Million particles per cubic foot<br>(Silica)      | OSHA Z-3  |
|                                   |             | TWA (Dust)                       | 80 mg/m <sup>3</sup> / %SiO <sub>2</sub><br>(Silica) | OSHA Z-3  |
|                                   |             | TWA                              | 6 mg/m <sup>3</sup><br>(Silica)                      | NIOSH REL |

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.11 mm  
Protective index : Full contact  
Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.11 mm

|                  |  |
|------------------|--|
| Protective index | : Splash contact   |
| Manufacturer     | : KCL 741 Dermatril® L   |
| Remarks          | : Handle with impervious gloves.<br>This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). |
| Eye protection   | : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Safety glasses  |
| Hygiene measures | : Change contaminated clothing. Wash hands after working with substance.   |

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                             |                                  |
|-----------------------------|----------------------------------|
| Appearance                  | : Beads                          |
| Color                       | : white                          |
| Odor                        | : odorless                       |
| Odor Threshold              | : Not applicable                 |
| pH                          | : ca. 6<br>Concentration: 50 g/l |
| Melting point/ range        | : > 2,912 °F / > 1,600 °C        |
| Boiling point/boiling range | : 4,046 °F / 2,230 °C            |
| Flash point                 | : Not applicable                 |
| Evaporation rate            | : No data available              |
| Flammability (solid, gas)   | : No data available              |
| Flammability (liquids)      | : No data available              |
| Burning rate                | : No data available              |

|   |   |
|---|---|
| Upper explosion limit /<br>Upper flammability limit | : No data available                       |
| Lower explosion limit /<br>Lower flammability limit | : No data available                       |
| Vapor pressure                                      | : No data available                       |
| Relative vapor density                              | : No data available                       |
| Relative density                                    | : No data available                       |
| Density   | : ca. 2 g/cm <sup>3</sup> (68 °F / 20 °C) |
| Solubility(ies)<br>Water solubility                 | : 0.001 g/l (68 °F / 20 °C)               |
| Partition coefficient: n-<br>octanol/water          | : Not applicable for inorganic substances |
| Autoignition temperature                            | : No data available                       |
| Decomposition tempera-<br>ture                      | : > 3,632 °F / > 2,000 °C                 |
| Viscosity, dynamic                                  | : No data available                       |
| Viscosity, kinematic                                | : No data available                       |
| Flow time   | : No data available                       |
| Explosive properties                                | : No data available                       |
| Oxidizing properties                                | : none                                    |
| Particle characteristics<br>Particle size           | : No data available                       |

---

## SECTION 10. STABILITY AND REACTIVITY

|                                       |  |
|---------------------------------------|--|
| Reactivity                            | : No data available  |
| Chemical stability                    | : The product is chemically stable under standard ambi-<br>ent conditions (room temperature) . |
| Possibility of hazardous<br>reactions | : Stable under recommended storage conditions.   |
| Conditions to avoid                   | : no information available   |

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

#### Skin corrosion/irritation

Remarks: No data available

#### Serious eye damage/eye irritation

Remarks: No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

### 11.2 Additional Information

RTECS: VV7315000

Amorphous silica is not classifiable as to its carcinogenicity to humans (Group 3); however, crystalline silica inhaled in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (Group 1, IARC). Therefore, amorphous silica should be handled as if possessing the same hazards as the crystalline form. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **synthetic amorphous silica, pptd.:**

Toxicity to fish : Remarks: No data available

### Persistence and degradability

#### Components:

##### **synthetic amorphous silica, pptd.:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### Bioaccumulative potential

#### Components:

##### **synthetic amorphous silica, pptd.:**

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

Sigma-Aldrich- 236772

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 11





**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National regulation****49 CFR Road**

Not regulated as a dangerous good

Poison Inhalation Hazard : No

**Special precautions for user**

Remarks : Not classified as dangerous in the meaning of transport regulations.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Chronic Health Hazard

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Massachusetts Right To Know**

synthetic amorphous silica, pptd. 112926-00-8

**Massachusetts Right To Know**

synthetic amorphous silica, pptd. 112926-00-8

**Pennsylvania Right To Know**

synthetic amorphous silica, pptd. 112926-00-8

**Pennsylvania Right To Know**

synthetic amorphous silica, pptd.

112926-00-8

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**New Jersey Right To Know**

synthetic amorphous silica, pptd.

112926-00-8

**The ingredients of this product are reported in the following inventories:**

TSCA : Product contains substance(s) not listed on TSCA inventory.

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION**

**Full text of other abbreviations**

NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)  
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
OSHA P0 / TWA : 8-hour time weighted average  
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - In-

ventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 01/09/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN