



# SAFETY DATA SHEET

Version 6.16 Revision Date 12/18/2024 Print Date 12/19/2024

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

CAS-No.

Product name : Vanadium(V) oxide

Product Number : 204854
Brand : Aldrich
Index-No. : 023-001-00-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

: 1314-62-1

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 3

Aldrich- 204854 Page 1 of 16

Merc

Acute toxicity (Inhalation)

: Category 2

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Reproductive toxicity : Category 2

Effects on or via lactation

icity - single exposure

Specific target organ tox- : Category 3 (Respiratory system)

Specific target organ tox- : Category 1 (Respiratory Tract) icity - repeated exposure

Long-term (chronic) aquatic hazard

(Inhalation)

: Category 2

#### **GHS** label elements

Hazard pictograms









Signal Word : Danger

: H301 Toxic if swallowed. Hazard Statements

H330 Fatal if inhaled.

H335 May cause respiratory irritation. H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn

H362 May cause harm to breast-fed children. H372 Causes damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled. H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements:

# **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood. P260 Do not breathe dust.

P263 Avoid contact during pregnancy/ while nursing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this prod-

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

P284 Wear respiratory protection.

### Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call

a POISON CENTER/ doctor. Rinse mouth.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immedi-

ately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention. P391 Collect spillage.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
vanadium pentoxide	1314-62-1	>= 90 - <= 100

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves.

Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Immediately call in physi-

cian.

If breathing stops: immediately apply artificial respira-

tion, if necessary also oxygen.

In case of skin contact : In case of skin contact: Take off immediately all con-

taminated clothing. Rinse skin with water/ shower.

Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist.

Aldrich- 204854 Page 3 of 16

Remove contact lenses.

If swallowed : If swallowed: give water to drink (two glasses at

> most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a

doctor as quickly as possible.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

: No data available Notes to physician

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

: For this substance/mixture no limitations of extin-

guishing agents are given.

Specific hazards during

fire fighting

: Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion

products

: Vanadium/vanadium oxides

Specific extinguishing

methods

: No data available

Further information : Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equip-

The life science business of Merck operates as MilliporeSigma in

ment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe

distance or by wearing suitable protective clothing.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid generation and inhalation of dusts in all circum-

stances.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency proce-

dures, consult an expert.

Advice for emergency responders: For personal protection see section 8.

Environmental precau-

tions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.Observe possible material restrictions (see sections 7

and 10).

Take up carefully. Dispose of properly. Clean up af-

fected area.

Avoid generation of dusts.

#### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

Further information on storage conditions

: Tightly closed.

Dry.

Keep in a well-ventilated place.

Keep locked up or in an area accessible only to quali-

fied or authorized persons.

Storage class : 6.1A, Combustible, acute toxic Cat. 1 and 2 / very

toxic hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
vanadium pentoxide	1314-62-1	TWA (In- halable	0.05 mg/m3 (Vanadium)	ACGIH

Aldrich- 204854 Page 5 of 16



particulate matter)		
C (Fumes)	0.1 mg/m3 (V2O5: Di va- nadium pentox- ide)	OSHA Z-1
C (Respira- ble dust)	0.5 mg/m3 (V2O5: Di va- nadium pentox- ide)	OSHA Z-1
C (Dust)	0.05 mg/m3 (Vanadium)	NIOSH REL
C (Fumes)	0.05 mg/m3 (Vanadium)	NIOSH REL

**Engineering measures** : No data available

# Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter

type:

: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating

Aldrich- 204854 Page 6 of 16



from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and ap-

proved under appropriate government standards such

as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face af-

ter working with substance.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : solid

Color : No data available

Odor : No data available

Odor Threshold : No data available pH : No data available

Melting point/ range : 1274 °F / 690 °C

Method: lit.

Boiling point : ca. 3,182 °F / 1,750 °C

(decomposition)

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / Upper flammability limit

: No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Aldrich- 204854

Relative vapor density : No data available

Relative density : 3.65 (71.1 °F / 21.7 °C)

Method: OECD Test Guideline 109

Density : 3.35 g/mL (77 °F / 25 °C)

Method: lit.

Solubility(ies)

Water solubility : 515 g/l soluble (68 °F / 20 °C)

pH: 2.7

Method: OECD Test Guideline 105

GLP: yes

Solubility in other sol-

vents

: insoluble

Solvent: Ethanol

Partition coefficient: n-

octanol/water

: Not applicable for inorganic substances

Autoignition temperature : No data available

Decomposition tempera-

ture

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 181.88 g/mol

Particle characteristics

Particle size : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Chemical stability : The product is chemically stable under standard ambi-

ent conditions (room temperature).

Possibility of hazardous

reactions

: Exothermic reaction with:

Alkali metals

Aldrich- 204854 Page 8 of 16

Merc

halogen-halogen compounds

Acids

Risk of explosion with:

performic acid

Risk of ignition or formation of inflammable gases or

vapours with:

Alkaline earth metals highly flammable solvents oxidisable substances

sulfur

(in the presence of atmospheric oxygen and/or mois-

ture)

Conditions to avoid : no information available

: No data available Incompatible materials

products

Hazardous decomposition: In the event of fire: see section 5

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# **Acute toxicity**

Acute toxicity estimate Oral - 220 mg/kg

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

Inhalation: Irritating to respiratory system.

Acute toxicity estimate Inhalation - 0.05 mg/l - dust/mist

(Acute toxicity estimate according to Regulation (EC) No. 1272/2008)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

LC50 Dermal - Rat - male and female - > 2,500 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - in vitro test

Result: No skin irritation - 15 min

Remarks: (ECHA)

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Suspected of causing genetic defects.

Merc

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Inhalation Method: OECD Test Guideline 474

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay

Species: Mouse

Application Route: Inhalation Method: OECD Test Guideline 488

Result: negative

Test Type: comet assay

Species: Mouse

Application Route: Inhalation

Result: negative Remarks: (ECHA)

# Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2B - Group 2B: Possibly carcinogenic to humans (vanadium pentoxide)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to

0.1% is on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Studies indicating a hazard to babies during the lactation period

# Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

- Respiratory Tract

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# **Aspiration hazard**

No data available

# 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Aldrich- 204854 Page 10 of 16

Vanadium and its compounds generally cause irritations after eye and skin contact and mucosal irritations, coughing, and dyspnoea after inhalation. After absorption of toxic quantities changes in the blood picture, loss of weight, cardiovascular complaints.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

# **Components:**

# vanadium pentoxide:

Toxicity to fish (Chronic

toxicity)

: NOEC (Pimephales promelas (fathead minnow)): 0.24

mg/l

Exposure time: 28 d

Test Type: Growth inhibition Remarks: (ECOTOX Database)

#### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### Persistence and degradability

# **Components:**

#### vanadium pentoxide:

Biodegradability : Remarks: The methods for determining biodegradabil-

ity are not applicable to inorganic substances.

# **Bioaccumulative potential**

#### **Components:**

#### vanadium pentoxide:

octanol/water

Partition coefficient: n- : Remarks: Not applicable for inorganic substances

# Mobility in soil

No data available

Aldrich- 204854 Page 11 of 16

#### Other adverse effects

#### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602

Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

> with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

IATA-DGR

UN/ID No. : UN 2862

Proper shipping name : Vanadium pentoxide

: 6.1 Class Packing group : III

Division 6.1 - Toxic substances Labels

Packing instruction (cargo: 677

aircraft)

Packing instruction (pas- : 670

senger aircraft)

**IMDG-Code** 

UN number : UN 2862

Proper shipping name : VANADIUM PENTOXIDE

: 6.1 Class Packing group : III Labels 6.1 EmS Code : F-A, S-A Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National regulation**

49 CFR Road

UN/ID/NA number : UN 2862

Aldrich- 204854 Page 12 of 16 Proper shipping name : Vanadium pentoxide

: 6.1 Class Packing group : III

: Division 6.1 - Toxic substances Labels

ERG Code : 151 Marine pollutant : no

Poison Inhalation Hazard : No

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
vanadium pentoxide	1314-62-1	1000	1000

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
vanadium pentoxide	1314-62-1	1000	1000

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
vanadium pentoxide	1314-62-1	10000
vanadium pentoxide	1314-62-1	100*

<sup>\*:</sup> Solid in the molten or powdered form (particles < 100 microns), in solution, or meeting the NFPA reactivity criteria

SARA 311/312 Haz-: Acute Health Hazard ards

Chronic Health Hazard

vanadium 1314-62-1 100 %

pentoxide

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

1314-62-1 >= 90 - <= 100 % vanadium

pentoxide

# **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Aldrich- 204854 Page 13 of 16 This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

vanadium pentoxide 1314-62-1 >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

vanadium pentoxide 1314-62-1 >= 90 - <= 100 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water

# **US State Regulations**

# **Massachusetts Right To Know**

vanadium pentoxide 1314-62-1

# Pennsylvania Right To Know

vanadium pentoxide 1314-62-1

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### California Prop. 65

WARNING: This product can expose you to chemicals including vanadium pentoxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Merck

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / C : Ceiling value not be exceeded at any time.

OSHA Z-1 / C : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does

Aldrich- 204854 Page 15 of 16



not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/18/2024

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Aldrich- 204854 Page 16 of 16

