

SAFETY DATA SHEET

Version 6.9 Revision Date 09/07/2024 Print Date 09/08/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| Product name | : | Potassium fluoride |
|----------------|---|--------------------|
| Product Number | : | 449148 |
| Brand | : | Aldrich |
| Index-No. | : | 009-005-00-2 |
| CAS-No. | : | 7789-23-3 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | : Laboratory chemicals, Synthesis of substances |
|----------------------|--|
| Uses advised against | : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma. |
| | |

1.3 Details of the supplier of the safety data sheet

| Company | : | Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES |
|---------------------|---|---|
| Telephone Fax | | +1 314 771-5765 +1 800 325-5052 |
| Emergency telephone | | |
| Emergency Phone # | : | 800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311

Aldrich - 449148

1.4

Page 1 of 13



Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



| | \vee \vee |
|--|--|
| Signal Word | Danger |
| Hazard Statements H301 + H311 + H331 H318 | Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. |
| Precautionary Statements P261 P264 P270 P271 P280 | Avoid breathing dust. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face |
| P301 + P310 + P330 | protection. IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth. |
| P302 + P352 + P312 | IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. |
| P304 + P340 + P311 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |
| P362 P403 + P233 P405 P501 | Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Strong hydrogen fluoride-releaser

SECTION 3: Composition/information on ingredients

| 3.1 | Substances Formula Molecular weight CAS-No. EC-No. Index-No. | :: | FK 58.10 g/mol 7789-23-3 232-151-5 009-005-00-2 | | |
|-----|--|----|---|---|---------------|
| | Component | | | Classification | Concentration |
| | potassium fluoride | | | | |
| | | | | Acute Tox. 3; Eye Dam. 1; H301, H331, H311, H318 | <= 100 % |

Aldrich - 449148

Page 2 of 13



For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich - 449148

Page 3 of 13



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Hydrogen fluoride Potassium oxides Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Work under hood. Do not inhale substance/mixture.

Hygiene measures

Aldrich - 449148

Page 4 of 13



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

hygroscopic Store under inert gas. Do not store in glass

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Ingreatents with | Hornplace | control pur | | |
|--------------------|-----------|---------------|-----------------|---------------------------------|
| Component | CAS-No. | Value | Control | Basis |
| | | | parameters | |
| potassium fluoride | 7789-23-3 | TWA | 2.5 mg/m3 | USA. Occupational Exposure |
| | | | | Limits (OSHA) - Table Z-1 |
| | | | | Limits for Air Contaminants |
| | | TWA | 2.5 mg/m3 | USA. ACGIH Threshold Limit |
| | | | | Values (TLV) |
| | Remarks | Not classifia | able as a human | carcinogen |
| | | PEL | 2.5 mg/m3 | California permissible exposure |
| | | | | limits for chemical |
| | | | | contaminants (Title 8, Article |
| | | | | 107) |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|-----------------------|-----------|----------------|------------|---------------------|--|
| potassium fluoride | 7789-23-3 | Fluoride | 2 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Prior to shift | (16 hours | after exposure cea | ises) |
| | | Fluoride | 3 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | End of shift (| As soon as | possible after exp | osure ceases) |

Aldrich - 449148

Page 5 of 13



8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

Aldrich - 449148

Page 6 of 13



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| ā | a) | Appearance | Form: powder Color: white | | | |
|---|--------------------------|--|---|--|--|--|
| Ł | c) | Odor | odorless | | | |
| C | :) | Odor Threshold | Not applicable | | | |
| C | d) | рН | 8 - 9 at 50 g/l at 20 °C (68 °F) | | | |
| e | e) | Melting point/freezing point | Melting point/ range: 858 °C (1576 °F) - lit. | | | |
| f | -) | Initial boiling point and boiling range | 1,505 °C 2,741 °F at 1,013 hPa | | | |
| ç | g) | Flash point | ()Not applicable | | | |
| ł | า) | Evaporation rate | No data available | | | |
| i |) | Flammability (solid, gas) | No data available | | | |
| j | i) | Upper/lower flammability or explosive limits | No data available | | | |
| k | <) | Vapor pressure | 1.3 hPa at 885 °C (1625 °F) | | | |
| I |) | Vapor density | No data available | | | |
| r | m) | Density | 2.48 g/cm3 at 25 °C (77 °F) | | | |
| | | Relative density | 2.4922 °C | | | |
| r | า) | Water solubility | 923 g/l at 18 °C (64 °F) - completely soluble | | | |
| C |)) | Partition coefficient: n-octanol/water | log Pow: -0.77 - (Lit.), Bioaccumulation is not expected. | | | |
| F |)) | Autoignition temperature | No data available | | | |
| C | 7) | Decomposition temperature | No data available | | | |
| r | -) | Viscosity | No data available | | | |
| S | 5) | Explosive properties | No data available | | | |
| t | :) | Oxidizing properties | none | | | |
| (| Other safety information | | | | | |

9.2 Other safety information No data available

Aldrich - 449148

Page 7 of 13



SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: Strong oxidizing agents acids

10.4 Conditions to avoid

Reacts dangerously with glass. no information available

10.5 Incompatible materials glass

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 148.5 mg/kg (OPPTS 870.1100) Remarks: (ECHA) Based on data from similar materials LC50 Inhalation - Rat - male and female - 4 h - 1 mg/l - dust/mist

(OECD Test Guideline 403) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium fluoride LD50 Dermal - Rat - male and female - > 2,000 mg/kg (US-EPA) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium fluoride Dermal: (Regulation (EC) No 1272/2008, Annex VI) No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h Remarks: (in analogy to similar products)

Serious eye damage/eye irritation

Remarks: Risk of corneal clouding.

Aldrich - 449148

Page 8 of 13



Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (US-EPA) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium fluoride

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: without metabolic activation Result: negative Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: sodium fluorideTest Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium fluoride Test Type: Mutagenicity (mammal cell test): chromosome aberration. Species: Mouse Cell type: Bone marrow Application Route: Oral Method: US-EPA Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium fluoride

Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 24 Months - NOAEL (No observed adverse effect level) - 25 mg/kg - LOAEL (Lowest observed adverse effect level) - 4 mg/kg

Aldrich - 449148

Page 9 of 13



Remarks: (in analogy to similar products) The value is given in analogy to the following substances: sodium fluoride

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Salivation, Nausea, Vomiting, Abdominal pain, Fever, Irregular breathing., Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., perforation of the nasal septum, calcium deposits in the ligaments, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Convulsions Unconsciousness Cardiac irregularities respiratory arrest shock

After long-term exposure to the chemical:

Damage to:

Bone marrow

The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

No data available

Toxicity to daphnia static test NOEC - Daphnia magna (Water flea) - 3.7 mg/l - 21 d and other aquatic Remarks: (ECHA) invertebrates(Chronic toxicity)

12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

Aldrich - 449148

Page 10 of 13



12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

Harmful effect due to pH shift. Forms toxic and corrosive mixtures with water even if diluted. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 1812 Class: 6.1 Packing group: III Proper shipping name: Potassium fluoride, solid Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 1812 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: POTASSIUM FLUORIDE, SOLID

ΙΑΤΑ

UN number: 1812 Class: 6.1 Packing group: III Proper shipping name: Potassium fluoride, solid

Aldrich - 449148

Page 11 of 13



SECTION 15: Regulatory information

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312 Hazards | : | Acute Health Hazard Chronic Health Hazard |
|-------------------------|---|---|
| SARA 313 | : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

: All substances listed as active on the TSCA inventory

TSCA list

TSCA

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Aldrich - 449148

Page 12 of 13



SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.9 Revision Date: 09/07/2024 Print Date: 09/08/2024

Aldrich - 449148

Page 13 of 13

