

# SAFETY DATA SHEET

Version 8.4 Revision Date 02/07/2023 Print Date 07/13/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Resorcinol diglycidyl ether

Product Number : 470945 Brand : Aldrich

Index-No. : 603-065-00-9 CAS-No. : 101-90-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

: +1 314 771-5765 : +1 800 325-5052

1.4 Emergency telephone

Telephone

Fax

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 3), H311

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Aldrich - 470945

MILLIPORE

Pictogram



Signal	Word	Danger

Hazard	l statement(	้รโ	١

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

Harmful to aquatic life with long lasting effects. H412

## Precautionary statement(s)

P201	Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing must not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel P301 + P312 + P330

unwell. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. P362

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Formula : C<sub>12</sub>H<sub>14</sub>O<sub>4</sub> Molecular weight : 222.24 g/mol CAS-No. : 101-90-6 EC-No. : 202-987-5 Index-No. : 603-065-00-9

Component Classification Concentration

Aldrich - 470945



Resorcinol diglycidyl ether		
	Acute Tox. 4; Acute Tox.	<= 100 %
	3; Skin Irrit. 2; Eye Irrit.	
	2A; Skin Sens. 1; Muta. 2;	
	Carc. 1B; Aquatic Chronic	
	3; H302, H311, H315,	
	H319, H317, H341, H350,	
	H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Aldrich - 470945

Millipore SigMa Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4** Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 470945

Millipore

Page 4 of 9

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

## Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

# Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

required

# **Body Protection**

protective clothing

# **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odor No data available c) Odor Threshold No data available d) pH No data available

Melting point/range: -12 - -6 °C (10 - 21 °F) - OECD Test e) Melting

point/freezing point Guideline 102

172 °C 342 °F - lit. Initial boiling point and boiling range

g) Flash point 113 °C (235 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, No data available

Upper/lower No data available j)

operates as MilliporeSigma in the US and Canada

gas)

Aldrich - 470945

explosive limits

flammability or

The life science business of Merck KGaA, Darmstadt, Germany



Page 5 of 9

k) Vapor pressure ca.< 0.1 hPa at ca.25 °C (ca.77 °F) - OECD Test Guideline 104

I) Vapor density No data available

m) Density 1.21 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available n) Water solubility No data available

o) Partition coefficient: log Pow: ca.28.7 at 30 °C (86 °F) - OECD Test Guideline 117 -

n-octanol/water Potential bioaccumulation

p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Surface tension ca.63.9 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline

115

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### **Acute toxicity**

Acute toxicity estimate Oral - 500 mg/kg

(Expert judgment)

Inhalation: No data available

Aldrich - 470945



Acute toxicity estimate Dermal - 300 mg/kg (Expert judgment)

## Skin corrosion/irritation

Skin - Rabbit

Result: Moderate skin irritation

Remarks: (ECHA)

# Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

# Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 490

Result: positive

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: positive Remarks: (ECHA) Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Result: positive Remarks: (ECHA)

# Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Resorcinol diglycidyl ether)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Resorcinol diglycidyl

ether)

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# 11.2 Additional Information

RTECS: VH1050000

Millipore SiGMa To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to bacteria

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 7 % - Not readily biodegradable.

(OECD Test Guideline 301B)

## 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

# DOT (US)

UN number: 2811 Class: 6.1 Packing group: III

Proper shipping name: Toxic solids, organic, n.o.s. (Resorcinol diglycidyl ether)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

## **IMDG**

UN number: 2811 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC SOLID, ORGANIC, N.O.S. (Resorcinol diglycidyl ether)

# **IATA**

Aldrich - 470945

Page 8 of 9



UN number: 2811 Class: 6.1 Packing group: III

Proper shipping name: Toxic solid, organic, n.o.s. (Resorcinol diglycidyl ether)

## **SECTION 15: Regulatory information**

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	<b>Revision Date</b>
Resorcinol diglycidyl ether	101-90-6	2007-03-01

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Resorcinol diglycidyl ether	101-90-6	2007-03-01

## **Pennsylvania Right To Know Components**

Resorcinol diglycidyl ether	CAS-No.	Revision Date
	101-90-6	2007-03-01

### California Prop. 65 Components

camorma riopros components		
, which is/are known to the State of California to	CAS-No.	Revision Date
cause cancer. For more information go to	101-90-6	2007-09-28
www.P65Warnings.ca.gov.Resorcinol diglycidyl ether		

### **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.4 Revision Date: 02/07/2023 Print Date: 07/13/2024

Aldrich - 470945

