

SAFETY DATA SHEET

Version 6.10 Revision Date 09/06/2024 Print Date 09/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Poly(3,4-ethylenedioxythiophene)-

poly(styrenesulfonate)

Product Number : 655201 Brand : Aldrich CAS-No. : 155090-83-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1), H314 Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, H373

Aldrich - 655201

Page 1 of 13



For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs (Kidney) through prolonged or

repeated exposure if swallowed.

Precautionary Statements P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. P305 + P351 + P338 + Remove contact lenses, if present and easy to do. Continue P310 rinsing. Immediately call a POISON CENTER/ doctor. P314 Get medical advice/ attention if you feel unwell. Wash contaminated clothing before reuse. P363 P405 Store locked up. Dispose of contents/ container to an approved waste disposal P501 plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : Poly(2,3-dihydrothieno-1,4-dioxin)-poly(styrenesulfonate)

PEDOT/PSS

Component		Classification	Concentration				
ethylene glycol							
CAS-No.	107-21-1	Acute Tox. 4; STOT RE 2;	>= 5 - < 10				
EC-No.	203-473-3	H302, H373	%				
Index-No.	603-027-00-1	, i					
Registration	01-2119456816-28-						
number	XXXX						
Renzenesulfonic ad	sid ethenyl- homonolyn	ner compd with 2 3-dibyd	Irothiano[3 4-				
Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer							
CAS-No.	155090-83-8	Skin Corr. 1B: Eve Dam.	>= 1 - < 5 %				

Aldrich - 655201 Page 2 of 13



EC-No.	629-200-1	1; H314, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

Aldrich - 655201

Page 3 of 13

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stabilityRecommended storage temperature

2 - 8 °C

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 655201

Page 4 of 13



Component	CAS-No.	Value	Control parameters	Basis
ethylene glycol	107-21-1	TWA	25 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		
		STEL	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		
		STEL	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Not classifiable as a human carcinogen		
		С	40 ppm	California permissible exposure
			100 mg/m3	limits for chemical contaminants (Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

required

Body Protection

Acid-resistant protective clothing

Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Aldrich - 655201 Page 5 of 13



b) Odor No data available c) Odor Threshold No data available 2 at 20 °C (68 °F) d) e) Melting No data available point/freezing point No data available Initial boiling point and boiling range g) Flash point ()Not applicable No data available h) Evaporation rate Flammability (solid, No data available gas) Upper/lower No data available j) flammability or explosive limits k) Vapor pressure No data available Vapor density No data available 1 g/mL at 20 °C (68 °F) m) Density Relative density No data available n) Water solubility soluble o) Partition coefficient: No data available n-octanol/water

p) Autoignition temperature

Not applicable

q) Decomposition temperature

No data available

No data available Viscosity r)

Not classified as explosive. s) Explosive properties

Oxidizing properties

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Aldrich - 655201



The generally known reaction partners of water.

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - > 5,000 mg/kg

(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Dermal - > 5,000 mg/kg

(Calculation method)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Aldrich - 655201

AilliPDRE

Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

11.2 Additional Information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Central nervous system - Irregularities - Based on Human Evidence

Components

ethylene glycol

Acute toxicity

Acute toxicity estimate Oral - 500.1 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

LC50 Inhalation - Rat - male and female - 6 h - > 2.5 mg/l - aerosol

Remarks: (ECHA)

LD50 Dermal - Mouse - male and female - > 3,500 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 20 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: negative

Species: Rat - male and female

Result: negative Remarks: (ECHA)

Aldrich - 655201

Carcinogenicity

This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Reproductive toxicity

Laboratory experiments have shown teratogenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Aldrich - 655201



Page 9 of 13

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

Components

ethylene glycol

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) -

72,860 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

ıa

and other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae static test NOEC - Pseudokirchneriella subcapitata (green algae)

- > 100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to flow-through test LC50 - Menidia peninsulae (tidewater

fish(Chronic toxicity) silverside) - > 1,500 mg/l - 28 d

Remarks: (ECHA)

The value is given in analogy to the following substances:

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -

triethylene glycol

Toxicity to daphnia

semi-static test NOEC - Ceriodaphnia dubia (water flea) - 8,590

and other aquatic mg/l - 7 d invertebrates(Chronic (US-EPA)

toxicity)

Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer

No data available

Aldrich - 655201

Aillipore

Page 10 of 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3265 Class: 8 Packing group: III

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer) (Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-

dioxin homopolymer)
Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3265 Class: 8 Packing group: III EMS-

No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer) (Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer)

IATA

UN number: 3265 Class: 8 Packing group: III

Proper shipping name: Corrosive liquid, acidic, organic, n.o.s. (Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer) (Benzenesulfonic acid, ethenyl-, homopolymer, compd. with 2,3-dihydrothieno[3,4-b]-1,4-dioxin homopolymer)

SECTION 15: Regulatory information

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Aldrich - 655201

Page 11 of 13



SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : The following components are subject to reporting

levels established by SARA Title III, Section 313:

ethylene glycol 107-21-1 >= 5 - < 10 %

US State Regulations

Massachusetts Right To Know

water	7732-18-5
ethylene glycol	107-21-1

Pennsylvania Right To Know

ethylene glycol 107-21-1

Maine Chemicals of High Concern

water 7732-18-5

Vermont Chemicals of High Concern

water 7732-18-5 ethylene glycol 107-21-1

Washington Chemicals of High Concern

water 7732-18-5 ethylene glycol 107-21-1

California Prop. 65

WARNING: This product can expose you to chemicals including ethylene glycol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its

Aldrich - 655201

Page 12 of 13



Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.10 Revision Date: 09/06/2024 Print Date: 09/07/2024

Aldrich - 655201 Page 13 of 13

