

# SAFETY DATA SHEET

Version 8.3 Revision Date 03/02/2024 Print Date 07/13/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Phosphoric Acid Orthophosphoric Acid 85%

(w/w) HPLC Grade

Product Number : PX0996
Brand : Millipore
CAS-No. : 7664-38-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

Millipore - PX0996

Page 1 of 12



For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram Signal Word Danger Hazard Statements H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. **Precautionary Statements** P234 Keep only in original container. Wash skin thoroughly after handling. P264 P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. P310 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

plant.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

P501

Component		Classification	Concentration
phosphoric acid			
CAS-No. EC-No. Index-No. Registration	7664-38-2 231-633-2 015-011-00-6 01-2119485924-24-	Met. Corr. 1; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; H290, H302, H314, H318	>= 70 - < 90 %
number	XXXX	Concentration limits: >= 1 %: Met. Corr. 1,	

Dispose of contents/ container to an approved waste disposal

Millipore - PX0996 Page 2 of 12



H290; >= 25 %: Skin	
Corr. 1B, H314; 10 - < 25	
%: Skin Irrit. 2, H315; 10	
- < 25 %: Eye Irrit. 2,	
H319;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Oxides of phosphorus

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Oxides of phosphorus

Millipore - PX0996



#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

# Advice on safe handling

Observe label precautions.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal or light-weight-metal containers.

Tightly closed.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore - PX0996

Page 4 of 12



#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
phosphoric acid	7664-38-2	TWA	1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		STEL	3 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	3 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	3 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	1 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
		STEL	3 mg/m3	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## **Personal protective equipment**

## **Eye/face protection**

Tightly fitting safety goggles

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Millipore - PX0996

Page 5 of 12



Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

## Respiratory protection

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor odorless

c) Odor Threshold Not applicable

< 0.5 at 100 g/l at 20 °C (68 °F) d) pH

Melting point: ca.21 °C (ca.70 °F) e) Melting

point/freezing point

Initial boiling point ca.158 °C ca.316 °F at 1,013 hPa and boiling range

g) Flash point ()does not flash h) Evaporation rate No data available No data available i)

Flammability (solid, gas)

Upper/lower j)

flammability or explosive limits No data available

Millipore - PX0996

k) Vapor pressure 2 hPa at 20 °C (68 °F)

I) Vapor density No data available

m) Density 1.71 g/cm3 at 20 °C (68 °F)

Relative density No data available

n) Water solubility soluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity 30.5 mm2/s at 20 °C (68 °F) -

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

No data available

## 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Metals

metal alloys

Possible formation of:

Hydrogen

Violent reactions possible with:

Bases

metallic oxides

### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Aluminum, iron/iron-containing compounds, Mild steelGives off hydrogen by reaction with metals.

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

Millipore - PX0996

MILLIPORE

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

Acute toxicity estimate Oral - 1,471 mg/kg

(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

No data available

#### Skin corrosion/irritation

Remarks: Mixture causes severe burns.

#### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness! conjunctivitis

## Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Irritation and corrosion, Cough, Shortness of breath, Pain, Spasm, shock, conjunctivitis Risk of blindness!

Systemic effects:

Convulsions

Millipore - PX0996

Page 8 of 12



Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### **Components**

# phosphoric acid

#### **Acute toxicity**

LD50 Oral - Rat - 1,250 mg/kg

Remarks: Lungs, Thorax, or Respiration: Acute pulmonary edema.

Liver: Changes in liver weight.

(RTECS)

Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 24 h

Remarks: (ECHA)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

## Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative **Carcinogenicity** 

No data available

# Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

#### **Aspiration hazard**

No data available

Millipore - PX0996

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Mixture**

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Harmful effect due to pH shift.

Caustic even in diluted form.

Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

Discharge into the environment must be avoided.

#### **Components**

#### phosphoric acid

Toxicity to daphnia	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -
and other aquatic	48 h

invertebrates (OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - >

100 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Desmodesmus subspicatus (green algae) -

100 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria  $\,$  static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1805 Class: 8 Packing group: III

Proper shipping name: Phosphoric acid solution

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1805 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: PHOSPHORIC ACID SOLUTION

**IATA** 

UN number: 1805 Class: 8 Packing group: III

Proper shipping name: Phosphoric acid, solution

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

phosphoric acid CAS-No. Revision Date 7664-38-2 1993-02-16

7732-18-5

water

**Pennsylvania Right To Know Components** 

phosphoric acid CAS-No. Revision Date 7664-38-2 1993-02-16

Millipore - PX0996

Page 11 of 12



## SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.3

Revision Date: 03/02/2024

Print Date: 07/13/2024

Millipore - PX0996 Page 12 of 12

