

# **SAFETY DATA SHEET**

Version 8.10 Revision Date 09/06/2024 Print Date 09/07/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

|     | Product name  | : | Didecyldimethylammonium chloride                    |
|-----|---|---|---|
|     | Product Number<br>Brand<br>Index-No.<br>CAS-No.                               | : | 34466<br>Sigma-Aldrich<br>612-131-00-6<br>7173-51-5 |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against |   |   |
|     | Identified uses   | : | Laboratory chemicals, Synthesis of substances       |

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### **1.3** Details of the supplier of the safety data sheet

| Company   | : Sigma-Aldrich Inc.<br>3050 SPRUCE ST<br>ST. LOUIS MO 63103<br>UNITED STATES |
|-----------|---|
| Telephone | : +1 314 771-5765   |

# Fax : +1 800 325-5052

### **1.4 Emergency telephone**

| Emergency Phone # | : | 800-424-9300 CHEMTREC (USA) +1-703-<br>527-3887 CHEMTREC (International) 24 |
|-------------------|---|---|
|                   |   | Hours/day; 7 Days/week  |

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Long-term (chronic) aquatic hazard (Category 1), H410 Sigma-Aldrich - 34466

Page 1 of 11



For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

| Pictogram  |   |
|--|---|
| Signal Word  | Danger  |
| Hazard Statements<br>H302<br>H314<br>H410                        | Harmful if swallowed.<br>Causes severe skin burns and eye damage.<br>Very toxic to aquatic life with long lasting effects.  |
| Precautionary Statements<br>P260<br>P264<br>P270<br>P273<br>P280 | Do not breathe dust.<br>Wash skin thoroughly after handling.<br>Do not eat, drink or smoke when using this product.<br>Avoid release to the environment.<br>Wear protective gloves/ protective clothing/ eye protection/ face |
| P301 + P312 + P330   | protection.<br>IF SWALLOWED: Call a POISON CENTER/ doctor if you feel<br>unwell. Rinse mouth.   |
| P301 + P330 + P331<br>P303 + P361 + P353                         | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.<br>IF ON SKIN (or hair): Take off immediately all contaminated<br>clothing. Rinse skin with water/ shower.   |
| P304 + P340 + P310   | IF INHALED: Remove person to fresh air and keep comfortable<br>for breathing. Immediately call a POISON CENTER/ doctor.   |
| P305 + P351 + P338 +<br>P310                                     | IF IN EYES: Rinse cautiously with water for several minutes.<br>Remove contact lenses, if present and easy to do. Continue<br>rinsing. Immediately call a POISON CENTER/ doctor.  |
| P363<br>P391<br>P405<br>P501                                     | Wash contaminated clothing before reuse.<br>Collect spillage.<br>Store locked up.<br>Dispose of contents/ container to an approved waste disposal<br>plant.   |

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

## 3.1 Substances

| Formula          | : | C22H48N · Cl |
|------------------|---|--------------|
| Molecular weight | : | 362.08 g/mol |
| CAS-No.          | : | 7173-51-5    |
| EC-No.           | : | 230-525-2    |
| Index-No.        | : | 612-131-00-6 |

| Component                        | Classification           | Concentration |
|----------------------------------|--------------------------|---------------|
| didecyldimethylammonium chloride |                          |               |
|                                  | Acute Tox. 4; Skin Corr. | <= 100 %      |
|                                  | 1B; Eye Dam. 1; Aquatic  |               |

Sigma-Aldrich - 34466

Page 2 of 11



| Chronic 1; H302, H314,<br>H318, H410 |  |
|--------------------------------------|--|
|--------------------------------------|--|

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

Sigma-Aldrich - 34466

Page 3 of 11



### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4 Reference to other sections** For disposal see section 13.

### **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** Tightly closed. Dry.

#### **Storage class** Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

### **7.3 Specific end use(s)** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### **Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

Sigma-Aldrich - 34466

Page 4 of 11



### 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type P2 The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

### SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

a) Appearance

Form: amorphous

Sigma-Aldrich - 34466

Page 5 of 11



Color: white, to, light yellow

|    |  | Color: white, to, light yellow   |
|----|--|--|
| b) | Odor   | mustycharacteristic  |
| c) | Odor Threshold                                     | No data available  |
| d) | рН   | ca.6.8 - 6.9 at 25 °C (77 °F) - Aqueous solution   |
| e) | Melting<br>point/freezing point                    | Melting point/ range: ca.94 - 100 °C (ca.201 - 212 °F) at 1,013<br>hPa - OECD Test Guideline 102 |
| f) | Initial boiling point and boiling range            | > 180 °C > 356 °F - OECD Test Guideline 103 - Decomposes below the boiling point.                |
| g) | Flash point  | No data available  |
| h) | Evaporation rate                                   | No data available  |
| i) | Flammability (solid,<br>gas)                       | No data available  |
| j) | Upper/lower<br>flammability or<br>explosive limits | No data available  |
| k) | Vapor pressure                                     | < 0.1 hPa at 20 °C (68 °F) - OECD Test Guideline 104   |
| I) | Vapor density                                      | No data available  |
| m) | Density  | 0.902 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109   |
|    | Relative density                                   | 0.8720 °C - OECD Test Guideline 109  |
| n) | Water solubility                                   | 0.39 g/l at 25 °C (77 °F) - slightly soluble   |
| o) | Partition coefficient:<br>n-octanol/water          | log Pow: ca0.41 at 20 °C (68 °F) - OECD Test Guideline 107 -<br>Bioaccumulation is not expected. |
| p) | Autoignition<br>temperature                        | > 403 °C (> 757 °F) at 1,013 hPa - Relative self-ignition<br>temperature for solids              |
| q) | Decomposition<br>temperature                       | 198 °C (388 °F), 10 K/min -  |
| r) | Viscosity  | 24.5 mm2/s at 20 °C (68 °F) - OECD Test Guideline 114 -  |
| s) | Explosive properties                               | No data available  |
| t) | Oxidizing properties                               | none   |
| Ot | her safety information                             | on   |
|    | Surface tension                                    | 25.82 mN/m at 1g/l at 20 °C (68 °F) - OECD Test Guideline 115                                    |
|    |  |  |

### SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

9.2

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Sigma-Aldrich - 34466

Page 6 of 11



### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents

**10.4 Conditions to avoid** 

no information available

- 10.5 Incompatible materials No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

### Acute toxicity

LD50 Oral - Rat - male and female - 329 mg/kg (OECD Test Guideline 401) Inhalation: No data available Inhalation: Corrosive to respiratory system. LD50 Dermal - Rat - male and female - > 1,000 mg/kg (OECD Test Guideline 402) No data available

### Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

### **Respiratory or skin sensitization**

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test

Sigma-Aldrich - 34466

Page 7 of 11



Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (40% solution)

### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

### Aspiration hazard

No data available

### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 52 Weeks - NOAEL (No observed adverse effect level) - 31 mg/kg - LOAEL (Lowest observed adverse effect level) - 62 mg/kg

#### RTECS: BP6560000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

| Toxicity to fish  | semi-static test LC50 - Danio rerio (zebra fish) - 0.49 mg/l - 96 h<br>(OECD Test Guideline 203) |
|---|--|
| Toxicity to daphnia<br>and other aquatic<br>invertebrates | static test EC50 - Daphnia magna (Water flea) - 0.029 mg/l - 48 h<br>(OECD Test Guideline 202)   |
| Toxicity to algae   | static test ErC50 - Pseudokirchneriella subcapitata (green algae) -<br>0.062 mg/l - 96 h         |

Sigma-Aldrich - 34466

Page 8 of 11



(OECD Test Guideline 201)

Toxicity to<br/>fish(Chronic toxicity)NOEC - Danio rerio (zebra fish) - 0.032 mg/l - 34 d<br/>(OECD Test Guideline 210)Toxicity to daphnia<br/>and other aquatic<br/>invertebrates(Chronicsemi-static test NOEC - Daphnia magna (Water flea) - 0.021 mg/l -<br/>21 d<br/>(OECD Test Guideline 211)<br/>toxicity)

### 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 71 % - Readily biodegradable. (OECD Test Guideline 301B)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil**

No data available

# **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

- 12.6 Endocrine disrupting properties No data available
- 12.7 Other adverse effects

No data available

### SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### **SECTION 14:** Transport information

### DOT (US)

UN number: 3261 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, organic, n.o.s. (didecyldimethylammonium chloride) Reportable Quantity (RQ): Poison Inhalation Hazard: No

Sigma-Aldrich - 34466

Page 9 of 11



### IMDG

UN number: 3261 Class: 8 Packing group: II EMS-No: F-A, S-B Proper shipping name: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (didecyldimethylammonium chloride) Marine pollutant : yes

### ΙΑΤΑ

UN number: 3261 Class: 8 Packing group: II Proper shipping name: Corrosive solid, acidic, organic, n.o.s. (didecyldimethylammonium chloride)

### **SECTION 15: Regulatory information**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

| SARA 311/312<br>Hazards | : | Acute Health Hazard   |
|-------------------------|---|---|
| SARA 313                | : | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

#### **US State Regulations**

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

### Washington Chemicals of High Concern

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Sigma-Aldrich - 34466

Page 10 of 11



### **SECTION 16: Other information**

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Revision Date: 09/06/2024 Version: 8.10 Print Date: 09/07/2024

Sigma-Aldrich - 34466

Page 11 of 11

