

# **SAFETY DATA SHEET**

Version 6.16 Revision Date 09/06/2024 Print Date 09/07/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name	<sup>:</sup> Ethyl Alcohol, pure
Product Number Brand	: 459836 : Sigma-Aldrich
Index-No.	: 603-002-00-5
CAS-No.	: 64-17-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier	of	the safety data sheet
Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
Identified uses	:	Laboratory chemicals, Synthesis of substances

# **1.3** Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax		+1 314 771-5765 +1 800 325-5052
Emergency telephone		
Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24

### **SECTION 2: Hazards identification**

1.4

# 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Hours/day; 7 Days/week

Flammable liquids (Category 2), H225 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16. Sigma-Aldrich - 459836

Page 1 of 13



# 2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H225 H319	Highly flammable liquid and vapor. Causes serious eye irritation.
Precautionary Statements P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 P240 P241 P242	Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools.
P243 P264	Take precautionary measures against static discharge. Wash skin thoroughly after handling.
P280 P303 + P361 + P353	Wear protective gloves/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235 P501	Store in a well-ventilated place. Keep cool. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

3.1	<b>Substances</b> Synonyms	:	Absolute alcohol		
	Formula Molecular weight CAS-No. EC-No. Index-No.	:	C₂H <sub>6</sub> O 46.07 g/mol 64-17-5 200-578-6 603-002-00-5		
	Component			Classification	Concentration
	ethanol				
				Flam. Liq. 2; Eye Irrit. 2A; H225, H319 Concentration limits:	<= 100 %

>= 50 %: Eye Irrit. 2A,

Sigma-Aldrich - 459836

Page 2 of 13



H319;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

### 4.1 Description of first-aid measures

### **General advice**

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

# 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Sigma-Aldrich - 459836

Page 3 of 13



#### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions** Do not let product enter drains. Risk of explosion.

- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Hygroscopic.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Sigma-Aldrich - 459836

Page 4 of 13



Component	CAS-No.	Value	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		STEL	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed humans	animal carcinoge	en with unknown relevance to
		TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	1,000 ppm 1,900 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Change contaminated clothing. Wash hands after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

required

#### **Body Protection**

Flame retardant antistatic protective clothing.

Sigma-Aldrich - 459836

Page 5 of 13



# **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a	Appearance	Form: liquid Color: colorless
b	) Odor	alcohol-like
C)	Odor Threshold	0.1 ppm
ď	) pH	7.0 at 10 g/l at 20 °C (68 °F)
e)	) Melting point/freezing point	Melting point/ range: -114 °C (-173 °F)
f)	Initial boiling point and boiling range	78 °C 172 °F
g	) Flash point	13 °C (55 °F) - closed cup - closed cup
h	) Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 27.7 %(V) Lower explosion limit: 3.1 %(V)
k)	Vapor pressure	57.26 hPa at 19.6 °C (67.3 °F)
I)	Vapor density	1.6
m	) Density	0.789 g/mL at 25 °C (77 °F)
- AL	drich 1E0026	

Sigma-Aldrich - 459836

Page 6 of 13



Relative density No data available

	iterative achiercy	
n)	Water solubility	1,000 g/l at 20 °C (68 °F) - completely miscible
o)	Partition coefficient: n-octanol/water	log Pow: -0.35 at 24 °C (75 °F) - Bioaccumulation is not expected.
p)	Autoignition temperature	363 - 425 °C (685 - 797 °F) at 1,013 hPa
q)	Decomposition temperature	Distillable in an undecomposed state at normal pressure.
r)	Viscosity	No data available
s)	Explosive properties	Not classified as explosive.
t)	Oxidizing properties	none
Other safety information		
	Conductivity	< 1 uS/cm

Conductivity	< 1 µS/cm
Surface tension	22.31 mN/m at 20 °C (68 °F) - similar to water
Relative vapor density	1.6

# **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

9.2

Vapors may form explosive mixture with air.

### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# **10.3** Possibility of hazardous reactions

Risk of explosion/exothermic reaction with: hydrogen peroxide perchlorates perchloric acid Nitric acid mercury(II) nitrate permanganic acid Nitriles peroxi compounds Strong oxidizing agents nitrosyl compounds Peroxides sodium Potassium halogen oxides calcium hypochlorite nitrogen dioxide metallic oxides uranium hexafluoride

Sigma-Aldrich - 459836

Page 7 of 13



iodides Chlorine Alkali metals Alkaline earth metals alkali oxides Ethylene oxide silver with Nitric acid silver compounds with Ammonia potassium permanganate with conc. sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds chromium(VI) oxide chromyl chloride Fluorine hydrides Oxides of phosphorus platinum Nitric acid with potassium permanganate

#### **10.4** Conditions to avoid

Warming. Warming.

**10.5 Incompatible materials** No data available

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## **11.1** Information on toxicological effects

# Acute toxicity

LD50 Oral - Rat - male and female - 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124.7 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h Sigma-Aldrich - 459836

Page 8 of 13



(OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

# **Respiratory or skin sensitization**

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol

# Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: dominant lethal test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 478 Result: Positive results were obtained in some in vivo tests.

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

Sigma-Aldrich - 459836

Page 9 of 13



# **11.2 Additional Information**

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 1,730 mg/kg - LOAEL (Lowest observed adverse effect level) - 3,200 mg/kg

RTECS: KQ6300000 irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

# **12.1 Toxicity**

•	TOXICITY		
	Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 15,300 mg/l - 96 h (US-EPA)	
	Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea) - 5,012 mg/l - 48 h Remarks: (ECHA)	
	Toxicity to algae	static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h (OECD Test Guideline 201)	
	Toxicity to bacteria	static test IC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)	
	Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h Remarks: (ECHA)	
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 9.6 mg/l - 9 d Remarks: (ECHA)	
Persistence and degradability			
-	Biodegradability	aerobic - Exposure time 15 d Result: ca.95 % - Readily biodegradable. (OECD Test Guideline 301E)	
	Biochemical Oxygen	930 - 1,670 mg/g	

Demand (BOD)	Remarks: (Lit.)
Theoretical oxygen	2,100 mg/g
demand	Remarks: (Lit.)

Sigma-Aldrich - 459836

12.2

Page 10 of 13



# 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

#### **12.4 Mobility in soil** No data available

### 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

# 12.7 Other adverse effects

# SECTION 13: Disposal considerations

# **13.1** Waste treatment methods

### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information		
<b>DOT (US)</b> UN number: 1170 Class: 3 Proper shipping name: Ethanol Reportable Quantity (RQ): Poison Inhalation Hazard	Packing group: : No	II
<b>IMDG</b> UN number: 1170 E, S-D Proper shipping name: ETHANOL	Class: 3	Packing group: II EMS-No: F-
IATA UN number: 1170 Class: 3 Proper shipping name: Ethanol	Packing group:	II

# SECTION 15: Regulatory information

# **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

Sigma-Aldrich - 459836

Page 11 of 13



# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard Chronic Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

ethanol	64-17-5	>= 90 - <= 100 %

# **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

Massachusetts Right To Know	
ethanol	64-17-5
Pennsylvania Right To Know	
ethanol	64-17-5
Maine Chemicals of High Concern	
Product does not contain any listed chemicals	

### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

# The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory Sigma-Aldrich - 459836

Page 12 of 13



# **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.16 Revision Date: 09/06/2024 Print Date: 09/07/2024

Sigma-Aldrich - 459836

Page 13 of 13

