

SAFETY DATA SHEET

Version 6.8 Revision Date 09/06/2024 Print Date 09/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Imidazole

Product Number : 56750

Brand : Sigma-Aldrich Index-No. : 613-319-00-0 CAS-No. : 288-32-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1C), H314 Serious eye damage (Category 1), H318

Sigma-Aldrich - 56750

Page 1 of 12



Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H360 May damage fertility or the unborn child.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 1,3-Diaza-2,4-cyclopentadiene

Glyoxaline

Formula : $C_3H_4N_2$ Molecular weight : 68.08 g/mol CAS-No. : 288-32-4EC-No. : 206-019-2

Sigma-Aldrich - 56750

Millipore Sigma Index-No. : 613-319-00-0

Component	Classification	Concentration		
Imidazole				
	Acute Tox. 4; Skin Corr.	<= 100 %		
	1C; Eye Dam. 1; Repr. 1B;			
	H302, H314, H318, H360			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma-Aldrich - 56750

MIPORE

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Hydrogen cyanide (hydrocyanic acid)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Sigma-Aldrich - 56750

Page 4 of 12



Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL)

Delived No Elicet Level (DIVLE)			
Application Area	Routes of	Health effect	Value
	exposure		
Workers	Inhalation	Long-term systemic effects	10.6 mg/m3
Workers	Skin contact	Long-term systemic effects	1.5mg/kg BW/d

Predicted No Effect Concentration (PNEC)

Compartment	Value
Soil	0.0425 mg/kg
Sea water	0.013 mg/l
Fresh water	0.13 mg/l
Sea sediment	0.0336 mg/kg
Fresh water sediment	0.336 mg/kg
Sewage treatment plant	10 mg/l
Aquatic intermittent release	1.3 mg/l

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Sigma-Aldrich - 56750

Millipore SigMa Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Color: whitelight yellow

b) Odor amine-like

c) Odor Threshold No data available

d) pH 10.5 at 67 g/l at 20 °C (68 °F)

e) Melting point/ range: 88 - 91 °C (190 - 196 °F) point/freezing point Melting point/ range: 88 - 91 °C (190 - 196 °F)

f) Initial boiling point and boiling range

256 °C 493 °F

g) Flash point 145 °C (293 °F) - closed cup - DIN 51758

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

Sigma-Aldrich - 56750

Millipore SigMa j) Upper/lower No data available flammability or

explosive limits

k) Vapor pressure 0.003 hPa at 20 °C (68 °F) - OECD Test Guideline 104

I) Vapor density No data available

m) Density 1.233 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109

Relative density No data available n) Water solubility No data available

o) Partition coefficient: log Pow: -0.02 - OECD Test Guideline 107 - Bioaccumulation is

n-octanol/water not expected., (Lit.)

p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

9.2 Other safety information

Dissociation constant 7.15 at 25 °C (77 °F)

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents Acid chlorides Acid anhydrides acids

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No data available

Sigma-Aldrich - 56750



10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 970 mg/kg (OECD Test Guideline 401) Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive after 1 to 4 hours of exposure - 4 h

(OECD Test Guideline 404)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes Method: OECD Test Guideline 482

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Sigma-Aldrich - 56750

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

May damage the unborn child. May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse

effect level) - 60 mg/kg Remarks: Subchronic toxicity

RTECS: NI3325000

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic

(Pegu

static test EC50 - Daphnia magna (Water flea) - 341.5 mg/l - 48 h

(Regulation (EC) No. 440/2008, Annex, C.2)

Toxicity to algae

invertebrates

static test ErC50 - Desmodesmus subspicatus (green algae) - 133

mg/l - 72 h (DIN 38412)

Toxicity to bacteria

static test EC50 - activated sludge - > 1,000 mg/l - 30 min

(OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 18 d

Result: 90 - 100 % - Readily biodegradable.

(OECD Test Guideline 301A)

Sigma-Aldrich - 56750

Page 9 of 12



12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information

DOT (US)

UN number: 3263 Class: 8 Packing group: III

Proper shipping name: Corrosive solid, basic, organic, n.o.s. (Imidazole)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 3263 Class: 8 Packing group: III EMS-

No: F-A, S-B

Proper shipping name: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Imidazole)

IATA

UN number: 3263 Class: 8 Packing group: III

Proper shipping name: Corrosive solid, basic, organic, n.o.s. (Imidazole)

SECTION 15: Regulatory information

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

Sigma-Aldrich - 56750

Page 10 of 12



SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Imidazole 288-32-4

Maine Chemicals of High Concern

Imidazole 288-32-4

Vermont Chemicals of High Concern

Imidazole 288-32-4

Washington Chemicals of High Concern

Imidazole 288-32-4

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

Sigma-Aldrich - 56750

illi**PDR**E

Page 11 of 12

SECTION 16: Other information

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 09/06/2024 Print Date: 09/07/2024

Sigma-Aldrich - 56750

