

# SAFETY DATA SHEET

Version 6.4  
Revision Date 07.03.2024  
Print Date 10.08.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Nickel(II) chloride hexahydrate

Product Number : 31462  
Brand : SIGALD  
CAS-No. : 7791-20-0

### 1.2 Other means of identification

No data available

### 1.3 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : For R&D use only. Not for pharmaceutical, household or other uses.

### 1.4 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pte Ltd  
(Co. Registration No. 199403788W)  
2 Science Park Drive  
#05-01/12 Ascent Building  
SINGAPORE 118222  
SINGAPORE

Telephone : +65 6890 6633  
Fax : +65 6890 6639  
E-mail address : TechnicalService@merckgroup.com

### 1.5 Emergency telephone

Emergency Phone # : +65 3158 1349 (CHEMTREC intl.) 800 101  
2201 (CHEMTREC)

## SECTION 2: Hazards identification

### 2.1 GHS Classification

Acute toxicity, Oral (Category 3), H301  
Acute toxicity, Inhalation (Category 3), H331  
Skin corrosion/irritation (Category 2), H315  
Respiratory sensitization (Category 1), H334  
Skin sensitization (Category 1), H317  
Germ cell mutagenicity (Category 2), H341  
Carcinogenicity, Inhalation (Category 1A), H350  
Reproductive toxicity (Category 1B), H360  
Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372

Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H301 + H331

Toxic if swallowed or if inhaled.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341

Suspected of causing genetic defects.

H350

May cause cancer by inhalation.

H360

May damage fertility or the unborn child.

H372

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention

P201

Obtain special instructions before use.

P260

Do not breathe dust.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P310 + P330

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P304 + P340 + P311

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P342 + P311

If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P391

Collect spillage.

Storage

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

Restricted to professional users.

## 2.3 Other hazards - none

---

## SECTION 3: Composition/information on ingredients

Substance / Mixture : Substance

### 3.1 Substances

Formula :  $\text{Cl}_2\text{Ni} \cdot 6\text{H}_2\text{O}$

Molecular weight : 237.69 g/mol  
CAS-No. : 7791-20-0  
EC-No. : 231-743-0

### Hazardous ingredients

Component	Classification	Concentration
<b>Nickel(II) chloride hexahydrate</b>		
	Acute Tox. 3; Skin Corr./Irrit. 2; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H301, H331, H315, H334, H317, H341, H350, H360, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0.1 - < 1 %: STOT RE 2, H373; >= 20 %: Skin Irrit. 2, H315; >= 0.01 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

#### **4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

##### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

#### **5.2 Special hazards arising from the substance or mixture**

Hydrogen chloride gas

Nickel/nickel oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

#### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains.

#### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **6.4 Reference to other sections**

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Hygroscopic.

#### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.3 no other specific uses are stipulated.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Nickel(II) chloride hexahydrate	7791-20-0	PEL (long term)	0.1 mg/m <sup>3</sup>	Singapore. Workplace Safety and Health Act - First Schedule Permissible Exposure Limits of Toxic Substances

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

### **Body Protection**

protective clothing

### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |   |
|---|---|
| a) Physical state                               | crystalline   |
| b) Color  | green   |
| c) Odor   | odorless  |
| d) Melting point/freezing point                 | Melting point: 1,001 °C - (anhydrous substance), decomposes |
| e) Initial boiling point and boiling range      | No data available   |
| f) Flammability (solid, gas)                    | The product is not flammable.                               |
| g) Upper/lower flammability or explosive limits | No data available   |
| h) Flash point                                  | Not applicable  |

i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	pH	4.9 at 100 at 20 °C
l)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	2,540 g/l at 20 °C - soluble
n)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
o)	Vapor pressure	No data available
p)	Density	1.92 g/cm <sup>3</sup>
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:  
Alkali metals

### 10.4 Conditions to avoid

Avoid moisture.  
no information available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - 175 mg/kg

(OECD Test Guideline 401)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: nickel(II) chloride

LC50 Inhalation - Rat - male - 4 h - 0.593 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: nickel(II) chloride

Dermal: No data available

#### Skin corrosion/irritation

Remarks: Causes skin irritation.

(anhydrous substance)

The value is given in analogy to the following substances: nickel(II) chloride

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 168 h

(OECD Test Guideline 405)

Remarks: (anhydrous substance)

The value is given in analogy to the following substances: nickel(II) chloride

Remarks: slight irritation

#### Respiratory or skin sensitization

May cause allergic respiratory and skin reactions (anhydrous substance)

#### Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: gene mutation test

Test system: mammalian cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (Lit.)

Test Type: Chromosome aberration test

Species: Mouse

Application Route: Intraperitoneal

Result: positive

Remarks: (ECHA)

#### Carcinogenicity

Positive evidence from human epidemiological studies (inhalation)



**Reproductive toxicity**

May damage the unborn child.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Inhalation - Causes damage to organs through prolonged or repeated exposure.

- Lungs

The value is given in analogy to the following substances: nickel(II) chloride

**Aspiration hazard**

No data available

**11.2 Additional Information**

RTECS: QR6480000

Gastrointestinal disturbance

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to soluble nickel compounds in general: inorganic nickel has an adstringent effect on mucous membranes. Sensitisation with allergic manifestations is possible in predisposed persons. In some cases nickel dermatitis may manifest itself. Depending on the water-solubility, nickel and its compounds display a more or less distinct carcinogenicity, with the readily soluble nickel compounds obviously entailing the lesser risk.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

---

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 15.3 mg/l - 96 h Remarks: (ECHA) (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea) - 0.013 mg/l - 48 h Remarks: (ECHA) (anhydrous substance) The value is given in analogy to the following substances: nickel(II) chloride
Toxicity to algae	static test ErC50 - green algae - 0.243 mg/l - 72 h (OECD Test Guideline 201)

Remarks: (anhydrous substance)  
The value is given in analogy to the following substances: nickel(II) chloride

Toxicity to fish(Chronic toxicity) flow-through test LC50 - Cyprinodon variegatus (sheepshead minnow) - 27.8 mg/l - 28 d  
Remarks: (ECHA)  
(anhydrous substance)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity) semi-static test NOEC - Hyalella azteca (Amphipod) - 0.029 mg/l - 14 d  
Remarks: (ECHA)  
(anhydrous substance)  
The value is given in analogy to the following substances: nickel(II) chloride

### **12.2 Persistence and degradability**

The methods for determining biodegradability are not applicable to inorganic substances.

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties**

No data available

### **12.7 Other adverse effects**

Discharge into the environment must be avoided.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## **SECTION 14: Transport information**

- 14.1 UN number**  
ADR/RID: 3288                      IMDG: 3288                      IATA-DGR: 3288
- 14.2 UN proper shipping name**  
ADR/RID:                      TOXIC SOLID, INORGANIC, N.O.S. (Nickel(II) chloride hexahydrate)  
IMDG:                      TOXIC SOLID, INORGANIC, N.O.S. (Nickel(II) chloride hexahydrate)  
IATA-DGR:                      Toxic solid, inorganic, n.o.s. (Nickel(II) chloride hexahydrate)
- 14.3 Transport hazard class(es)**  
ADR/RID: 6.1                      IMDG: 6.1                      IATA-DGR: 6.1
- 14.4 Packaging group**  
ADR/RID: III                      IMDG: III                      IATA-DGR: III
- 14.5 Environmental hazards**  
ADR/RID: yes                      IMDG Marine pollutant: yes                      IATA-DGR: no
- 14.6 Special precautions for user**  
None
- 14.7 Incompatible materials**

**Other regulations**

Hazchem Code                      : 2X

---

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available

---

**SECTION 16: Other information**

-

**Full text of H-Statements referred to under sections 2 and 3.**

H301	Toxic if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer by inhalation.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).