

SAFETY DATA SHEET

Version 6.6 Revision Date 08/05/2024 Print Date 08/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

	Product name	:	1,1,1,2-Tetrachloroethane
	Product Number Brand CAS-No.	::	T7209 SIGALD 630-20-6
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Synthesis of substances
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.
1.3	Details of the supplier	of	the safety data sheet

Company : Sigma-Aldrich Inc.

		3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
Emergency telephone		
E DI "		

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Serious eye damage (Category 1), H318 Carcinogenicity (Category 2), H351

SIGALD - T7209

1.4

Page 1 of 9



Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal Word	Danger
Hazard Statements H302 + H332 H318 H351 H412	Harmful if swallowed or if inhaled. Causes serious eye damage. Suspected of causing cancer. Harmful to aquatic life with long lasting effects.
Precautionary Statements P201 P202	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
P261 P264 P270	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product.
P271 P273 P280	Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face
P301 + P312 + P330	protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 P405 P501	IF exposed or concerned: Get medical advice/ attention. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1	Substances					
	Formula	:	$C_2H_2CI_4$			
	Molecular weight	:	167.85 g/mol			
	CAS-No.	:	630-20-6			
	EC-No.	:	211-135-1			
	Component			(Classification	Concentration

SIGALD - T7209

Page 2 of 9



1,1,1,2-Tetrachloroethane				
	Acute Tox. 4; Eye Dam. 1; Carc. 2; Aquatic Acute 3; Aquatic Chronic 3; H302, H332, H318, H351, H402, H412			

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

- **4.1 Description of first-aid measures** No data available
- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media No data available
- 5.2 Special hazards arising from the substance or mixture Carbon oxides Hydrogen chloride gas
- 5.3 Advice for firefighters No data available
- 5.4 Further information No data available

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** For personal protection see section 8.
- 6.2 Environmental precautions No data available
- 6.3 Methods and materials for containment and cleaning up No data available
- **6.4** Reference to other sections For disposal see section 13.

SIGALD - T7209

Page 3 of 9



SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** For precautions see section 2.2.
- 7.2 Conditions for safe storage, including any incompatibilities No data available

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Control of environmental exposure

Prevent product from entering drains.

SIGALD - T7209

Page 4 of 9



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	P-	,
a)	Appearance	Form: liquid, clear Color: colorless
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	-70.2 °C (-94.4 °F)
f)	Initial boiling point and boiling range	138 °C 280 °F - lit.
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	18.7 hPa at 25.0 °C (77.0 °F)
I)	Vapor density	No data available
m)	Density	1.598 g/cm3 at 25 °C (77 °F) - lit.
	Relative density	No data available
n)	Water solubility	slightly soluble
o)	Partition coefficient: n-octanol/water	log Pow: 2.66
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Oth	ver safety informatio	'n

9.2 Other safety information No data available

SIGALD - T7209

Page 5 of 9



SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available
- **10.2 Chemical stability** No data available
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents, Strong bases
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 670.0 mg/kg LC50 Inhalation - Rat - 4 h - 2100 ppm

Remarks: Diarrhea LD50 Dermal - Rabbit - 20,000 mg/kg No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe eye irritation - 24 h (Draize Test)

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification. Limited evidence of carcinogenicity in animal studies

- IARC: 2B Group 2B: Possibly carcinogenic to humans (1,1,1,2-Tetrachloroethane)
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

SIGALD - T7209

Page 6 of 9



on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: KI8450000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Nerves. -

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 16.00 - 24.00 mg/l - 96 h EC50 - Daphnia magna (Water flea) - 17.00 - 30.00 mg/l - 48 h Toxicity to daphnia and other aquatic invertebrates

12.2 Persistence and degradability

No data available

- 12.3 Bioaccumulative potential No data available
- 12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties No data available

12.7 Other adverse effects

No data available

SIGALD - T7209

Page 7 of 9



SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

SECTION 14: Transport information

DOT (US)

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic, liquids, organic, n.o.s. (1,1,1,2-Tetrachloroethane) Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2810 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (1,1,1,2-Tetrachloroethane)

ΙΑΤΑ

UN number: 2810 Class: 6.1 Packing group: III Proper shipping name: Toxic liquid, organic, n.o.s. (1,1,1,2-Tetrachloroethane)

SECTION 15: Regulatory information

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
		RQ (lbs)	RQ (lbs)
1,1,1,2-Tetrachloroethane	630-20-6	100	100

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)		
SARA 311/312 Hazards	: Acute Health Ha Chronic Health	azard		
SARA 313	components wit threshold (De M	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
US State Regulation	S			
Massachusetts Right	t To Know			
1,1,1,2-Tetra	chloroethane	630-20-6		
Pennsylvania Right	To Know			
1,1,1,2-Tetrachloroethane 630-20-6				

SIGALD - T7209

Page 8 of 9



Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including 1,1,1,2-Tetrachloroethane, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 6.6 Revision Date: 08/05/2024 Print Date: 08/06/2024

SIGALD - T7209

Page 9 of 9

