

## **SAFETY DATA SHEET**

Version 8.4 Revision Date 08/06/2024 Print Date 08/07/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1	Product identifiers					
	Product name	:	1,2,4-BUTANETRIOL,INTERNAL STD#1,1X5ML,1000UG/ML IN PYRIDINE			
	Product Number Brand		CRM44896 Supelco			
1.2	<b>1.2</b> Relevant identified uses of the substance or mixture and uses a		of the substance or mixture and uses advised against			
	Identified uses	:	Laboratory chemicals, Synthesis of substances			
	Uses advised against	:	The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.			
1.3	Details of the supplier of the safety data sheet					
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES			
	Telephone Fax	:	+1 314 771-5765 +1 800 325-5052			
1.4	Emergency telephone					
	Emergency Phone #	:	800-424-9300 CHEMTREC (USA) +1-703- 527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week			

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312

Supelco - CRM44896

Page 1 of 12



Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



	* *
Signal Word	Danger
Hazard Statements H225 H302 + H312 + H332 H315 H319 H402	Highly flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life.
Precautionary Statements	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P233 P240	
P240 P241	Ground/bond container and receiving equipment.
P241 P242	Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools.
P242 P243	Take precautionary measures against static discharge.
P243 P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

Supelco - CRM44896

Page 2 of 12



#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Molecular weight : 79.1 g/mol

Component		Classification	Concentration
Pyridine			
CAS-No. EC-No. Index-No. Registration	110-86-1 203-809-9 613-002-00-7 01-2119493105-40-	Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; H225, H302, H332, H312, H315, H319	
number	XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Supelco - CRM44896

Page 3 of 12



### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Supelco - CRM44896

Page 4 of 12



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

## Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
Pyridine	110-86-1	TWA	1 ppm	USA. ACGIH Threshold Limit		
				Values (TLV)		
	Remarks	Confirmed	animal carcinogen with unknown relevance to			
		humans	-			
		TWA	5 ppm	USA. NIOSH Recommended		
			15 mg/m3	Exposure Limits		
		TWA	5 ppm	USA. Occupational Exposure		
			15 mg/m3	Limits (OSHA) - Table Z-1		
				Limits for Air Contaminants		
		PEL	5 ppm	California permissible exposure		
			15 mg/m3	limits for chemical		
				contaminants (Title 8, Article		
				107)		

#### 8.2 Exposure controls

## Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

required

## **Body Protection**

Flame retardant antistatic protective clothing.

Supelco - CRM44896

Page 5 of 12



#### **Respiratory protection**

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: colorless
b)	Odor	unpleasant
c)	Odor Threshold	No data available
d)	рН	8.5 at 15.82 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	-41.99 °C (-43.58 °F)
f)	Initial boiling point and boiling range	115.0 °C 239.0 °F
g)	Flash point	17.0 °C (62.6 °F) - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 12.4 %(V) Lower explosion limit: 1.8 %(V)
k)	Vapor pressure	13.3 hPa at 13.2 °C (55.8 °F) 26.7 hPa at 25.0 °C(77.0 °F)
I)	Vapor density	No data available
m)	Density	0.98 g/cm3
	Relative density	No data available
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	log Pow: 0.65
p)	Autoignition temperature	482.0 °C (899.6 °F)

Supelco - CRM44896

Page 6 of 12



- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

## **9.2 Other safety information** No data available

## SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

Vapors may form explosive mixture with air.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) . Stable under recommended storage conditions.

### **10.3** Possibility of hazardous reactions

Vapors may form explosive mixture with air.

# **10.4 Conditions to avoid**

Warming.

#### **10.5 Incompatible materials** Strong oxidizing agents, Strong acids

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Mixture

Acute toxicity Oral: No data available

Inhalation: No data available

Dermal: No data available

#### **Skin corrosion/irritation** Remarks: Mixture causes skin irritation.

#### **Serious eye damage/eye irritation** Remarks: Mixture causes serious eye irritation.

Supelco - CRM44896

Page 7 of 12



#### **Respiratory or skin sensitization**

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

#### **Specific target organ toxicity - repeated exposure** No data available

Aspiration hazard

No data available

### **11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Components

#### Pyridine

#### **Acute toxicity**

LD50 Oral - Rat - 1,500 mg/kg Remarks: (ECHA) Symptoms: Vomiting, Nausea LC50 Inhalation - Rat - male - 4 h - 17.1 mg/l - vapor (US-EPA) Symptoms: mucosal irritations, Cough, Shortness of breath LD50 Dermal - Rabbit - > 1,000 - 2,000 mg/kg (OECD Test Guideline 402) No data available

#### Skin corrosion/irritation

Skin - Rabbit Result: Mild skin irritation - 24 h (Draize Test)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. - 24 h Remarks: (ECHA)

Supelco - CRM44896

Page 8 of 12



#### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative Method: OECD Test Guideline 475 Species: Mouse - male - Bone marrow Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

Acute oral toxicity - Vomiting, Nausea Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath

**Specific target organ toxicity - repeated exposure** No data available

#### **Aspiration hazard**

No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

- Mixture No data available
- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

#### **12.5 Results of PBT and vPvB assessment** PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted

- **12.6 Endocrine disrupting properties** No data available
- **12.7 Other adverse effects** No data available

Supelco - CRM44896

Page 9 of 12



## Components

<b>Pyridine</b> Toxicity to fish	semi-static test EC50 - Danio rerio (zebra fish) - 560 - 1,000 mg/l - 96 h (OECD Test Guideline 203) Remarks: (in analogy to similar products)		
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 320 mg/l - 48 h (OECD Test Guideline 202) Remarks: (in analogy to similar products)		
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata - 320 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products)		

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Packing group: II
Packing group: II EMS-No: F-E, S-D
Packing group: II Page 10 of 12



## SECTION 15: Regulatory information

## **CERCLA Reportable Quantity**

• •		•				
Components		CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)		
Pyridine		110-86-1	1000	1000		
Pyridine		110-86-1	1000	1000 (D038)		
Pyridine		110-86-1	100	100 (F005)		
SARA 304 Extremely Ha	aza	rdous Substance	s Reportable (	· · · · · ·		
This material does not contain any components with a section 304 EHS RQ.						
SARA 302 Extremely Ha	aza	rdous Substance	s Threshold Pl	anning Quantity		
This material does not cor	ntaiı	n any components	with a section 3	302 EHS TPQ.		
SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard				
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:				
		Pyridine	110-86-1	>= 90 - <= 100 %		
US State Regulations						
Massachusetts Right To	o Kr	now				
Pyridine				110-86-1		
Massachusetts Right To	) Kr	now				
Pyridine				110-86-1		
Pennsylvania Right To	Kno	w				
Pyridine				110-86-1		
Pennsylvania Right To	Kno	W				
Pyridine 110-86-1				110-86-1		
Maine Chemicals of High Concern						
Product does not contain any listed chemicals						
Vermont Chemicals of High Concern						
Product does not contain any listed chemicals						
Washington Chemicals of High Concern						
Product does not contain any listed chemicals						
New Jersey Right To Know						
Pyridine				110-86-1		

Supelco - CRM44896

Page 11 of 12



## California Prop. 65

WARNING: This product can expose you to chemicals including Pyridine, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16: Other information**

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com. Version: 8.4 Revision Date: 08/06/2024 Print Date: 08/07/2024

Supelco - CRM44896

Page 12 of 12

